

**FORM INSP**  
Rev 05/11

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:  
06/07/2016  
Document Number:  
674702798  
Overall Inspection:  
SATISFACTORY

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	334816	334816	LONGWORTH, MIKE	<input type="checkbox"/>	

**Operator Information:**

OGCC Operator Number:	<u>96850</u>
Name of Operator:	<u>WPX ENERGY ROCKY MOUNTAIN LLC</u>
Address:	<u>PO BOX 370</u>
City:	<u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
Inspection, WPX	970-263-2716	COGCCInspectionReports@wpxenergy.com	WPX Inspection Mail Box

**Compliance Summary:**

QtrQtr: Lot 7 Sec: 5 Twp: 7S Range: 96W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
06/15/2015	674701548			SATISFACTORY			No
07/15/2014	674700028			SATISFACTORY			No
11/13/2013	663902382			SATISFACTORY	I		No

**Inspector Comment:**

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
210991	WELL	PR	02/12/1993	GW	045-06749	FEDERAL MV 34-5	PR	<input checked="" type="checkbox"/>
260200	WELL	PR	05/07/2002	GW	045-07828	FEDERAL GM 33-5	PR	<input checked="" type="checkbox"/>
277540	WELL	PR	04/01/2005	GW	045-10711	FEDERAL GM 544-5	PR	<input checked="" type="checkbox"/>
277541	WELL	PR	01/06/2006	GW	045-10710	FEDERAL GM 444-5	PR	<input checked="" type="checkbox"/>
277542	WELL	PR	01/07/2006	GW	045-10709	FEDERAL GM 344-5	PR	<input checked="" type="checkbox"/>
440586	WELL	XX	12/27/2014	LO	045-22659	GM 533-5	ND	<input checked="" type="checkbox"/>
440587	WELL	XX	12/27/2014	LO	045-22660	GM 705-44-8-HN1	ND	<input checked="" type="checkbox"/>
440588	WELL	XX	12/27/2014	LO	045-22661	GM 334-5	ND	<input checked="" type="checkbox"/>
440589	WELL	XX	12/27/2014	LO	045-22662	GM 705-34-8-HN2	ND	<input checked="" type="checkbox"/>

440590	WELL	XX	12/27/2014	LO	045-22663	GM 433-5	ND	<input checked="" type="checkbox"/>
440591	WELL	XX	12/27/2014	LO	045-22664	GM 43-5	ND	<input checked="" type="checkbox"/>
440592	WELL	XX	12/27/2014	LO	045-22665	GM 434-5	ND	<input checked="" type="checkbox"/>
440593	WELL	XX	12/27/2014	LO	045-22666	GM 443-5	ND	<input checked="" type="checkbox"/>
440594	WELL	XX	12/27/2014	LO	045-22667	GM 34-5	ND	<input checked="" type="checkbox"/>
440595	WELL	XX	12/27/2014	LO	045-22668	GM 343-5	ND	<input checked="" type="checkbox"/>
440596	WELL	XX	12/27/2014	LO	045-22669	GM 333-5	ND	<input checked="" type="checkbox"/>
440597	WELL	XX	12/27/2014	LO	045-22670	GM 705-34-8-HN1	ND	<input checked="" type="checkbox"/>

**Equipment:** Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>17</u>	Production Pits: _____
Condensate Tanks: <u>4</u>	Water Tanks: <u>2</u>	Separators: <u>20</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

**Location**

**Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date

**Signs/Marker:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
WELLHEAD	SATISFACTORY			
BATTERY	SATISFACTORY			

Emergency Contact Number (S/AR): SATISFACTORY Corrective Date: \_\_\_\_\_

Comment: 970-285-9377

Corrective Action: \_\_\_\_\_

**Good Housekeeping:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

**Spills:**

Type	Area	Volume	Corrective action	CA Date

Multiple Spills and Releases?

<b>Fencing/:</b>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK BATTERY	SATISFACTORY			
SEPARATOR	SATISFACTORY			
WELLHEAD	SATISFACTORY			

<b>Equipment:</b>				
Type: Dehydrator	# 1	Satisfactory/Action Required:	SATISFACTORY	
Comment				
Corrective Action				Date:
Type: Plunger Lift	# 5	Satisfactory/Action Required:	SATISFACTORY	
Comment				
Corrective Action				Date:
Type: Bird Protectors	# 4	Satisfactory/Action Required:	SATISFACTORY	
Comment				
Corrective Action				Date:
Type: Horizontal Heated Separator	# 5	Satisfactory/Action Required:	SATISFACTORY	
Comment				
Corrective Action				Date:

<b>Facilities:</b>				
<input type="checkbox"/> New Tank	Tank ID: _____			
Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	200 BBLS	STEEL AST	,
S/AR	SATISFACTORY		Comment:	
Corrective Action:				Corrective Date:

<b>Paint</b>	
Condition	Adequate
Other (Content)	_____
Other (Capacity)	_____
Other (Type)	_____

<b>Berms</b>				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate
Corrective Action				Corrective Date
Comment				

<b>Facilities:</b>				
<input type="checkbox"/> New Tank	Tank ID: _____			
Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	300 BBLS	STEEL AST	,
S/AR	SATISFACTORY		Comment:	Air id 045-1162-001
Corrective Action:				Corrective Date:

<b>Paint</b>	
Condition	

Condition	Adequate			
Other (Content)	_____			
Other (Capacity)	_____			
Other (Type)	_____			
<b>Berms</b>				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate
Corrective Action	_____			Corrective Date
Comment	_____			

**Venting:**

Yes/No	YES
Comment	Bradens are open to vent.

**Flaring:**

Type	Satisfactory/Action Required		
Comment:	_____		
Corrective Action:	_____	Correct Action Date:	_____

**Predrill**

Location ID: 334816

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/AR:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	kubeczkd	Operator must ensure secondary containment for any volume of fluids contained at tank site during operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days and after precipitation events), and maintained in good condition.	12/10/2014
OGLA	kubeczkd	Notify the COGCC 48 hours prior to start of pad reconstruction/regarding, rig mobilization, spud, pipeline testing, start of hydraulic stimulation operations, and start of flowback operations (if different than hydraulic stimulation operations) using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).	12/10/2014

<p>OGLA</p>	<p>kubeczkd</p>	<p>The moisture content of drill cuttings managed onsite shall be kept as low as practicable to prevent accumulation of liquids greater than de minimis amounts. After drilling and completion operations have been completed, the drill cuttings that will remain on the well pad location (cuttings management area, the cut portion of the pad, cuttings trench, dry cuttings drilling pit), must meet the applicable standards of Table 910-1. After the drill cuttings have been amended (if necessary) and placed on the well pad, sampling frequency of the drill cuttings (to be determined by the operator) shall be representative of the material left on location. No offsite disposal of cuttings to another oil and gas location shall occur without prior approval of a Waste Management Plan (submitted via a Form 4 Sundry Notice) specifying disposal location and waste characterization method. Commercial disposal of drill cuttings will only require notification to COGCC via a Form 4 Sundry Notice.</p> <p>If the well(s) is(are) to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Potential odors associated with the completions process and/or with long term production operations must be controlled/mitigated.</p>	<p>12/10/2014</p>
<p>OGLA</p>	<p>kubeczkd</p>	<p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids and implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. In addition, pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure.</p> <p>Operator will implement BMPs necessary to mitigate a potential for a release of fluids to impact streams, intermittent streams, ditches, and drainage crossings. For these crossings: if poly pipe is used on the surface, operator will ensure appropriate containment by either installing over-sized pipe "sleeves" which extend the length of the crossing and beyond to a distance deemed adequate to capture (catchment basins) and/or divert any possible release of fluids and prevent fluids from reaching the stream or drainage; installing over-sized pipe "sleeves" which extend the length of the crossing and installing shut off valves on either side of crossing instead of catchment basins; or develop an alternative means for containment. For all other pipeline materials, operator will implement BMPs necessary to mitigate a potential for E&amp;P fluids not to reach groundwater or flowing surface water.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the temporary surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.</p>	<p>12/10/2014</p>

**S/AR:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

BMP Type	Comment
Planning	Minimize the number, length, and footprint of oil and gas development roads. Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors. Combine and share roads to minimize habitat fragmentation. Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development. Maximize the use of directional drilling to minimize habitat loss/fragmentation. Maximize use of remote telemetry for well monitoring to minimize traffic .
Interim Reclamation	Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife. WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas. Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.

**S/AR:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

\_\_\_\_\_

Summary of Operator Response to Landowner Issues:

\_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

\_\_\_\_\_

**Facility**

Facility ID: 210991 Type: WELL API Number: 045-06749 Status: PR Insp. Status: PR

**Producing Well**

Comment: Producing well

Facility ID: 260200 Type: WELL API Number: 045-07828 Status: PR Insp. Status: PR

**Producing Well**

Comment: Producing well

Facility ID: 277540 Type: WELL API Number: 045-10711 Status: PR Insp. Status: PR

**Producing Well**

Comment: Producing well

Facility ID: 277541 Type: WELL API Number: 045-10710 Status: PR Insp. Status: PR

**Producing Well**

Comment: Producing well

Facility ID: 277542 Type: WELL API Number: 045-10709 Status: PR Insp. Status: PR

**Producing Well**

Comment: Producing well

Facility ID: 440586 Type: WELL API Number: 045-22659 Status: XX Insp. Status: ND

Facility ID: 440587 Type: WELL API Number: 045-22660 Status: XX Insp. Status: ND

Facility ID: 440588 Type: WELL API Number: 045-22661 Status: XX Insp. Status: ND

Facility ID: 440589 Type: WELL API Number: 045-22662 Status: XX Insp. Status: ND

Facility ID: 440590 Type: WELL API Number: 045-22663 Status: XX Insp. Status: ND

Facility ID: 440591 Type: WELL API Number: 045-22664 Status: XX Insp. Status: ND

Facility ID: 440592 Type: WELL API Number: 045-22665 Status: XX Insp. Status: ND

Facility ID: 440593 Type: WELL API Number: 045-22666 Status: XX Insp. Status: ND

Facility ID: 440594 Type: WELL API Number: 045-22667 Status: XX Insp. Status: ND

Facility ID: 440595 Type: WELL API Number: 045-22668 Status: XX Insp. Status: ND

Facility ID: 440596 Type: WELL API Number: 045-22669 Status: XX Insp. Status: ND

Facility ID: 440597 Type: WELL API Number: 045-22670 Status: XX Insp. Status: ND

**Environmental**

**Spills/Releases:**

Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_  
 Comment: \_\_\_\_\_  
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_  
 Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_  
 Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**

Lat \_\_\_\_\_ Long \_\_\_\_\_

DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_

**Field Parameters:** \_\_\_\_\_

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment: \_\_\_\_\_

1003a. Waste and Debris removed? Pass

CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Unused or unneeded equipment onsite? Pass

CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Pit, cellars, rat holes and other bores closed? \_\_\_\_\_

CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors marked? \_\_\_\_\_

CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? \_\_\_\_\_ Production areas stabilized ? \_\_\_\_\_

1003c. Compacted areas have been cross ripped? \_\_\_\_\_

1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_

Cuttings management: \_\_\_\_\_

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_

Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation \_\_\_\_\_

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: RANGELAND

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation Well Release on Active Location  Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
		Ditches	Pass			
Seeding	Pass					
Ditches	Pass					
		Culverts	Pass			
Compaction	Pass					
Gravel	Pass					

S/A/V: SATISFACTOR Corrective Date: \_\_\_\_\_

Y

Comment: \_\_\_\_\_

CA: \_\_\_\_\_

**Pits:**  NO SURFACE INDICATION OF PIT

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
674702798	INSPECTION APPROVED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3875395">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3875395</a>