

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401102694</div>			
Date Received: <div>09/01/2016</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <div>10000</div> Contact Name <div>Andrew Hawk</div>	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: <div>BP AMERICA PRODUCTION COMPANY</div> Phone: <div>(970) 375-7590</div>	
Address: <div>380 AIRPORT RD</div> Fax: <div>()</div>	
City: <div>DURANGO</div> State: <div>CO</div> Zip: <div>81303</div> Email: <div>andrew.hawk@bp.com</div>	
API Number : <div>05-0670650700</div> OGCC Facility ID Number: <div>214903</div>	Survey Plat
Well/Facility Name: <div>RICHARDSON</div> Well/Facility Number: <div>01-25 1</div>	Directional Survey
Location QtrQtr: <div>NWSE</div> Section: <div>25</div> Township: <div>35N</div> Range: <div>8W</div> Meridian: <div>N</div>	Srhc Eqpmt Diagram
County: <div>LA PLATA</div> Field Name: <div>IGNACIO BLANCO</div>	Technical Info Page
Federal, Indian or State Lease Number: <div>16475</div>	Other

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

--

Operator Comments:

The attached documents are being submitted as part of a Rule 609 baseline sample, pre-drilling. A water well tested pursuant to Rule 609 returned results with elevated methane. Please route this Form 4 to EPS Jim Hughes.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Andrew Hawk
Title: Environmental Coord. Email: andrew.hawk@bp.com Date: 9/1/2016

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOESELL, ARTHUR Date: 9/12/2016

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments**User Group****Comment****Comment Date**

Environmental Data	Incorrect version of the form 4 for what the operator is trying to do. The information should be submitted on the Environmental/Engineering tab not the GW exception tab.	9/2/2016 8:35:21 AM
--------------------	---	---------------------

Total: 1 comment(s)

Attachment Check List**Att Doc Num****Name**

401102694	FORM 4 SUBMITTED
401102701	GAS ANALYSIS REPORT
401102703	ANALYTICAL RESULTS
401102704	ANALYTICAL RESULTS
401102705	ANALYTICAL RESULTS

Total Attach: 5 Files