



Well Details: Chevron TR 323-21-597

GL 8292' & RKB 24' @ 8316.00usft (H&P 318)

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.00	0.00	1653244.60	2215082.80	39.5939077	-108.2857281	B1

T M Azimuths to True North
Magnetic North: 9.83°

Magnetic Field
Strength: 51638.4snT
Dip Angle: 65.67°
Date: 8/11/2016
Model: BGGM2016



FORMATION TOP DETAILS

TVDPath	MDPath	Formation
2321.00	2390.32	Wasatch
4126.00	4279.97	Top "G" Sand
4176.00	4332.31	Base "G" Sand
4313.00	4475.74	Fort Union
5635.00	5837.54	Ohio Creek
5735.00	5937.56	Mesaverde
6548.00	6750.56	Top Gas
8134.00	8336.56	Cameo Coals
8523.00	8725.56	Rollins SS
8705.00	8907.56	Cozzette
8926.00	9128.56	Corcoran
9104.00	9306.56	Sego

Plan: Plan #3 6Sept2016 jcsdi

11:13, September 06 2016
Created By: Janie Collins

PROJECT DETAILS: Garfield County, CO NAD83

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: Colorado Central Zone

System Datum: Mean Sea Level

CASING DETAILS

TVD	MD	Name	Size
2559.49	2640.00	9 5/8" Surface Casing	9.62

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	120.00	0.00	0.00	120.00	0.00	0.00	0.00	0.00	0.00	
3	220.00	2.00	30.00	219.98	1.51	0.87	2.00	30.00	1.71	
4	370.00	2.00	30.00	369.89	6.04	3.49	0.00	0.00	6.86	
5	1132.76	17.21	19.04	1119.77	124.97	47.22	2.00	-12.35	133.55	
6	5076.85	17.21	19.04	4887.19	1228.36	427.92	0.00	0.00	1300.77	
7	5937.56	0.00	0.00	5735.00	1349.67	469.78	2.00	180.00	1429.09	TR 323-21-597 MVRD
8	9606.00	0.00	0.00	9403.44	1349.67	469.78	0.00	0.00	1429.09	

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
TR 323-21-597 MVRD5735.00	1349.67		469.78	1654579.24	2215593.74	39.5976130	-108.2840610	Circle (Radius: 25.00)
- plan hits target center								
TR 323-21-597 PBHL 9403.00	1349.67		469.78	1654579.24	2215593.74	39.5976130	-108.2840610	Point
- plan hits target center								



TEP Rocky Mountain LLC

Garfield County, CO NAD83

TR 24-21-597 Pad

Chevron TR 323-21-597 - Slot B1

OH

Plan: Plan #3 6Sept2016 jcsdi

Standard Planning Report

06 September, 2016



Database:	Grand Junction District	Local Co-ordinate Reference:	Well Chevron TR 323-21-597 - Slot B1
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Site:	TR 24-21-597 Pad	North Reference:	True
Well:	Chevron TR 323-21-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #3 6Sept2016 jcsdi		

Project	Garfield County, CO NAD83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		

Site	TR 24-21-597 Pad			
Site Position:		Northing:	1,653,248.80 usft	Latitude: 39.5939185
From: Map		Easting:	2,215,073.70 usft	Longitude: -108.2857609
Position Uncertainty:	0.00 usft	Slot Radius:	13.20 in	Grid Convergence: -1.76 °

Well	Chevron TR 323-21-597 - Slot B1			
Well Position	+N/-S	-3.92 usft	Northing:	1,653,244.60 usft
	+E/-W	9.22 usft	Easting:	2,215,082.80 usft
Position Uncertainty	0.00 usft		Wellhead Elevation:	0.00 usft
			Ground Level:	8,292.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2016	8/11/2016	9.83	65.67	51,638

Design	Plan #3 6Sept2016 jcsdi			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	19.19

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
120.00	0.00	0.00	120.00	0.00	0.00	0.00	0.00	0.00	0.00	
220.00	2.00	30.00	219.98	1.51	0.87	2.00	2.00	0.00	30.00	
370.00	2.00	30.00	369.89	6.04	3.49	0.00	0.00	0.00	0.00	
1,132.76	17.21	19.04	1,119.77	124.97	47.22	2.00	1.99	-1.44	-12.35	
5,076.85	17.21	19.04	4,887.19	1,228.36	427.92	0.00	0.00	0.00	0.00	
5,937.56	0.00	0.00	5,735.00	1,349.67	469.78	2.00	-2.00	0.00	180.00	TR 323-21-597 MVR
9,606.00	0.00	0.00	9,403.44	1,349.67	469.78	0.00	0.00	0.00	0.00	

Database:	Grand Junction District	Local Co-ordinate Reference:	Well Chevron TR 323-21-597 - Slot B1
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Site:	TR 24-21-597 Pad	North Reference:	True
Well:	Chevron TR 323-21-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #3 6Sept2016 jcsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
120.00	0.00	0.00	120.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	1.60	30.00	199.99	0.97	0.56	1.10	2.00	2.00	0.00
220.00	2.00	30.00	219.98	1.51	0.87	1.71	2.00	2.00	0.00
300.00	2.00	30.00	299.93	3.93	2.27	4.46	0.00	0.00	0.00
370.00	2.00	30.00	369.89	6.04	3.49	6.86	0.00	0.00	0.00
400.00	2.59	27.16	399.86	7.10	4.06	8.04	2.00	1.96	-9.47
500.00	4.57	23.01	499.66	12.78	6.65	14.26	2.00	1.98	-4.15
600.00	6.57	21.37	599.19	21.78	10.29	23.95	2.00	1.99	-1.64
700.00	8.56	20.50	698.31	34.08	14.99	37.11	2.00	2.00	-0.88
800.00	10.56	19.95	796.92	49.67	20.72	53.72	2.00	2.00	-0.55
900.00	12.56	19.58	894.88	68.53	27.49	73.76	2.00	2.00	-0.37
1,000.00	14.56	19.30	992.09	90.64	35.29	97.21	2.00	2.00	-0.27
1,100.00	16.56	19.09	1,088.42	115.98	44.11	124.03	2.00	2.00	-0.21
1,132.76	17.21	19.04	1,119.77	124.97	47.22	133.55	2.00	2.00	-0.18
1,200.00	17.21	19.04	1,184.00	143.78	53.71	153.44	0.00	0.00	0.00
1,300.00	17.21	19.04	1,279.52	171.76	63.36	183.04	0.00	0.00	0.00
1,400.00	17.21	19.04	1,375.04	199.73	73.01	212.63	0.00	0.00	0.00
1,500.00	17.21	19.04	1,470.56	227.71	82.66	242.23	0.00	0.00	0.00
1,600.00	17.21	19.04	1,566.08	255.68	92.32	271.82	0.00	0.00	0.00
1,700.00	17.21	19.04	1,661.60	283.66	101.97	301.42	0.00	0.00	0.00
1,800.00	17.21	19.04	1,757.12	311.64	111.62	331.01	0.00	0.00	0.00
1,900.00	17.21	19.04	1,852.64	339.61	121.27	360.60	0.00	0.00	0.00
2,000.00	17.21	19.04	1,948.16	367.59	130.93	390.20	0.00	0.00	0.00
2,100.00	17.21	19.04	2,043.68	395.56	140.58	419.79	0.00	0.00	0.00
2,200.00	17.21	19.04	2,139.20	423.54	150.23	449.39	0.00	0.00	0.00
2,300.00	17.21	19.04	2,234.72	451.52	159.88	478.98	0.00	0.00	0.00
2,390.32	17.21	19.04	2,321.00	476.78	168.60	505.71	0.00	0.00	0.00
Wasatch									
2,400.00	17.21	19.04	2,330.24	479.49	169.54	508.58	0.00	0.00	0.00
2,500.00	17.21	19.04	2,425.76	507.47	179.19	538.17	0.00	0.00	0.00
2,600.00	17.21	19.04	2,521.28	535.44	188.84	567.76	0.00	0.00	0.00
2,640.00	17.21	19.04	2,559.49	546.63	192.70	579.60	0.00	0.00	0.00
9 5/8" Surface Casing									
2,700.00	17.21	19.04	2,616.80	563.42	198.49	597.36	0.00	0.00	0.00
2,800.00	17.21	19.04	2,712.32	591.39	208.15	626.95	0.00	0.00	0.00
2,900.00	17.21	19.04	2,807.85	619.37	217.80	656.55	0.00	0.00	0.00
3,000.00	17.21	19.04	2,903.37	647.35	227.45	686.14	0.00	0.00	0.00
3,100.00	17.21	19.04	2,998.89	675.32	237.10	715.73	0.00	0.00	0.00
3,200.00	17.21	19.04	3,094.41	703.30	246.76	745.33	0.00	0.00	0.00
3,300.00	17.21	19.04	3,189.93	731.27	256.41	774.92	0.00	0.00	0.00
3,400.00	17.21	19.04	3,285.45	759.25	266.06	804.52	0.00	0.00	0.00
3,500.00	17.21	19.04	3,380.97	787.23	275.72	834.11	0.00	0.00	0.00
3,600.00	17.21	19.04	3,476.49	815.20	285.37	863.71	0.00	0.00	0.00
3,700.00	17.21	19.04	3,572.01	843.18	295.02	893.30	0.00	0.00	0.00
3,800.00	17.21	19.04	3,667.53	871.15	304.67	922.89	0.00	0.00	0.00
3,900.00	17.21	19.04	3,763.05	899.13	314.33	952.49	0.00	0.00	0.00
4,000.00	17.21	19.04	3,858.57	927.11	323.98	982.08	0.00	0.00	0.00
4,100.00	17.21	19.04	3,954.09	955.08	333.63	1,011.68	0.00	0.00	0.00
4,200.00	17.21	19.04	4,049.61	983.06	343.28	1,041.27	0.00	0.00	0.00
4,279.97	17.21	19.04	4,126.00	1,005.43	351.00	1,064.94	0.00	0.00	0.00

Database:	Grand Junction District	Local Co-ordinate Reference:	Well Chevron TR 323-21-597 - Slot B1
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Site:	TR 24-21-597 Pad	North Reference:	True
Well:	Chevron TR 323-21-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #3 6Sept2016 jcsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
Top "G" Sand									
4,300.00	17.21	19.04	4,145.13	1,011.03	352.94	1,070.86	0.00	0.00	0.00
4,332.31	17.21	19.04	4,176.00	1,020.07	356.05	1,080.43	0.00	0.00	0.00
Base "G" Sand									
4,400.00	17.21	19.04	4,240.65	1,039.01	362.59	1,100.46	0.00	0.00	0.00
4,475.74	17.21	19.04	4,313.00	1,060.20	369.90	1,122.87	0.00	0.00	0.00
Fort Union									
4,500.00	17.21	19.04	4,336.17	1,066.99	372.24	1,130.05	0.00	0.00	0.00
4,600.00	17.21	19.04	4,431.69	1,094.96	381.89	1,159.65	0.00	0.00	0.00
4,700.00	17.21	19.04	4,527.22	1,122.94	391.55	1,189.24	0.00	0.00	0.00
4,800.00	17.21	19.04	4,622.74	1,150.91	401.20	1,218.84	0.00	0.00	0.00
4,900.00	17.21	19.04	4,718.26	1,178.89	410.85	1,248.43	0.00	0.00	0.00
5,000.00	17.21	19.04	4,813.78	1,206.86	420.50	1,278.02	0.00	0.00	0.00
5,076.85	17.21	19.04	4,887.19	1,228.36	427.92	1,300.77	0.00	0.00	0.00
5,100.00	16.75	19.04	4,909.32	1,234.76	430.13	1,307.53	2.00	-2.00	0.00
5,200.00	14.75	19.04	5,005.57	1,260.42	438.98	1,334.67	2.00	-2.00	0.00
5,300.00	12.75	19.04	5,102.69	1,282.89	446.73	1,358.44	2.00	-2.00	0.00
5,400.00	10.75	19.04	5,200.59	1,302.14	453.37	1,378.81	2.00	-2.00	0.00
5,500.00	8.75	19.04	5,299.14	1,318.15	458.90	1,395.74	2.00	-2.00	0.00
5,600.00	6.75	19.04	5,398.22	1,330.90	463.30	1,409.23	2.00	-2.00	0.00
5,700.00	4.75	19.04	5,497.72	1,340.37	466.57	1,419.25	2.00	-2.00	0.00
5,800.00	2.75	19.04	5,597.50	1,346.55	468.70	1,425.79	2.00	-2.00	0.00
5,837.54	2.00	19.04	5,635.00	1,348.02	469.21	1,427.35	2.00	-2.00	0.00
Ohio Creek									
5,900.00	0.75	19.04	5,697.45	1,349.44	469.70	1,428.85	2.00	-2.00	0.00
5,937.56	0.00	0.00	5,735.00	1,349.67	469.78	1,429.09	2.00	-2.00	0.00
Mesaverde - TR 323-21-597 MVRD									
6,000.00	0.00	0.00	5,797.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,100.00	0.00	0.00	5,897.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,200.00	0.00	0.00	5,997.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,300.00	0.00	0.00	6,097.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,400.00	0.00	0.00	6,197.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,500.00	0.00	0.00	6,297.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,600.00	0.00	0.00	6,397.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,700.00	0.00	0.00	6,497.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,750.56	0.00	0.00	6,548.00	1,349.67	469.78	1,429.09	0.00	0.00	0.00
Top Gas									
6,800.00	0.00	0.00	6,597.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
6,900.00	0.00	0.00	6,697.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,000.00	0.00	0.00	6,797.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,100.00	0.00	0.00	6,897.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,200.00	0.00	0.00	6,997.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,300.00	0.00	0.00	7,097.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,400.00	0.00	0.00	7,197.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,500.00	0.00	0.00	7,297.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,600.00	0.00	0.00	7,397.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,700.00	0.00	0.00	7,497.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,800.00	0.00	0.00	7,597.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
7,900.00	0.00	0.00	7,697.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
8,000.00	0.00	0.00	7,797.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00
8,100.00	0.00	0.00	7,897.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00

Database:	Grand Junction District	Local Co-ordinate Reference:	Well Chevron TR 323-21-597 - Slot B1
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Site:	TR 24-21-597 Pad	North Reference:	True
Well:	Chevron TR 323-21-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #3 6Sept2016 jcsdi		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
8,200.00	0.00	0.00	7,997.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
8,300.00	0.00	0.00	8,097.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
8,336.56	0.00	0.00	8,134.00	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
Cameo Coals										
8,400.00	0.00	0.00	8,197.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
8,500.00	0.00	0.00	8,297.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
8,600.00	0.00	0.00	8,397.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
8,700.00	0.00	0.00	8,497.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
8,725.56	0.00	0.00	8,523.00	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
Rollins SS										
8,800.00	0.00	0.00	8,597.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
8,900.00	0.00	0.00	8,697.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
8,907.56	0.00	0.00	8,705.00	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
Cozzette										
9,000.00	0.00	0.00	8,797.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
9,100.00	0.00	0.00	8,897.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
9,128.56	0.00	0.00	8,926.00	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
Corcoran										
9,200.00	0.00	0.00	8,997.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
9,300.00	0.00	0.00	9,097.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
9,306.56	0.00	0.00	9,104.00	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
Sego										
9,400.00	0.00	0.00	9,197.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
9,500.00	0.00	0.00	9,297.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
9,528.56	0.00	0.00	9,326.00	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
TR 323-21-597 PBHL										
9,600.00	0.00	0.00	9,397.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	
9,606.00	0.00	0.00	9,403.44	1,349.67	469.78	1,429.09	0.00	0.00	0.00	

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
TR 323-21-597 MVRD - hit/miss target - Shape	0.00	0.00	5,735.00	1,349.67	469.78	1,654,579.23	2,215,593.74	39.5976130	-108.2840610
TR 323-21-597 PBHL - plan hits target center - Circle (radius 25.00)									
TR 323-21-597 PBHL - plan hits target center - Point	0.00	0.00	9,326.00	1,349.67	469.78	1,654,579.23	2,215,593.74	39.5976130	-108.2840610

Casing Points					
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (in)	Hole Diameter (in)	
2,640.00	2,559.49	9 5/8" Surface Casing	9.62	13.50	

Database:	Grand Junction District	Local Co-ordinate Reference:	Well Chevron TR 323-21-597 - Slot B1
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Project:	Garfield County, CO NAD83	MD Reference:	GL 8292' & RKB 24' @ 8316.00usft (H&P 318)
Site:	TR 24-21-597 Pad	North Reference:	True
Well:	Chevron TR 323-21-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #3 6Sept2016 jcsdi		

Formations					
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
2,390.32	2,321.00	Wasatch		0.00	0.00
4,279.97	4,126.00	Top "G" Sand		0.00	0.00
4,332.31	4,176.00	Base "G" Sand		0.00	0.00
4,475.74	4,313.00	Fort Union		0.00	0.00
5,837.54	5,635.00	Ohio Creek		0.00	0.00
5,937.56	5,735.00	Mesaverde		0.00	0.00
6,750.56	6,548.00	Top Gas		0.00	0.00
8,336.56	8,134.00	Cameo Coals		0.00	0.00
8,725.56	8,523.00	Rollins SS		0.00	0.00
8,907.56	8,705.00	Cozzette		0.00	0.00
9,128.56	8,926.00	Corcoran		0.00	0.00
9,306.56	9,104.00	Sego		0.00	0.00