T12N, R65W

NW. COR.
SEC. 24, T12N, R65W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 9911

295'

N. 1/4 COR.
SEC. 24, T12N, R65W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 9911

NE. COR.
SEC. 24, T12N, R65W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 9911

S 88°53'25" W 2591.48' (M)   S 88°53'16" W 2590.79' (M)

847'

GRYNBERG STATELINE FEDERAL 24-12-65-4-J
SURFACE LOCATION

Top of Pay Zone 689' FNL and 687' FWL

Bottom Hole Location
715' FNL and 676' FWL

N 00°32'12" E 2626.00' (M)

N 00°07'00" E 2629.38' (C)

N 00°17'37" W 2633.01' (M)

W. 1/4 COR.
SEC. 24, T12N, R65W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 9911

S 88°58'30" W 2610.65' (C)

24

S 88°58'30" W 2609.58' (C)

E. 1/4 COR.
SEC. 24, T12N, R65W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 9911

SURFACE LOCATION: NAD 83
GROUND ELEVATION= 5853.0'
LATITUDE= 40.999203°
LONGITUDE= -104.615686°
LATITUDE= 40°59'57.130"
LONGITUDE= -104°36'56.469"

N 00°33'33" E 2629.12' (M)

N 00°07'00" E 2631.46' (C)

N 00°18'14" W 2632.99' (M)

S. 1/4 COR.
SEC. 24, T12N, R65W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 9911

SW. COR.
SEC. 24, T12N, R65W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 9911

S 89°02'11" W 2630.91' (M)   S 89°00'54" W 2628.87' (M)

SE. COR.
SEC. 24, T12N, R65W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 9911

CERTIFICATE OF SURVEYOR:

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED
FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR
UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND
CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.
THIS CERTIFICATE DOES NOT REPRESENT A LAND SURVEY PLAT
OR IMPROVEMENT SURVEY PLAT AS DEFINED BY C.R.S. 38-51-102
AND CANNOT BE RELIED UPON TO DETERMINE OWNERSHIP.

JOHN R. SLAUGH
PROFESSIONAL LAND SURVEYOR
COLORADO REGISTRATION NUMBER 38230

7/29/16

*[Surveyor's stamp: COLORADO LICENSED PROFESSIONAL LAND SURVEYOR 38230]*

34'16"   7°54'

TRUE   GRID   MAGNETIC

N

NOTE:
MAGNETIC NORTH IS CURRENT AS OF 2/2/2016.
MAGNETIC NORTH CHANGES WEST 0°06' PER YEAR.

NOTES:

1. ▲ INDICATES SECTION CORNER
2. ◉ INDICATES CALCULATED CORNER
3. ELEVATION BASED ON NAVD88 (GEOID12B)
4. BASIS OF BEARING DERIVED FROM COLORADO COORDINATE SYSTEM OF 1983 NORTH ZONE.
5. ALL MEASURED DISTANCES ARE GRID.
6. COMBINED SCALE FACTOR: .99976471
7. OPERATOR: ROB WILSON / PDOP = 1.3
8. SEE ADDENDUM TO WELL LOCATION CERTIFICATE FOR EXISTING IMPROVEMENTS WITHIN 500' OF THE WELL PAD.
9. WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.

0   1000'   2000'

SCALE: 1" = 1000'

WELL PAD - GRYNBERG STATELINE FEDERAL 24-12-65-4-J

**GRYNBERG STATELINE FEDERAL 24-12-65-4-J
WELL LOCATION CERTIFICATE
295' FNL & 847' FWL NWNW (SURFACE)
LOCATED IN SECTION 24
T12N, R65W, 6TH P.M.
WELD COUNTY, COLORADO**

**Grynberg Jack J DBA
Grynberg Petroleum Co.**

3600 S. Yosemite, Suite 900
Denver, Colorado 80237

609 CONSULTING, LLC
SHERIDAN OFFICE   LOVELAND OFFICE
1095 Saberton Avenue   1635 Foxtrail Drive, Suite 204
Sheridan, Wyoming 82801 Loveland, Colorado 80538
Phone 307-674-0609   Phone 970-776-4331

DRAFTED BY:	LMO	CHECKED BY:	JRS
DATE DRAFTED:	7/29/16	DATE SURVEYED:	11/10/15
REVISED:		FILE NAME:	15-127

K:\GRYNBERG_PETROLEUM\2015_127_GRYNBERG STATELINE FED 24-12-65-4-J\PLAT\GRYNBERG STATELINE FED 24-12-65-4-J.dwg, 7/29/2016 11:01:47 AM, lisa