


API:	05-123-33627	ELEVATION:	4917	QTR-QTR:	SENW
WELL NAME:	Wethington 6-7	GROUND LEVEL:	4902	SECTION:	7
COUNTY:	WELD	MD:	8155	TWNSHIP:	1N
LATITUDE:	40.06891	PBMD:	8127	RANGE:	66W
LONGITUDE:	-104.820451	CREATED BY:	E. HUNT		
		DATE:	10/21/2016		



GENERAL INPUTS	
Name	Elizabeth Hunt
Cell Phone Number	808-594-3092
Date	10/21/2016
WELL INPUTS	
Well Name	Wethington 6-7
API #	05-123-33627
WINS #	E1536
Gyro Date:	Oct 2011
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	904
Prod csg (size/wt)	4.5", 11.6#
Tubing OD (in)	2-3/8
Tubing Set Depth (ft)	7974
Collar Above JSand CIBP (ft)	7877
Collar Below JSand CIBP (ft)	7920
J Sand CIBP (ft)	7900
Collar Above Nio CIBP (ft)	7188
Collar Below Nio CIBP (ft)	7230
Niobrara CIBP / BOC (ft)	7220
Niobrara TOC (ft)	6800
Niobrara Cement Vol (sx)	25
SUSX/SH BOC (ft)	4770
SUSX/SH TOC (ft)	4380
SUSX/SH Cement Vol (sx)	35
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1450
Cut Casing Depth (ft)	720
Stub Plug TOC Form6 (ft)	670
Stub Plug TOC Calc (ft)	520
Stub Plug Cement Vol (sx)	120
GEOLOGY INPUTS	
FHM (ft)	1344
Sussex Top (ft)	4586
Sussex Base (ft)	4718
Shannon Base (ft)	Absent
Niobrara Top (ft)	7203
QUESTIONS?	
Who Drilled Well?	Kerr-McGee
Straight or Deviated Hole?	Deviated
Age of well (yr)	5
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	DV Tool @ 7856'
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

*If No Integrity Issues, Put "NONE"

