


API:	05-123-22306	KB ELEVATION:	4952	QTR-QTR:	NENE
WELL NAME:	B&BH 30-17	GROUND LEVEL:	4936	SECTION:	30
COUNTY:	WELD	MD:	7485	TOWNSHIP:	3N
LATITUDE:	40.20067	PBMD:	7424	RANGE:	65W
LONGITUDE:	-104.7009	CREATED BY:	S.RIEBE		
		DATE:	11/22/2016		



COLOR KEY


GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	11/22/2016
WELL INPUTS	
Well Name	B&BH 30-17
API #	05-123-22306
WINS #	H6435
Gyro Date:	Aug 2014
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	776
Prod csg (size/wt)	4-1/2", 11.6#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	7286
Collar Above CIBP (ft)	7208
Collar Below CIBP (ft)	7250
Niobrara CIBP / BOC (ft)	7225
Niobrara TOC (ft)	6655
Niobrara Cement Vol (sx)	35
SUSX/SH Bot Sq Holes (ft)	4200
SUSX/SH Top Sq Holes (ft)	3800
SUSX/SH Cmt Above CICR (bbls)	3
SUSX/SH TOC in Casing (ft)	3637
SUSX/SH OH Excess Factor (%)	60
SUSX/SH Cement Vol (sx)	150
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1380
Cut Casing Depth (ft)	1280
Stub Plug TOC Form6 (ft)	723
Stub Plug TOC Calc (ft)	573
Stub Plug Cement Vol (sx)	300
Stub OH Excess Factor (%)	60
GEOLOGY INPUTS	
FHM (ft)	1180
Sussex Top (ft)	4367
Sussex Base (ft)	4676
Shannon Base (ft)	Absent
Niobrara Top (ft)	7055
QUESTIONS?	
Who Drilled Well?	Petina Oil & Gas Corp
Straight or Deviated Hole?	Straight
Age of well (yr)	12
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	y
CBL Found (Y/N)	y
Packer Downhole? (Y/N)	n
Packer Depth (ft)	7500

*If No Integrity Issues, P

'ut "NONE".