



**COLOR KEY**


GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	11/30/2016
WELL INPUTS	
Well Name	HSR-Beierle 14-26
API #	05-123-18505
WINS #	74057
Gyro Date:	Feb 2012
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	768
Prod csg (size/wt)	2-7/8", 6.5#
Tubing OD (in)	1.66"
Tubing Set Depth (ft)	7394
Collar Above CIBP (ft)	7150
Collar Below CIBP (ft)	7176
Niobrara CIBP / BOC (ft)	7160
Niobrara TOC (ft)	6760
Niobrara Cement Vol (sx)	10
SUSX/SH Bot Sq Holes (ft)	4615
SUSX/SH Top Sq Holes (ft)	4210
SUSX/SH Cmt Above CICR (bbls)	3
SUSX/SH TOC in Casing (ft)	3658
SUSX/SH OH Excess Factor (%)	60
SUSX/SH Cement Vol (sx)	160
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1445
Cut Casing Depth (ft)	1345
Stub Plug TOC Form6 (ft)	718
Stub Plug TOC Calc (ft)	568
Stub Plug Cement Vol (sx)	260
Stub OH Excess Factor (%)	60
GEOLOGY INPUTS	
FHM (ft)	1245
Sussex Top (ft)	4416
Sussex Base (ft)	4685
Shannon Base (ft)	5137
Niobrara Top (ft)	7190
QUESTIONS?	
Who Drilled Well?	HS Resources
Straight or Deviated Hole?	Straight
Age of well (yr)	22
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	N
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

\*If No Integrity Issues, P

'ut "NONE".