

WellName	API#	DateSampled	Constituent	DetectionFlag
STRAIGHT SHOOTER 21-28	05071065910000			
		9/12/2000	Alkalinity, Total Unfilt.	
		9/12/2000	Arsenic (As) Total	<
		9/12/2000	Benzene	<
		9/12/2000	Bicarbonate (HCO3) Unfilt.	
		9/12/2000	Boron (B) Total	
		9/12/2000	Calcium (Ca) Total	
		9/12/2000	Carbonate (CO3) Unfilt.	
		9/12/2000	Chloride Unfilt.	
		9/12/2000	Chromium (Cr) Total	<
		9/12/2000	Copper (Cu) Total	<
		9/12/2000	Ethylbenzene	<
		9/12/2000	Hydroxide (OH) Unfilt.	<
		9/12/2000	Iron (Fe) Total	
		9/12/2000	Magnesium (Mg) Total	
		9/12/2000	Manganese (Mn) Total	
		9/12/2000	Mercury (Hg) Total	<
		9/12/2000	pH (lab)	
		9/12/2000	Potassium (K) Total	<
		9/12/2000	Resistivity Unfilt.	
		9/12/2000	Selenium (Se) Total	<
		9/12/2000	Sodium (Na) Total	
		9/12/2000	Solids Total Dissolved (TDS)	
		9/12/2000	Solids Total Suspended (TSS)	<
		9/12/2000	Specific Gravity Unfilt.	
		9/12/2000	Sulfate (SO4) Unfilt.	<
		9/12/2000	Toluene	<
		9/12/2000	Xylenes, Total	<

Concentration Units

1,430.00 mg/L as CaCO₃
50.00 ug/L
0.50 ug/L
1,370.00 mg/L
0.11 mg/L
4.80 mg/L
55.10 mg/L
94.10 mg/L
10.00 ug/L
10.00 ug/L
0.50 ug/L
5.00 mg/L
3.40 mg/L
1.00 mg/L
0.04 mg/L
0.20 ug/L
8.20 No Units
5.00 mg/L
3.70 ohm-m
100.00 ug/L
729.00 mg/L
1,780.00 mg/L
4.00 mg/L
1.00 25C/25C
5.00 mg/L
0.50 ug/L
0.50 ug/L