

**FORM  
INSP**

Rev  
X/15

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:  
12/16/2016  
Submitted Date:  
12/16/2016  
Document Number:  
681901880

**FIELD INSPECTION FORM**

Loc ID 446290 Inspector Name: HELGELAND, GARY On-Site Inspection  2A Doc Num: \_\_\_\_\_

**Status Summary:**

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

**Operator Information:**

OGCC Operator Number: 10633  
Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC  
Address: 370 17TH STREET #2170  
City: DENVER State: CO Zip: 80202

**Findings:**

19 Number of Comments  
0 Number of Corrective Actions  
 Corrective Action Response Requested

**Contact Information:**

Contact Name	Phone	Email	Comment
		Cogcc.inspections@crestone pr.com	

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
446281	WELL	DG	11/07/2016		123-43295	Morgan Hills 1I-7H-A168	DG
446282	WELL	DG	11/12/2016		123-43296	Morgan Hills 1E-7H-A168	DG
446283	WELL	DG	11/09/2016		123-43297	Morgan Hills 1H-7H-A168	DG
446284	WELL	DG	11/15/2016		123-43298	Morgan Hills 1A-7H-A168	DG
446285	WELL	DG	11/13/2016		123-43299	Morgan Hills 1D-7H-A168	DG
446286	WELL	DG	11/14/2016		123-43300	Morgan Hills 1C-7H-A168	DG
446287	WELL	DG	11/14/2016		123-43301	Morgan Hills 1B-7H-A168	DG
446288	WELL	DG	11/11/2016		123-43302	Morgan Hills 1G-7H-A168	DG
446289	WELL	DG	11/11/2016		123-43303	Morgan Hills 1F-7H-A168	DG

**General Comment:**

Ensign Rig #153 on location. Derrick screened for fugitive light mitigation. Sound mitigation in place. Chemicals properly stored. BOPs tested. Vehicle tracking pad in use. No conditions observed that exceed COGCC rules at the time of inspection.

**Inspected Facilities**

Facility ID: 446281 Type: WELL API Number: 123-43295 Status: DG Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: Ensign Rig #153 Pusher/Rig Manager: B. Burk  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
 Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: YES Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: YES Disposal Location: WASTE CONNECTIONS  
 Comment: Surface casing set and cemented. Drilling completed on this well.  
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.  
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446282 Type: WELL API Number: 123-43296 Status: DG Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: Ensign Rig #153 Pusher/Rig Manager: B. Burk  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
 Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: YES Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: YES Disposal Location: WASTE CONNECTIONS  
 Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill to TD.  
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.  
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446283 Type: WELL API Number: 123-43297 Status: DG Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: Ensign Rig #153 Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
 Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: YES Disposal Location: WASTE CONNECTIONS

Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill to TD.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446284 Type: WELL API Number: 123-43298 Status: DG Insp. Status: DG

**Well Drilling**

Rig: Rig Name: Ensign Rig #153 Pusher/Rig Manager: B. Burk  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
 Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: YES Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: YES Disposal Location: \_\_\_\_\_

Comment: Surface casing set and cemented. Ensign Rig # 153 on location drilling this well to TD.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446285 Type: WELL API Number: 123-43299 Status: DG Insp. Status: DG

**Well Drilling**

Rig: Rig Name: Ensign Rig #153 Pusher/Rig Manager: B. Burk  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
 Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: YES Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: YES Disposal Location: WASTE CONNECTIONS

Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill to TD.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

Facility ID: 446286 Type: WELL API Number: 123-43300 Status: DG Insp. Status: DG

**Well Drilling**

Rig: Rig Name: Ensign Rig #153 Pusher/Rig Manager: B. Burk  
Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: YES Semi-Closed Loop: \_\_\_\_\_  
Multi-Well: YES Disposal Location: WASTE CONNECTIONS

Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill to TD.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

Facility ID: 446287 Type: WELL API Number: 123-43301 Status: DG Insp. Status: DG

**Well Drilling**

Rig: Rig Name: Ensign Rig #153 Pusher/Rig Manager: B. Burk  
Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: YES Semi-Closed Loop: \_\_\_\_\_  
Multi-Well: YES Disposal Location: WASTE CONNECTIONS

Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill to TD.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

Facility ID: 446288 Type: WELL API Number: 123-43302 Status: DG Insp. Status: DG

**Well Drilling**

Rig: Rig Name: Ensign Rig #153 Pusher/Rig Manager: B. Burk  
Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_  
Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: 5000 Safety Plan: \_\_\_\_\_

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
Multi-Well: \_\_\_\_\_ Disposal Location: WASTE CONNECTIONS

Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill to TD.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446289 Type: WELL API Number: 123-43303 Status: DG Insp. Status: DG

**Well Drilling**

Rig: Rig Name: Ensign Rig #153 Pusher/Rig Manager: B. Burk  
Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_  
Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: 5000 Safety Plan: \_\_\_\_\_

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
Multi-Well: \_\_\_\_\_ Disposal Location: WASTE CONNECTIONS

Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill to TD.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: No Bradenhead.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
				Vehicle Tracking	Pass	
Gravel	Pass	Gravel	Pass	Covering Materials	Pass	

Comment:

Corrective Action:

Date: \_\_\_\_\_

**Pits:**     NO SURFACE INDICATION OF PIT