


API:	05-123-17154	KB ELEVATION:	4919	QTR-QTR:	SENE
WELL NAME:	Sekich 19-08L	GROUND LEVEL:	4906	SECTION:	19
COUNTY:	WELD	MD:	7351	TOWNSHIP:	3N
LATITUDE:	40.21383	PBMD:	7280	RANGE:	67W
LONGITUDE:	-104.92557	CREATED BY:	S.RIEBE		
		DATE:	12/22/2016		



COLOR KEY


GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	12/22/2016
WELL INPUTS	
Well Name	Sekich 19-08L
API #	05-123-17154
WINS #	H5081
Gyro Date:	Dec 2014
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	504
Prod csg (size/wt)	4-1/2", 11.6#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	7202
Collar Above CIBP (ft)	7122
Collar Below CIBP (ft)	7164
Niobrara CIBP / BOC (ft)	7140
Niobrara TOC (ft)	6550
Niobrara Cement Vol (sx)	35
SUSX/SH Bot Sq Holes (ft)	4290
SUSX/SH Top Sq Holes (ft)	3890
SUSX/SH Cmt Above CICR (bbls)	3
SUSX/SH TOC in Casing (ft)	3667
SUSX/SH OH Excess Factor (%)	60
SUSX/SH Cement Vol (sx)	160
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	980
Cut Casing Depth (ft)	880
Stub Plug TOC Form6 (ft)	454
Stub Plug TOC Calc (ft)	304
Stub Plug Cement Vol (sx)	190
Stub OH Excess Factor (%)	60
GEOLOGY INPUTS	
FHM (ft)	777
Sussex Top (ft)	4091
Sussex Base (ft)	4270
Shannon Base (ft)	4649
Niobrara Top (ft)	6953
QUESTIONS?	
Who Drilled Well?	Snyder Oil Corp
Straight or Deviated Hole?	Straight
Age of well (yr)	23
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	N
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

*If No Integrity Issues, P

'ut "NONE".