


API:	05-123-17528	KB ELEVATION:	4803	QTR-QTR:	SWNE
WELL NAME:	HSR-Abbett 7-23	GROUND LEVEL:	4793	SECTION:	23
COUNTY:	WELD	MD:	7426	TOWNSHIP:	3N
LATITUDE:	40.21117	PBMD:	7392	RANGE:	37W
LONGITUDE:	-104.85582	CREATED BY:	S.RIEBE		
		DATE:	12/31/2016		



COLOR KEY


GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	12/31/2016
WELL INPUTS	
Well Name	HSR-Abbott 7-23
API #	05-123-17528
WINS #	74978
Gyro Date:	Feb 2015
Surface Hole Size (in)	12.25
Prod Hole Size (in)	6.25
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	762
Prod csg (size/wt)	2-7/8", 6.5#
Tubing OD (in)	1.66"
Tubing Set Depth (ft)	7200
Collar Above CIBP (ft)	6973
Collar Below CIBP (ft)	7005
Niobrara CIBP / BOC (ft)	6990
Niobrara TOC (ft)	6530
Niobrara Cement Vol (sx)	10
SUSX/SH Bot Sq Holes (ft)	4325
SUSX/SH Top Sq Holes (ft)	3925
SUSX/SH Cmt Above CICR (bbls)	3
SUSX/SH TOC in Casing (ft)	3770
SUSX/SH OH Excess Factor (%)	60
SUSX/SH Cement Vol (sx)	100
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	970
Cut Casing Depth (ft)	970
Stub Plug TOC Form6 (ft)	712
Stub Plug TOC Calc (ft)	560
Stub Plug Cement Vol (sx)	130
Stub OH Excess Factor (%)	60
GEOLOGY INPUTS	
FHM (ft)	868
Sussex Top (ft)	4181
Sussex Base (ft)	4395
Shannon Base (ft)	4760
Niobrara Top (ft)	7005
QUESTIONS?	
Who Drilled Well?	Elk Exploration
Straight or Deviated Hole?	Straight
Age of well (yr)	23
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	N
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

*If No Integrity Issues, P

'ut "NONE".