

US ROCKIES WATTENBERG PLANNING

WELD-NAD83-UTMFT13N

2N-67W-10 Butterball 21-10HZ Pad

BUTTERBALL 25N2-34HZ

Plan A

Plan: Permit Rev-1

Standard Planning Report

13 October, 2016



Azimuths to True North
Magnetic North: 8.19°

Magnetic Field
Strength: 52431.0snT
Dip Angle: 66.65°
Date: 10/12/2016
Model: IGRF2010

SITE: 2N-67W-10 Butterball 21-10HZ Pad

Well: BUTTERBALL 25N2-34HZ
Wellbore: Plan A
Design: Permit Rev-1

FORMATION TOP DETAILS

TVDPath	MDPath	Formation
1032.00	1036.94	Fox Hills
3973.00	4014.93	Parkman
4387.00	4439.06	Sussex
7152.00	7232.65	Sharon Springs
7235.00	7353.86	Niobrara
7294.00	7462.46	Nio B
7348.00	7610.67	Nio C

WELL DETAILS: BUTTERBALL 25N2-34HZ



+N/-S	+E/-W	GL: 4934.00	RKB @ 4951.00usft (D Rig)	Longitude	Slot
0.00	0.00	Northing 14584160.50	Easting 1674581.03	Latitude 40.157639	-104.877725

SECTION DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	Vsect
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
250.00	0.00	0.00	250.00	0.00	0.00	0.00	0.00
873.88	9.36	94.71	871.11	-4.18	50.66	1.50	-0.72
3618.19	9.36	94.71	3578.89	-40.82	495.40	0.00	-7.01
4242.06	0.00	0.00	4200.00	-45.00	546.06	1.50	-7.72
6774.31	0.00	0.00	6732.24	-45.00	546.06	0.00	-7.72
7779.97	90.51	0.34	7368.84	597.27	549.92	9.00	633.32
15963.07	90.51	0.34	7296.00	8779.90	599.06	0.008800.31	

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
BUTTERBALL 25N2-34HZ_PBHL	7296.00	8779.90	599.06	14592941.21	1675168.00	40.181750	-104.875580



Corporate Planning Report

Database:	PLANNING	Local Co-ordinate Reference:	Well BUTTERBALL 25N2-34HZ
Company:	US ROCKIES WATTENBERG PLANNING	TVD Reference:	RKB @ 4951.00usft (D Rig)
Project:	WELD-NAD83-UTMFT13N	MD Reference:	RKB @ 4951.00usft (D Rig)
Site:	2N-67W-10 Butterball 21-10HZ Pad	North Reference:	True
Well:	BUTTERBALL 25N2-34HZ	Survey Calculation Method:	Minimum Curvature
Wellbore:	Plan A		
Design:	Permit Rev-1		

Project	WELD-NAD83-UTMFT13N		
Map System:	Universal Transverse Mercator (US Survey Feet)	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Zone 13N (108 W to 102 W)		

Site						2N-67W-10 Butterball 21-10HZ Pad											
Site Position:						Northing:			14,584,161.08 usft			Latitude:			40.157641		
From:			Lat/Long			Easting:			1,674,475.97 usft			Longitude:			-104.878101		
Position Uncertainty:			0.00 usft			Slot Radius:			13-3/16 "			Grid Convergence:			0.08		

Well	BUTTERBALL 25N2-34HZ					
Well Position	+N-S	-0.73 usft	Northing:	14,584,160.49 usft	Latitude:	40.157639
	+E-W	105.06 usft	Easting:	1,674,581.02 usft	Longitude:	-104.877725
Position Uncertainty		3.28 usft	Wellhead Elevation:	0.00 usft	Ground Level:	4,934.00 usft

Wellbore	Plan A				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	10/12/2016	8.19	66.65	52,431

Design	Permit Rev-1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	3.90

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
250.00	0.00	0.00	250.00	0.00	0.00	0.00	0.00	0.00	0.00	
873.88	9.36	94.71	871.11	-4.18	50.66	1.50	1.50	0.00	94.71	
3,618.19	9.36	94.71	3,578.89	-40.82	495.40	0.00	0.00	0.00	0.00	
4,242.06	0.00	0.00	4,200.00	-45.00	546.06	1.50	-1.50	0.00	180.00	
6,774.31	0.00	0.00	6,732.24	-45.00	546.06	0.00	0.00	0.00	0.00	
7,779.97	90.51	0.34	7,368.84	597.27	549.92	9.00	9.00	0.00	0.34	
15,963.07	90.51	0.34	7,296.00	8,779.90	599.06	0.00	0.00	0.00	0.00	BUTTERBALL 25N:

Corporate Planning Report

Database: PLANNING
Company: US ROCKIES WATTENBERG PLANNING
Project: WELD-NAD83-UTMFT13N
Site: 2N-67W-10 Butterball 21-10HZ Pad
Well: BUTTERBALL 25N2-34HZ
Wellbore: Plan A
Design: Permit Rev-1

Local Co-ordinate Reference: Well BUTTERBALL 25N2-34HZ
TVD Reference: RKB @ 4951.00usft (D Rig)
MD Reference: RKB @ 4951.00usft (D Rig)
North Reference: True
Survey Calculation Method: Minimum Curvature

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
250.00	0.00	0.00	250.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.75	94.71	300.00	-0.03	0.33	0.00	1.50	1.50	0.00
400.00	2.25	94.71	399.96	-0.24	2.93	-0.04	1.50	1.50	0.00
500.00	3.75	94.71	499.82	-0.67	8.15	-0.12	1.50	1.50	0.00
600.00	5.25	94.71	599.51	-1.32	15.97	-0.23	1.50	1.50	0.00
700.00	6.75	94.71	698.96	-2.17	26.39	-0.37	1.50	1.50	0.00
800.00	8.25	94.71	798.10	-3.25	39.40	-0.56	1.50	1.50	0.00
873.88	9.36	94.71	871.11	-4.18	50.66	-0.72	1.50	1.50	0.00
900.00	9.36	94.71	896.88	-4.52	54.90	-0.78	0.00	0.00	0.00
1,000.00	9.36	94.71	995.55	-5.86	71.10	-1.01	0.00	0.00	0.00
1,036.94	9.36	94.71	1,032.00	-6.35	77.09	-1.09	0.00	0.00	0.00
Fox Hills									
1,100.00	9.36	94.71	1,094.22	-7.19	87.31	-1.23	0.00	0.00	0.00
1,200.00	9.36	94.71	1,192.89	-8.53	103.51	-1.46	0.00	0.00	0.00
1,300.00	9.36	94.71	1,291.56	-9.87	119.72	-1.69	0.00	0.00	0.00
1,400.00	9.36	94.71	1,390.23	-11.20	135.93	-1.92	0.00	0.00	0.00
1,500.00	9.36	94.71	1,488.90	-12.54	152.13	-2.15	0.00	0.00	0.00
1,511.25	9.36	94.71	1,500.00	-12.69	153.95	-2.18	0.00	0.00	0.00
9 5/8"									
1,600.00	9.36	94.71	1,587.57	-13.87	168.34	-2.38	0.00	0.00	0.00
1,700.00	9.36	94.71	1,686.24	-15.21	184.54	-2.61	0.00	0.00	0.00
1,800.00	9.36	94.71	1,784.90	-16.54	200.75	-2.84	0.00	0.00	0.00
1,900.00	9.36	94.71	1,883.57	-17.88	216.95	-3.07	0.00	0.00	0.00
2,000.00	9.36	94.71	1,982.24	-19.21	233.16	-3.30	0.00	0.00	0.00
2,100.00	9.36	94.71	2,080.91	-20.55	249.36	-3.53	0.00	0.00	0.00
2,200.00	9.36	94.71	2,179.58	-21.89	265.57	-3.76	0.00	0.00	0.00
2,300.00	9.36	94.71	2,278.25	-23.22	281.78	-3.99	0.00	0.00	0.00
2,400.00	9.36	94.71	2,376.92	-24.56	297.98	-4.21	0.00	0.00	0.00
2,500.00	9.36	94.71	2,475.59	-25.89	314.19	-4.44	0.00	0.00	0.00
2,600.00	9.36	94.71	2,574.26	-27.23	330.39	-4.67	0.00	0.00	0.00
2,700.00	9.36	94.71	2,672.93	-28.56	346.60	-4.90	0.00	0.00	0.00
2,800.00	9.36	94.71	2,771.60	-29.90	362.80	-5.13	0.00	0.00	0.00
2,900.00	9.36	94.71	2,870.26	-31.23	379.01	-5.36	0.00	0.00	0.00
3,000.00	9.36	94.71	2,968.93	-32.57	395.21	-5.59	0.00	0.00	0.00
3,100.00	9.36	94.71	3,067.60	-33.90	411.42	-5.82	0.00	0.00	0.00
3,200.00	9.36	94.71	3,166.27	-35.24	427.63	-6.05	0.00	0.00	0.00
3,300.00	9.36	94.71	3,264.94	-36.58	443.83	-6.28	0.00	0.00	0.00
3,400.00	9.36	94.71	3,363.61	-37.91	460.04	-6.51	0.00	0.00	0.00
3,500.00	9.36	94.71	3,462.28	-39.25	476.24	-6.74	0.00	0.00	0.00
3,600.00	9.36	94.71	3,560.95	-40.58	492.45	-6.97	0.00	0.00	0.00
3,618.19	9.36	94.71	3,578.89	-40.82	495.40	-7.01	0.00	0.00	0.00
3,700.00	8.13	94.71	3,659.75	-41.85	507.79	-7.18	1.50	-1.50	0.00
3,800.00	6.63	94.71	3,758.92	-42.90	520.59	-7.36	1.50	-1.50	0.00
3,900.00	5.13	94.71	3,858.39	-43.74	530.81	-7.51	1.50	-1.50	0.00
4,000.00	3.63	94.71	3,958.10	-44.37	538.42	-7.62	1.50	-1.50	0.00
4,014.93	3.41	94.71	3,973.00	-44.45	539.33	-7.63	1.50	-1.50	0.00
Parkman									
4,100.00	2.13	94.71	4,057.97	-44.78	543.43	-7.69	1.50	-1.50	0.00
4,200.00	0.63	94.71	4,157.94	-44.98	545.83	-7.72	1.50	-1.50	0.00
4,242.06	0.00	0.00	4,200.00	-45.00	546.06	-7.72	1.50	-1.50	0.00

Corporate Planning Report

Database:	PLANNING	Local Co-ordinate Reference:	Well BUTTERBALL 25N2-34HZ
Company:	US ROCKIES WATTENBERG PLANNING	TVD Reference:	RKB @ 4951.00usft (D Rig)
Project:	WELD-NAD83-UTMFT13N	MD Reference:	RKB @ 4951.00usft (D Rig)
Site:	2N-67W-10 Butterball 21-10HZ Pad	North Reference:	True
Well:	BUTTERBALL 25N2-34HZ	Survey Calculation Method:	Minimum Curvature
Wellbore:	Plan A		
Design:	Permit Rev-1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,300.00	0.00	0.00	4,257.94	-45.00	546.06	-7.72	0.00	0.00	0.00
4,400.00	0.00	0.00	4,357.94	-45.00	546.06	-7.72	0.00	0.00	0.00
4,439.06	0.00	0.00	4,397.00	-45.00	546.06	-7.72	0.00	0.00	0.00
Sussex									
4,500.00	0.00	0.00	4,457.94	-45.00	546.06	-7.72	0.00	0.00	0.00
4,600.00	0.00	0.00	4,557.94	-45.00	546.06	-7.72	0.00	0.00	0.00
4,700.00	0.00	0.00	4,657.94	-45.00	546.06	-7.72	0.00	0.00	0.00
4,800.00	0.00	0.00	4,757.94	-45.00	546.06	-7.72	0.00	0.00	0.00
4,900.00	0.00	0.00	4,857.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,000.00	0.00	0.00	4,957.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,100.00	0.00	0.00	5,057.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,200.00	0.00	0.00	5,157.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,300.00	0.00	0.00	5,257.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,400.00	0.00	0.00	5,357.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,500.00	0.00	0.00	5,457.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,600.00	0.00	0.00	5,557.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,700.00	0.00	0.00	5,657.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,800.00	0.00	0.00	5,757.94	-45.00	546.06	-7.72	0.00	0.00	0.00
5,900.00	0.00	0.00	5,857.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,000.00	0.00	0.00	5,957.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,100.00	0.00	0.00	6,057.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,200.00	0.00	0.00	6,157.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,300.00	0.00	0.00	6,257.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,400.00	0.00	0.00	6,357.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,500.00	0.00	0.00	6,457.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,600.00	0.00	0.00	6,557.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,700.00	0.00	0.00	6,657.94	-45.00	546.06	-7.72	0.00	0.00	0.00
6,774.31	0.00	0.00	6,732.24	-45.00	546.06	-7.72	0.00	0.00	0.00
6,800.00	2.31	0.34	6,757.93	-44.48	546.06	-7.21	9.00	9.00	0.00
6,900.00	11.31	0.34	6,857.12	-32.63	546.13	4.62	9.00	9.00	0.00
7,000.00	20.31	0.34	6,953.24	-5.41	546.30	31.79	9.00	9.00	0.00
7,100.00	29.31	0.34	7,043.91	36.51	546.55	73.63	9.00	9.00	0.00
7,200.00	38.31	0.34	7,126.91	92.10	546.88	129.11	9.00	9.00	0.00
7,232.65	41.25	0.34	7,152.00	112.98	547.01	149.96	9.00	9.00	0.00
Sharon Springs									
7,300.00	47.31	0.34	7,200.20	159.99	547.29	196.87	9.00	9.00	0.00
7,353.86	52.16	0.34	7,235.00	201.08	547.54	237.88	9.00	9.00	0.00
Niobrara									
7,400.00	56.31	0.34	7,261.96	238.50	547.76	275.24	9.00	9.00	0.00
7,462.46	61.93	0.34	7,294.00	292.09	548.08	328.72	9.00	9.00	0.00
Nio B									
7,500.00	65.31	0.34	7,310.68	325.72	548.29	362.28	9.00	9.00	0.00
7,600.00	74.31	0.34	7,345.15	419.47	548.85	455.86	9.00	9.00	0.00
7,610.87	75.29	0.34	7,348.00	429.97	548.91	466.34	9.00	9.00	0.00
Nio C									
7,700.00	83.31	0.34	7,364.53	517.47	549.44	553.67	9.00	9.00	0.00
7,779.97	90.51	0.34	7,368.84	597.27	549.92	633.32	9.00	9.00	0.00
Top of Production - BUTTERBALL 25N2-34HZ_PHL									
7,800.00	90.51	0.34	7,368.66	617.30	550.04	653.31	0.00	0.00	0.00
7,900.00	90.51	0.34	7,367.77	717.29	550.64	753.11	0.00	0.00	0.00
8,000.00	90.51	0.34	7,366.88	817.29	551.24	852.92	0.00	0.00	0.00
8,100.00	90.51	0.34	7,365.99	917.28	551.84	952.72	0.00	0.00	0.00
8,200.00	90.51	0.34	7,365.10	1,017.28	552.44	1,052.52	0.00	0.00	0.00

Corporate Planning Report

Database:	PLANNING	Local Co-ordinate Reference:	Well BUTTERBALL 25N2-34HZ
Company:	US ROCKIES WATTENBERG PLANNING	TVD Reference:	RKB @ 4951.00usft (D Rig)
Project:	WELD-NAD83-UTMFT13N	MD Reference:	RKB @ 4951.00usft (D Rig)
Site:	2N-67W-10 Butterball 21-10HZ Pad	North Reference:	True
Well:	BUTTERBALL 25N2-34HZ	Survey Calculation Method:	Minimum Curvature
Wellbore:	Plan A		
Design:	Permit Rev-1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,300.00	90.51	0.34	7,364.21	1,117.27	553.04	1,152.33	0.00	0.00	0.00
8,400.00	90.51	0.34	7,363.32	1,217.26	553.64	1,252.13	0.00	0.00	0.00
8,500.00	90.51	0.34	7,362.43	1,317.26	554.24	1,351.93	0.00	0.00	0.00
8,600.00	90.51	0.34	7,361.54	1,417.25	554.84	1,451.74	0.00	0.00	0.00
8,700.00	90.51	0.34	7,360.65	1,517.25	555.44	1,551.54	0.00	0.00	0.00
8,800.00	90.51	0.34	7,359.76	1,617.24	556.04	1,651.34	0.00	0.00	0.00
8,900.00	90.51	0.34	7,358.87	1,717.24	556.64	1,751.14	0.00	0.00	0.00
9,000.00	90.51	0.34	7,357.98	1,817.23	557.24	1,850.95	0.00	0.00	0.00
9,100.00	90.51	0.34	7,357.09	1,917.22	557.84	1,950.75	0.00	0.00	0.00
9,200.00	90.51	0.34	7,356.20	2,017.22	558.45	2,050.55	0.00	0.00	0.00
9,300.00	90.51	0.34	7,355.31	2,117.21	559.05	2,150.36	0.00	0.00	0.00
9,400.00	90.51	0.34	7,354.42	2,217.21	559.65	2,250.16	0.00	0.00	0.00
9,500.00	90.51	0.34	7,353.53	2,317.20	560.25	2,349.96	0.00	0.00	0.00
9,600.00	90.51	0.34	7,352.64	2,417.20	560.85	2,449.77	0.00	0.00	0.00
9,700.00	90.51	0.34	7,351.75	2,517.19	561.45	2,549.57	0.00	0.00	0.00
9,800.00	90.51	0.34	7,350.86	2,617.18	562.05	2,649.37	0.00	0.00	0.00
9,900.00	90.51	0.34	7,349.97	2,717.18	562.65	2,749.18	0.00	0.00	0.00
10,000.00	90.51	0.34	7,349.08	2,817.17	563.25	2,848.98	0.00	0.00	0.00
10,100.00	90.51	0.34	7,348.19	2,917.17	563.85	2,948.78	0.00	0.00	0.00
10,200.00	90.51	0.34	7,347.30	3,017.16	564.45	3,048.59	0.00	0.00	0.00
10,300.00	90.51	0.34	7,346.41	3,117.16	565.05	3,148.39	0.00	0.00	0.00
10,400.00	90.51	0.34	7,345.52	3,217.15	565.65	3,248.19	0.00	0.00	0.00
10,500.00	90.51	0.34	7,344.63	3,317.14	566.25	3,348.00	0.00	0.00	0.00
10,600.00	90.51	0.34	7,343.74	3,417.14	566.85	3,447.80	0.00	0.00	0.00
10,700.00	90.51	0.34	7,342.85	3,517.13	567.45	3,547.60	0.00	0.00	0.00
10,800.00	90.51	0.34	7,341.96	3,617.13	568.05	3,647.41	0.00	0.00	0.00
10,900.00	90.51	0.34	7,341.07	3,717.12	568.65	3,747.21	0.00	0.00	0.00
11,000.00	90.51	0.34	7,340.18	3,817.12	569.25	3,847.01	0.00	0.00	0.00
11,100.00	90.51	0.34	7,339.29	3,917.11	569.86	3,946.81	0.00	0.00	0.00
11,200.00	90.51	0.34	7,338.40	4,017.10	570.46	4,046.62	0.00	0.00	0.00
11,300.00	90.51	0.34	7,337.51	4,117.10	571.06	4,146.42	0.00	0.00	0.00
11,400.00	90.51	0.34	7,336.62	4,217.09	571.66	4,246.22	0.00	0.00	0.00
11,500.00	90.51	0.34	7,335.73	4,317.09	572.26	4,346.03	0.00	0.00	0.00
11,600.00	90.51	0.34	7,334.84	4,417.08	572.86	4,445.83	0.00	0.00	0.00
11,700.00	90.51	0.34	7,333.95	4,517.07	573.46	4,545.63	0.00	0.00	0.00
11,800.00	90.51	0.34	7,333.06	4,617.07	574.06	4,645.44	0.00	0.00	0.00
11,900.00	90.51	0.34	7,332.17	4,717.06	574.66	4,745.24	0.00	0.00	0.00
12,000.00	90.51	0.34	7,331.28	4,817.06	575.26	4,845.04	0.00	0.00	0.00
12,100.00	90.51	0.34	7,330.39	4,917.05	575.86	4,944.85	0.00	0.00	0.00
12,200.00	90.51	0.34	7,329.50	5,017.05	576.46	5,044.65	0.00	0.00	0.00
12,300.00	90.51	0.34	7,328.61	5,117.04	577.06	5,144.45	0.00	0.00	0.00
12,400.00	90.51	0.34	7,327.72	5,217.03	577.66	5,244.26	0.00	0.00	0.00
12,500.00	90.51	0.34	7,326.83	5,317.03	578.26	5,344.06	0.00	0.00	0.00
12,600.00	90.51	0.34	7,325.94	5,417.02	578.86	5,443.86	0.00	0.00	0.00
12,700.00	90.51	0.34	7,325.04	5,517.02	579.46	5,543.67	0.00	0.00	0.00
12,800.00	90.51	0.34	7,324.15	5,617.01	580.06	5,643.47	0.00	0.00	0.00
12,900.00	90.51	0.34	7,323.26	5,717.01	580.67	5,743.27	0.00	0.00	0.00
13,000.00	90.51	0.34	7,322.37	5,817.00	581.27	5,843.07	0.00	0.00	0.00
13,100.00	90.51	0.34	7,321.48	5,916.99	581.87	5,942.88	0.00	0.00	0.00
13,200.00	90.51	0.34	7,320.59	6,016.99	582.47	6,042.68	0.00	0.00	0.00
13,300.00	90.51	0.34	7,319.70	6,116.98	583.07	6,142.48	0.00	0.00	0.00
13,400.00	90.51	0.34	7,318.81	6,216.98	583.67	6,242.29	0.00	0.00	0.00
13,500.00	90.51	0.34	7,317.92	6,316.97	584.27	6,342.09	0.00	0.00	0.00
13,600.00	90.51	0.34	7,317.03	6,416.97	584.87	6,441.89	0.00	0.00	0.00

Corporate Planning Report

Database:	PLANNING	Local Co-ordinate Reference:	Well BUTTERBALL 25N2-34HZ
Company:	US ROCKIES WATTENBERG PLANNING	TVD Reference:	RKB @ 4951.00usft (D Rig)
Project:	WELD-NAD83-UTMFT13N	MD Reference:	RKB @ 4951.00usft (D Rig)
Site:	2N-67W-10 Butterball 21-10HZ Pad	North Reference:	True
Well:	BUTTERBALL 25N2-34HZ	Survey Calculation Method:	Minimum Curvature
Wellbore:	Plan A		
Design:	Permit Rev-1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,700.00	90.51	0.34	7,316.14	6,516.96	585.47	6,541.70	0.00	0.00	0.00
13,800.00	90.51	0.34	7,315.25	6,616.95	586.07	6,641.50	0.00	0.00	0.00
13,900.00	90.51	0.34	7,314.36	6,716.95	586.67	6,741.30	0.00	0.00	0.00
14,000.00	90.51	0.34	7,313.47	6,816.94	587.27	6,841.11	0.00	0.00	0.00
14,100.00	90.51	0.34	7,312.58	6,916.94	587.87	6,940.91	0.00	0.00	0.00
14,200.00	90.51	0.34	7,311.69	7,016.93	588.47	7,040.71	0.00	0.00	0.00
14,300.00	90.51	0.34	7,310.80	7,116.92	589.07	7,140.52	0.00	0.00	0.00
14,400.00	90.51	0.34	7,309.91	7,216.92	589.67	7,240.32	0.00	0.00	0.00
14,500.00	90.51	0.34	7,309.02	7,316.91	590.27	7,340.12	0.00	0.00	0.00
14,600.00	90.51	0.34	7,308.13	7,416.91	590.87	7,439.93	0.00	0.00	0.00
14,700.00	90.51	0.34	7,307.24	7,516.90	591.47	7,539.73	0.00	0.00	0.00
14,800.00	90.51	0.34	7,306.35	7,616.90	592.08	7,639.53	0.00	0.00	0.00
14,900.00	90.51	0.34	7,305.46	7,716.89	592.68	7,739.34	0.00	0.00	0.00
15,000.00	90.51	0.34	7,304.57	7,816.88	593.28	7,839.14	0.00	0.00	0.00
15,100.00	90.51	0.34	7,303.68	7,916.88	593.88	7,938.94	0.00	0.00	0.00
15,200.00	90.51	0.34	7,302.79	8,016.87	594.48	8,038.74	0.00	0.00	0.00
15,300.00	90.51	0.34	7,301.90	8,116.87	595.08	8,138.55	0.00	0.00	0.00
15,400.00	90.51	0.34	7,301.01	8,216.86	595.68	8,238.35	0.00	0.00	0.00
15,500.00	90.51	0.34	7,300.12	8,316.86	596.28	8,338.15	0.00	0.00	0.00
15,600.00	90.51	0.34	7,299.23	8,416.85	596.88	8,437.96	0.00	0.00	0.00
15,700.00	90.51	0.34	7,298.34	8,516.84	597.48	8,537.76	0.00	0.00	0.00
15,800.00	90.51	0.34	7,297.45	8,616.84	598.08	8,637.56	0.00	0.00	0.00
15,900.00	90.51	0.34	7,296.56	8,716.83	598.68	8,737.37	0.00	0.00	0.00
15,963.07	90.51	0.34	7,296.00	8,779.90	599.06	8,800.31	0.00	0.00	0.00
BUTTERBALL 25N2-34HZ_PBHL									

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
BUTTERBALL 25N2-34HZ - hit/miss target - Shape - Point	0.00	0.00	7,296.00	8,779.90	599.06	14,592,941.21	1,675,168.00	40.181750	-104.875580
BUTTERBALL 25N2-34HZ - plan hits target center - Point	0.00	0.00	7,368.84	597.27	549.92	14,584,758.52	1,675,130.12	40.159279	-104.875757

Casing Points					
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")	
1,511.25	1,500.00	9 5/8"	9-5/8	13-1/2	
7,779.97	7,368.84	Top of Production	5-1/2	8-1/2	

Corporate Planning Report

Database:	PLANNING	Local Co-ordinate Reference:	Well BUTTERBALL 25N2-34HZ
Company:	US ROCKIES WATTENBERG PLANNING	TVD Reference:	RKB @ 4951.00usft (D Rig)
Project:	WELD-NAD83-UTMFT13N	MD Reference:	RKB @ 4951.00usft (D Rig)
Site:	2N-67W-10 Butterball 21-10HZ Pad	North Reference:	True
Well:	BUTTERBALL 25N2-34HZ	Survey Calculation Method:	Minimum Curvature
Wellbore:	Plan A		
Design:	Permit Rev-1		

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
1,036.94	1,032.00	Fox Hills				
4,014.93	3,973.00	Parkman				
4,439.06	4,397.00	Sussex				
7,232.65	7,152.00	Sharon Springs				
7,353.86	7,235.00	Niobrara				
7,462.46	7,294.00	Nio B				
7,610.87	7,348.00	Nio C				