**PIONEER**
Pioneer Energy Services

# INJECTION SURVEY
# SPIN / TEMP / PRESS / RAT

Company EXPEDITION WATER SOLUTIONS
Well EWS #3A
Field WATTENBERG
County WELD
State COLORADO Country USA

Company EXPEDITION WATER SOLUTIONS
Well EWS #3A
Field WATTENBERG
County WELD
State COLORADO Country USA
Location: API #: 051234388
SEC 23 TWP 4N RGE 66W

Other Services
NONE

Permanent Datum Elevation
Log Measured From
Drilling Measured From

Elevation
K.B.
D.F.
G.L.

| | |
|---|---|
| Date | 29 JAN 2017 |
| Run Number | 1 AND 2 |
| Depth Driller | 12,259 FT. |
| Depth Logger | 11,636 FT. |
| Bottom Logged Interval | 11,636 FT. |
| Top Log Interval | 7,500 FT. |
| Open Hole Size | 6.125 IN. |
| Type Fluid | INJ WATER |
| Density / Viscosity | N/A |
| Max. Recorded Temp. | 277 F |
| Estimated Cement Top | N/A |
| Time Well Ready | N/A |
| Time Logger on Bottom | 12:30 |
| Equipment Number | P-53 |
| Location | FT. MORGAN |
| Recorded By | J. ZARYCKI |
| Witnessed By | T. GIMBALL |

| Borehole Record | | | | Tubing Record | | | |
|---|---|---|---|---|---|---|---|
| Run Number | Bit | From | To | Size | Weight | From | To |
| | | | | 4-1/2" | 11.6# | SURF | 10526' |

| Casing Record | Size | Wgt/Ft | Top | Bottom |
|---|---|---|---|---|
| Surface String | 9-5/8" | 36# | SURF | 1039' |
| Prot. String | 7" | 26# | SURF | 10601' |
| Production String | | | | |
| Liner | 4-1/2" | 11.6# | 10550' | 11,660' |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

## Comments

CORRELATED TO: PIONEER GAMMA RAY NEUTRON LOG 23 JAN 2017

Run 1 - Spinner Temp Pressure - WHP 1350 PSI at 5 BPM

Run 2 - RAT Temp - WHP 11000 PSI at 2 BPM

| Sensor | Offset (ft) |
|---|---|
| CCL | 7.87 |
| GR | 4.76 |
| PTEMP | 2.19 |
| PRESS | 2.19 |
| PTEMP | 2.19 |
| TEMP | 2.01 |
| CUPSPIN | 1.08 |
| CDWSPIN | 1.08 |

Schematic



| Description | Length (ft) | O.D. (in) | Weight (lb |
|---|---|---|---|
| Cable Head-Titan 143<br>1 7/16" Titan Cable Head (1" Fish Top) | 1.03 | 1.43 | 2.00 |
| Tungsten-1-3/8x7<br>Weigh Bar Tungten 1-3/8" x 7' | 7.00 | 1.38 | 54.00 |
| Tungsten-1-3/8x7<br>Weigh Bar Tungten 1-3/8" x 7' | 7.00 | 1.38 | 54.00 |
| Centralizer-169 Hotwell<br>1 3/8" Centralizer | 2.17 | 1.38 | 11.02 |
| Lee_PL-Lee-Telemetry (TEL-1103-004)<br>Lee Telemetry (GR/CCL) | 4.97 | 1.38 | 14.20 |
| Lee_PL-Lee-PTF (PTF-1103-007)<br>Lee Pressure Temperature Tool | 2.06 | 1.38 | 5.00 |
| Lee_PL-Lee-FB-5in (FB-501)<br>Spinner 5in Full Bore | 1.67 | 1.38 | 4.00 |

Dataset: Expedition Water Solutions EWS 3 SpinTempPressRAT 20170129.db: field/well/run1/RIH
Total length: 25.91 ft
Total weight: 144.22 lb
O.D.: 1.43 in

| Sensor | Offset (ft) |
|---|---|
| CCL | 15.75 |
| Ejector | 13.08 |
| DET | 11.33 |
| DET#2 | 0.00 |
| TEMP | 1.94 |

Schematic



| Description | Length (ft) | O.D. (in) | Weight (lb |
|---|---|---|---|
| Titan-1.4375<br>1 7/16 Titan Type II Cable Head | 1.03 | 1.44 | 5.00 |
| Sinker-tit_1440_7<br>Titan 1 7/16" Sinker Bar 7' | 7.00 | 1.44 | |
| Sinker-tit_1440_7<br>Titan 1 7/16" Sinker Bar 7' | 7.00 | 1.44 | |
| CCL-TRACER (TRACCL)<br>TRACER CCL | 1.58 | 1.38 | 10.00 |
| TREJCT-Probe (0002)<br>Probe 1.375" Tracer Ejector | 2.63 | 1.38 | 9.00 |
| TRDET-Probe_top (0001) | 4.08 | 1.38 | 15.00 |
| Tungsten-1-3/8x5<br>Weigh Bar Tungten 1-3/8" x 5' | 5.00 | 1.38 | 38.00 |
| TRDET #2 -Probe (0003)<br>Probe 1.375" Detector#2(bttm) | 4.08 | 1.38 | 10.00 |
| TEMP-pro_1380 (pro_1380.1)<br>Probe 1 3/8" Temperature | 1.27 | 1.38 | 12.00 |

Dataset: Expedition Water Solutions EWS 3 SpinTempPressRAT 20170129.db: field/well/run1/RAT_AFGR
Total length: 33.68 ft
Total weight: 99.00 lb
O.D.: 1.44 in

**PIONEER**
Pioneer Energy Services

## Temperature Overlay

Overnight SI, Injecting, 1 HR SI, 2 HR SI

| | |
|---|---|
| Database File | expedition water service\expedition water solutions ews 3 spintemppressrat 20170129.db |
| Dataset Pathname | ./.Temps/merge1 |
| Presentation Format | temp_ovr |
| Dataset Creation | Tue Jan 31 10:01:31 2017 |
| Charted by | Depth in Feet scaled 1:240 |



PIONEER
Pioneer Energy Services

## Spinner Up / Down Overlay

80 FPM Up / Down Injecting 5 BPM

Database File expedition water service\expedition water solutions ews 3 spintemppressrat 20170129.db
Dataset Pathname INJ_80_UpDn
Presentation Format lee_pl_jz
Dataset Creation Sun Jan 29 13:33:20 2017
Charted by Depth in Feet scaled 1:600



PIONEER
Pioneer Energy Services

## Cross Flow Check

80 FPM Up Immediately After SI Pumps

Database File expedition water service\expedition water solutions ews 3 spintemppressrat 20170129.db
Dataset Pathname UP_80_XFLOW.4
Presentation Format lee_pl_jz
Dataset Creation Tue Jan 31 11:29:40 2017
Charted by Depth in Feet scaled 1:240



Company:
Well:
File: C:\ProgramData\Warrior\Data\Expedition Water Service\Expedition Water Solutions EWS 3 SpinTe
Dataset: field/well/run1/_tracer_/_shottabl_/2
Reference Rate: 2683.5 b/d

VELOCITY RESULTS

| # | Depth (ft) | Time | D Space (ft) | D Time (sec) | Csg ID (in) | Flow (b/d) | Flow (%) | Delta (%) | Comm |
|---|---|---|---|---|---|---|---|---|---|
| 5 | 10860.10 | 16:09:37 | 11.33 | 5.00 | 4.00 | 2683.54 | 100.00 | | Lyon |
| 4 | 10920.00 | 16:07:12 | 11.33 | 8.70 | 4.00 | 1542.26 | 57.47 | 42.53 | Temp Infl |
| 7 | 11114.00 | 16:15:16 | 11.33 | 11.60 | 4.00 | 1156.70 | 43.10 | 14.37 | Spinner Inf |
| 3 | 11394.00 | 16:02:48 | 11.33 | 15.60 | 4.00 | 860.11 | 32.05 | 11.05 | Wolfca |
| 2 | 11520.00 | 16:00:25 | 11.33 | 15.10 | 4.00 | 888.59 | 33.11 | -1.06 | Amaz |
| 1 | 11600.00 | 15:58:29 | 11.33 | 22.30 | 4.00 | 601.69 | 22.42 | 10.69 | Council C |

PIONEER
Pioneer Energy Services

## Tracer Composite

Flow annotated from Velocity Shot Table

Database File expedition water service\expedition water solutions ews 3 spintemppressrat 20170129.db
Dataset Pathname _compos3_
Presentation Format trccomp
Dataset Creation Wed Feb 01 16:46:49 2017
Charted by Depth in Feet scaled 1:240



PIONEER
Pioneer Energy Services

## 10,520 Ft.

Packer Check 20 min.
No Channeling Detected.

Database File expedition water service\expedition water solutions ews 3 spintemppressrat 20170129.db
Dataset Pathname RAT_10520_PKR
Presentation Format tracer2
Dataset Creation Sun Jan 29 16:46:58 2017
Charted by Time scaled 36/hour





0 Top Det (GAPI) 1000
0 Bottom Det (GAPI) 1000
0 EJECT 1
ELTIM
(sec)

## 10,845 ft. Channel Check at ECP

RA Material detected at 1350 sec.

| | |
|---|---|
| Database File | expedition water service\expedition water solutions ews 3 spintemppressrat 20170129.db |
| Dataset Pathname | RAT_10845_CHAN |
| Presentation Format | tracer2 |
| Dataset Creation | Sun Jan 29 16:17:07 2017 |
| Charted by | Time scaled 36/hour |

0 Top Det (GAPI) 1000
0 Bottom Det (GAPI) 1000
0 EJECT 1
ELTIM
(sec)



0 Top Det (GAPI) 1000
0 Bottom Det (GAPI) 1000
0 EJECT 1
ELTIM
(sec)

| | |
|---|---|
| Company | EXPEDITION WATER SOLUTIONS |
| Well | EWS #3A |
| Field | WATTENBERG |
| County | WELD |
| State | COLORADO |