

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401202550

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: ILA BEALE

Phone: (720) 929-6408

Fax:

Email: ila.beale@anadarko.com

5. API Number 05-123-42301-00

7. Well Name: LAND

8. Location: QtrQtr: NWNE Section: 32 Township: 2N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 37N-32HZ

## Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION  
Treatment Date: 01/06/2017 End Date: 01/17/2017 Date of First Production this formation: 01/26/2017  
Perforations Top: 7708 Bottom: 12768 No. Holes: 1224 Hole size: 0.46  
Provide a brief summary of the formation treatment: Open Hole: ☐

"PERF AND FRAC FROM 7708-12768.  
952 BBL 7.5% HCL ACID, 8,321 BBL PUMP DOWN, 193,001 BBL SLICKWATER, - 202,275 BBL TOTAL FLUID  
1,651,550# 40/70 OTTAWA/ST. PETERS, - 1,651,550# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 202275 Max pressure during treatment (psi): 8109  
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.88  
Total acid used in treatment (bbl): 952 Number of staged intervals: 51  
Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 12878  
Fresh water used in treatment (bbl): 201322 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 1651550 Rule 805 green completion techniques were utilized: ☒  
Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

### Test Information:

Date: 02/05/2017 Hours: 24 Bbl oil: 100 Mcf Gas: 197 Bbl H2O: 425  
Calculated 24 hour rate: Bbl oil: 100 Mcf Gas: 197 Bbl H2O: 425 GOR: 1970  
Test Method: FLOWING Casing PSI: 1720 Tubing PSI: Choke Size: 14  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1318 API Gravity Oil: 53  
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:  
Reason for Non-Production: \_\_\_\_\_  
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_  
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

THIS WELL HAD A DELAYED COMPLETION. THE TPZ FOOTAGES ON FORM 5 SHOULD BE REVISED TO 31 FSL & 1656 FEL SEC 29.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: ILA BEALE  
Title: STAFF REG. SPECIALIST Date: \_\_\_\_\_ Email: ila.beale@anadarko.com  
:

## Attachment Check List

**Att Doc Num** **Name**

\_\_\_\_\_

Total Attach: 0 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)