

**FORM  
INSP**Rev  
X/15**State of Colorado  
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

03/08/2017

Submitted Date:

03/09/2017

Document Number:

672500459**FIELD INSPECTION FORM**

Loc ID 319473 Inspector Name: Gomez, Jason On-Site Inspection ☐ 2A Doc Num: \_\_\_\_\_

**Operator Information:**OGCC Operator Number: 100322Name of Operator: NOBLE ENERGY INCAddress: 1625 BROADWAY STE 2200City: DENVER State: CO Zip: 80202**Status Summary:**

- ☐ THIS IS A FOLLOW UP INSPECTION  
☐ FOLLOW UP INSPECTION REQUIRED  
☐ NO FOLLOW UP INSPECTION REQUIRED

**Findings:**1 Number of Comments0 Number of Corrective Actions☐ Corrective Action Response Requested**Contact Information:**

Contact Name	Phone	Email	Comment
,		NBL_DJBU_Inspections@NB LENERGY.COM	

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
243533	WELL	PR	08/13/2013	OW	123-11325	GOETZEL 1-29	PA

**General Comment:**

**Location**Overall Good: ☐

Emergency Contact Number:

Comment: Corrective Action: Date: Overall Good: ☒**Spills:**

Type	Area	Volume			

In Containment: No

Comment: ☐ Multiple Spills and Releases?**Venting:**

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type		
Comment:		
Corrective Action:		Date:

**Inspected Facilities**Facility ID: 243533 Type: WELL API Number: 123-11325 Status: PR Insp. Status: PA**Cement**Cement ContractorContractor Name: BWS

Contractor Phone: \_\_\_\_\_

Surface Casing

Cement Volume (sx): \_\_\_\_\_

Circulate to Surface: \_\_\_\_\_

Cement Fall Back: \_\_\_\_\_

Top Job, 1" Volume: \_\_\_\_\_

Intermediate Casing

Cement Volume (sxs): \_\_\_\_\_

Good Return During Job: \_\_\_\_\_

Production Casing

Cement Volume (sx): \_\_\_\_\_

Good Return During Job: \_\_\_\_\_

Plugging OperationsDepth Plugs(feet range): 6832'Cement Volume (sx): 2Good Return During Job: NOCement Type: G-NEATComment:

IH W/ CIBP & SETTING TOOL FOR 4.5" 11.6# CSG. RUN CCL CORRELATION STRIP & SPOT CIBP @ 6832'. SET CIBP. STACK OUT TO VERIFY SET. PU WATCHING WEIGHT INDICATOR & CCL METER TO VERIFY SHEAR. POOH W/ SETTING TOOL. RIH W/ DUMP BAILER LOADED W/ 2SX CMT SLURRY. TAG CIBP DUMPING CMT.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_