



December 14, 2016

Noble Energy
1625 Broadway
Suite 2200
Denver, CO 80202

RE: Rule 317.r. & 317.s.

Goetzel 7-29

- Goetzel 4N-30A-M
- Goetzel 5C-30-M
- Goetzel 4C-30-M
- Goetzel 5N-30B-M
- Goetzel 5C-30-M

Township 6 North, Range 66 West

Section 29

Weld County, Colorado

Ladies and Gentlemen,

Synergy Resources (Synergy) is applying for a permit to drill the captioned horizontal well. Pursuant to Rule 317.r, you are provided notice of a wellbore lying within one hundred fifty (150) feet of the existing active well cited below. An operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.

Additionally, pursuant to Rule 317.s, no portion of a proposed wellbore's treated interval shall be located within one hundred fifty (150) feet of an existing (producing, shut-in, or temporarily abandoned) or permitted oil and gas wellbore's treated interval belonging to another operator without the signed written consent of the operator of the encroached upon wellbore.

As currently planned, the following well(s) operated by Noble Energy have treated intervals that lie within one hundred fifty (150) feet of the horizontal lateral of the captioned wells

Goetzel 7-29

- Goetzel 4N-30A-M
- Goetzel 5C-30-M
- Goetzel 4C-30-M
- Goetzel 5N-30B-M
- Goetzel 5C-30-M

As an Operator of the above referenced well (s) lying within one hundred fifty (150) feet of the treated interval portion of the above captioned well, Noble Energy hereby waives the one hundred fifty (150) foot minimum stimulation setback distance as specified in COGCC Rule 317.s.

Accepted and agreed to this 21 day of DEC, 2016.

Noble Energy 

(Please sign above)

By: CHARLES A. SNURE

Title: AIF

Signed Charles A. Snure this 21st day
of December, 2016