

Click here to reset the form

FORM  
21  
Rev 9/14

State of Colorado  
Oil and Gas Conservation Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203 (303)-894-2100 Fax: (303)-894-2109

FOR OGCC USE ONLY

Document Number:

Date Received:

MECHANICAL INTEGRITY TEST

1. Duration of the pressure test must be a minimum of 15 minutes.
2. An original pressure chart must accompany this report if this test was not witnessed by a OGCC representative. Injection wells tests must be witnessed by an OGCC representative.
3. For production wells, test pressures must be at a minimum of 300 psig.
4. New injection wells must be tested to maximum requested injection pressure.
5. For injection wells, test pressures must be at least 300 psig or average injection pressure, whichever is greater.
6. A minimum 300 psi differential pressure must be maintained between the tubing and tubing/casing annulus pressure.
7. Do not use this form if submitting under provisions of Rule 326.a.(1) B. or C.
8. OGCC notification must be provided 10 days prior to the test via Form 42.
9. Packers or bridge plugs, etc., must be set within 100 feet of the perforated interval to be considered a valid test.

Complete the  
Attachment Checklist

Oper OGCC

Pressure Chart		
Cement Bond Log		
Tracer Survey		
Temperature Survey		
Inspection Number		

OGCC Operator Number: 17180	Contact Name and Telephone Geoffrey Wolff
Name of Operator: Citation Oil and Gas Corp	No: (719) 340-4637
Address: 14077 Cutten Road	Email: gwolff@cogc.com
City: Houston State: TX Zip: 77069	
API Number: 05-017-06714 OGCC Facility ID Number: 159140	
Well/Facility Name: Arapahoe Unit Well/Facility Number: 127	
Location QtrQtr: SESE Section: 25 Township: 14S Range 42W Meridian: 6PM	

☐ SHUT-IN PRODUCTION WELL

☒ INJECTION WELL

Last MIT Date: 05/24/2010

Test Type:

☐ Test to Maintain SI/TA status

☒ 5- year UIC

☐ Reset Packer

☐ Verification of Repairs

☐ Annual UIC Test

Describe Repairs or Other Well Activities:

Wellbore Data at Time of Test			Casing Test	
Injection/Producing Zone(s)	Perforated Interval:	Open Hole Interval:	Use when perforations or open hole is isolated by bridge plug or cement plug; use if cased-hole only with plug back total depth.	
Spergen Osage Arbuckle	N/A	5292-5750	Bridge Plug or Cement Plug Depth N/A	
Tubing Casing/Annulus Test				
Tubing Size: 2.375	Tubing Depth: 5137	Top Packer Depth: 5029	Multiple Packers? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Test Data				
Test Date 5/28/15	Well Status During Test Injecting	Casing Pressure Before Test 0 PSI	Initial Tubing Pressure -2" HG	Final Tubing Pressure -2" HG
Casing Pressure Start Test 400 PSI	Casing Pressure - 5 Min. 400 PSI	Casing Pressure - 10 Min. 400 PSI	Casing Pressure Final Test 400 PSI	Pressure Loss or Gain During Test 0 PSI
Test Witnessed by State Representative? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			OGCC Field Representative (Print Name): Brian Welsh	

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Geoffrey Wolff

Signed: Geoffrey Wolff

Title: Assistant Production

Date: 5/28/15

OGCC Approval: Brian Welsh

Title: Field Inspector

Date: 5/28/15

Conditions of Approval, if any:

Form 42 # 400843243

Insp Doc # 668501484