

**FORM  
INSP**Rev  
X/15

# State of Colorado

## Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

03/22/2017

Submitted Date:

03/23/2017

Document Number:

673715113**FIELD INSPECTION FORM**

Loc ID 303056 Inspector Name: Sherman, Susan On-Site Inspection ☐ 2A Doc Num: \_\_\_\_\_

**Operator Information:**OGCC Operator Number: 10112Name of Operator: FOUNDATION ENERGY MANAGEMENT LLCAddress: 16000 DALLAS PARKWAY #875City: DALLAS State: TX Zip: 75248-**Status Summary:**

- ☐ THIS IS A FOLLOW UP INSPECTION  
☐ FOLLOW UP INSPECTION REQUIRED  
☐ NO FOLLOW UP INSPECTION REQUIRED

**Findings:**3 Number of Comments0 Number of Corrective Actions☐ Corrective Action Response Requested**Contact Information:**

Contact Name	Phone	Email	Comment
Foundation Energy	(866) 767-3600	regulatory@foundationenergy.com	<a href="#">All Inspections</a>

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
252358	WELL	SI	10/20/2014	GW	125-06231	MILL IRON 1-4	PA

**General Comment:**

**Location**Overall Good: ☒**Signs/Marker:**

Type	WELLHEAD		
Comment:			
Corrective Action:		Date:	
Type	OTHER		
Comment:			
Corrective Action:		Date:	

Emergency Contact Number:

Comment: 866-767-3600

Corrective Action:

Date: \_\_\_\_\_

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment:

☐ Multiple Spills and Releases?**Venting:**

Yes/No			
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type		
Comment:		
Corrective Action:		Date:

**Inspected Facilities**Facility ID: 252358 Type: WELL API Number: 125-06231 Status: SI Insp. Status: PA**Cement**Cement Contractor

Contractor Name: \_\_\_\_\_

Contractor Phone: \_\_\_\_\_

Surface Casing

Cement Volume (sx): \_\_\_\_\_

Circulate to Surface: \_\_\_\_\_

Cement Fall Back: \_\_\_\_\_

Top Job, 1" Volume: \_\_\_\_\_

Intermediate Casing

Cement Volume (sxs): \_\_\_\_\_

Good Return During Job: \_\_\_\_\_

Production Casing

Cement Volume (sx): \_\_\_\_\_

Good Return During Job: \_\_\_\_\_

Plugging OperationsDepth Plugs(feet range): 2506'Cement Volume (sx): 2

Good Return During Job: \_\_\_\_\_

Cement Type: \_\_\_\_\_

Comment:

3/22/2017  
 Excell vac truck to kill well, 300 psi on wellhead, 50 BBLS fresh water used, well went on a vacuum.  
 Pioneer Wireline, MIRU lubricator, gauge ring (3.5") and basket to TD (2553'), fluid at ~800'. Set CIBP (Plug Well) @ 2506' per plugging order. Perfd with 2 shots at 402' per plugging order.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

**Attached Documents**You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
401242227	INSPECTION SUBMITTED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4107457">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4107457</a>
673715116	Foundation Mill Iron 1-4 PA	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4107455">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4107455</a>