

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401234996

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120	4. Contact Name: ILA BEALE
2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP	Phone: (720) 929-6408
3. Address: P O BOX 173779	Fax:
City: DENVER State: CO Zip: 80217-	Email: ila.beale@anadarko.com

5. API Number 05-123-41792-00	6. County: WELD
7. Well Name: TEDFORD	Well Number: 4N-28HZ
8. Location: QtrQtr: SWSW Section: 28 Township: 2N Range: 66W Meridian: 6	
9. Field Name: WATTENBERG	Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION
Treatment Date: 01/28/2017 End Date: 02/08/2017 Date of First Production this formation: 03/11/2017
Perforations Top: 7748 Bottom: 13033 No. Holes: 1272 Hole size: 0.44
Provide a brief summary of the formation treatment: Open Hole: ☐

"PERF AND FRAC FROM 7748-111505.
990 BBL 7.5% HCL ACID, 10,802 BBL PUMP DOWN, 189,417 BBL SLICKWATER, - 201,209 BBL TOTAL FLUID
1,588,310# 40/70 OTTAWA/ST. PETERS, - 1,588,310# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 201209 Max pressure during treatment (psi): 7895
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 0.88
Total acid used in treatment (bbl): 990 Number of staged intervals: 53
Recycled water used in treatment (bbl): 4900 Flowback volume recovered (bbl): 2829
Fresh water used in treatment (bbl): 195319 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 1588310 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 03/21/2017 Hours: 24 Bbl oil: 193 Mcf Gas: 412 Bbl H2O: 3
Calculated 24 hour rate: Bbl oil: 193 Mcf Gas: 412 Bbl H2O: 3 GOR: 2134
Test Method: FLOWING Casing PSI: 1750 Tubing PSI: Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1284 API Gravity Oil: 53
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

THIS WELL HAD A DELAYED COMPLETION. THE TPZ FOOTAGES ON FORM 5 SHOULD BE REVISED TO 141 FNL, 786 FWL SEC 33.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: ILA BEALE
Title: STAFF REG. SPECIALIST Date: Email: ila.beale@anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)