



COMPENSATED DENSITY

CALIPER
GAMMA RAY



Company: Prima Oil and Gas Company
Well: Loustalet 30-14
Field: Wattenberg
County: Weld
State: Colorado
Location: 05-123-19994
SE NE
Sec - 30, Twp - 4N, Rge - 64W
1980' FNL & 660' FEL
Other Services: Induction

Measured From: GL KB
Measured From: KB KB
Elevation: 4842
K B 4852
D F 4851
G L 4842

Number	7232
th Diller	7237
th Logger	7229
th Log Interval	4300
th Log Interval	618
Casing Diller	618
Casing Logger	778
B4 Size	Chem Gel
Type Fluid in Hole	9.3 / 50
Density / Viscosity	9.0 / 10.4
pH / Fluid Loss	Flowline
Source of Sample	3.60 @ 80 F
Rm @ Meas Temp	2.55 @ 80 F
Print @ Meas Temp	4.50 @ 80 F
@ Meas Temp	Misc Calc
@ Rm / Rmc	1.39 @ 206 F
@ BHT	0700
@ Circulation Stopped	0830
@ Logger on Bottom	206 F
Maximum Recorded Temperature	40.41
Equipment Number	Brigton CO
Location	Patterson
Recorded By	Tim Sherwood
Witnessed By	


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Caza Rig #1
Volume is annular calculated for 4 1/2"
Thanks for using Phoenix Surveys.

Laustalet 30-14



Loustalet 30-14

