

**FORM  
INSP**Rev  
X/15**State of Colorado  
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

04/20/2017

Submitted Date:

04/27/2017

Document Number:

671000547**FIELD INSPECTION FORM**Loc ID 335102 Inspector Name: LUJAN, CARLOS On-Site Inspection ☐ 2A Doc Num: \_\_\_\_\_**Operator Information:**OGCC Operator Number: 100185Name of Operator: ENCANA OIL & GAS (USA) INCAddress: 370 17TH ST STE 1700City: DENVER State: CO Zip: 80202-**Status Summary:**

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED

**Findings:**8 Number of Comments0 Number of Corrective Actions☐ Corrective Action Response Requested**Contact Information:**

Contact Name	Phone	Email	Comment
Middleton, Brett		Brett.Middleton@encana.com	Environmental Specialist
Spencer, Stan		stan.spencer@state.co.us	EPS, NW Region
Lujan, Carlos		carlos.lujan@state.co.us	EPS, NW Region
Rider, Lindsey		Lindsey.Rider@encana.com	Manager, Field Environmental
Burger, Craig		craig.burger@state.co.us	Engineer, NW Region
Fischer, Alex		alex.fischer@state.co.us	Environmental Supervisor, NW

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
335102	LOCATION	AC			-	GMR-66S93W 34NWNE	EI

**General Comment:**

Site visit conducted on 04/20/2017 in response to a complaint #200441313 by Mr. Jose Rodriguez, a homeowner. Mr. Rodriguez home is about 700 feet east of the closest well on Encana Location ID #335102.

1) On site: Carlos Lujan and Craig Burger from COGCC, and Dusting Held from LTE. We went to Mr. Rodriguez house to take samples from his water well and to talk to him. During conversation with Mr. Jose Rodriguez, he clarified that his family uses the water from the well to shower, to wash dishes and for laundry, and to clean the house but not for drinking. They don't grow vegetables and have no farm animals (other than a horse). The three daughters are under medication for different issues, apparently all of neurologic origin (the oldest: epilepsy episodes started about 2 1/2 years ago, the youngest, 5 years old, gets paralyzed and turns her eyes up since last year, and the second, about 12 years old, started having hallucinations 3 months ago. Water from the well did not have any odor, although Mr. Rodriguez says that some times it smells like rotten eggs. No bubbling in the water was observed. Water well is about 75 feet west of the house. EnCana pad is about 600 feet west of the water well.

2) Site visit to EnCana pad Location ID #335102. No stainings observed on the ground or any indication of spill/releases; Bradenhead pressure "zero" in all wells; no odor detected; no weeds, junk, pipes, parts, etc. on premises. Good housekeeping and clean site.

**Location**Overall Good: ☒

Emergency Contact Number:

Comment:

Corrective Action:

Date: \_\_\_\_\_

Overall Good: ☒**Spills:**

Type	Area	Volume			

In Containment: No

Comment:

☐ Multiple Spills and Releases?**Venting:**

Yes/No			
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type		
Comment:		
Corrective Action:		Date:



Environmental	
<b>Spill/Remediation:</b>	
Comment:	
Corrective Action:	Date:
Emission Control Burner (ECB):	
Comment:	
Pilot:	Wildlife Protection Devices (fired vessels):

**Reclamation - Storm Water - Pit****Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

Comment: Corrective Action: Date: **Pits:** ☒ NO SURFACE INDICATION OF PIT**COGCC Comments**

Comment	User	Date
Lab results from Mr. Rodriguez water well will be available in a week approximately. Further investigation will be required if results indicate potential impact from Oil & Gas activities. If no indication of groundwater impact is found, complaint No. 200441313 will be closed.	lujanc	04/26/2017

**Attached Documents**You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
401268670	INSPECTION SUBMITTED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4133371">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4133371</a>
671000549	Photo Report Encana pad and water well	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4133370">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4133370</a>