Schlumberger
Platform Express
Three Detector Lithology Density
Compensated Neutron
Array Induction Imager Tool
Gamma Ray
Caliper
Bit Size
Density Correction
Neutron Porosity
Photoelectric Factor
Bulk Density
Delta Rho
Deep Resistivity
Medium Resistivity
Shallow Resistivity
Spherically Focused Resistivity
Rt
Rxo
Rm
Rmf
Rmc
Mud Type
Mud Density
Mud Resistivity
Mud Filtrate Resistivity
Mud Cake Resistivity
Source
Logging Engineer
Operating Rig Time
Max Recorded Temperature
Circulation Stopped
Logger On Bottom
Time Since Circulation
Max Rec Temp
Equipment Number
Location
Recorded By
Witnessed By
Run Number
Depth Driller
Depth Logger
Bottom Logged Interval
Top Logged Interval
Casing Driller
Casing Logger
Bit Size
Type Fluid in Hole
Density
Viscosity
pH
Fluid Loss
Source of Sample
Rm @ Measured Temperature
Rmf @ Measured Temperature
Rmc @ Measured Temperature
Source of Rmf and Rmc
Rm @ BHT
Rmf @ BHT
Rmc @ BHT
Circulation Stopped
Logger On Bottom




20350
20400
20450
20500
20550
20600
20650
20700
20750
#217 MD(20396.00) Inc(89.5) Azm(359.6) TVD(7080.96) DLS(2.4)
#218 MD(20492.00) Inc(89.9) Azm(359.0) TVD(7081.47) DLS(0.8)
#219 MD(20587.00) Inc(90.6) Azm(358.9) TVD(7081.10) DLS(0.7)
#220 MD(20682.00) Inc(91.3) Azm(358.6) TVD(7079.57) DLS(0.8)
#221 MD(20700.00) Inc(91.3) Azm(358.7) TVD(7079.15) DLS(0.4)
Calc Gamma
0.0
200.0
200.0
400.0
Memory Gamma
API
0.0
200.0
200.0
400.0
ROP
Ft/Hr
0.0
1000.0
1000.0
2000.0