RELIANCE
OILFIELD SERVICES

Radial Cement Bond
Gamma Ray
Collar Locator Log

Company	TEP Rocky Mountain LLC
Well	Chevron TR 434-21-597
Field	Trail Ridge
County	Garfield
State	Colorado

Company TEP Rocky Mountain LLC
Well Chevron TR 434-21-597
Field Trail Ridge
County Garfield State Colorado
Location: API # : 05-045-23343
659' FSL & 1859' FWL SESW
SEC 21 TWP 5S RGE 97W

Other Services
PDN

			Elevation
Permanent Datum	Ground Level	Elevation 8292'	K.B. 8316'
Log Measured From	Kelly Bushing	24 FT	D.F. 8315'
Drilling Measured From	Kelly Bushing		G.L. 8292'

Date	24-APR-2017
Run Number	One
Depth Driller	9813 FT
Depth Logger	9703 FT
Bottom Logged Interval	9703 FT
Top Log Interval	Surface
Open Hole Size	8.750"
Type Fluid	Fresh Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	258° F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	07:40
Equipment Number	HD 329
Location	Grand Junction
Recorded By	S. Hopper
Witnessed By	D. Welsh

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size (in)	Weight (lb/ft)	From	To

Casing Record	Size (in)	Wgt (lb/ft)	Grade	Top	Bottom
Surface Casing	9 5/8	36	J-55	Surface	2811 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	9813 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 24 FT
Ground Level 1 FT below the top of cut pipe
Marker Joint logged at 6225 FT – 6246 FT
Log ran from 9703 FT to surface
Recorded with 0 PSI surface induced pressure

Thank you for choosing Reliance Oilfield Services, LLC!!

RELIANCE
OILFIELD SERVICES

Main Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	chevron tr 434-21-597\tep_chevron tr 434-21-597_04-24-17_rbl.db
Dataset Pathname	pass4.2
Presentation Format	ros_rbt004_tep
Dataset Creation	Mon Apr 24 12:45:00 2017
Charted by	Depth in Feet scaled 1:240

Gamma Ray 0 (GAPI) 200 Casing Collar Locator Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Differential Temperature -2 (degF) 2 Temperature 0 (degF) 20		3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150


135.2
3700
137.5
3800
139.6
3900


141.8
4000
143.5
4100


145.5
4200
147.3
4300


149.3
4400
150.9
4500


152.9
4600
154.5
4700


156.4
4800
157.6
4900


160.5
5000
161.7
5100


164.4
5200
166.6
5300


168.5
5400
170.5
5500


172.5
5600
174.3
5700


176.1
5800
176.6
5900


179.6
6000
181.6
6100


183.1
6200
Marker Joint
184.4
6300


185.7
6400
187.5
6500
189.1
6600


190.8
6700
192.5
6800


194.4
6900
195.9
7000


197.5
7100
199.4
7200


201.0
7300
202.7
7400


204.4
7500
206.3
7600





















Gamma Ray 0 (GAPI) 200 Casing Collar Locator Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Differential Temperature -2 (degF) 2 Temperature 0 (degF) 20		3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150

Repeat Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	chevron tr 434-21-597\tep_chevron tr 434-21-597_04-24-17_rbl.db
Dataset Pathname	pass2.1
Presentation Format	ros_rbt004_tep
Dataset Creation	Tue Apr 25 15:28:36 2017
Charted by	Depth in Feet scaled 1:240

Gamma Ray 0 (GAPI) 200 Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Differential Temperature -2 (degF) 2 Temperature 0 (degF) 20		3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150



Gamma Ray 0 (GAPI) 200	3' Amplitude 0 (mV) 100	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150
Line Speed -150 (ft/min) 150	3' Amplitude x 5 0 (mV) 20			Mimimum Amplitude 0 150
Line Tension 0 (lb) 2000	3' Travel Time 300 (usec) 200			Maximum Amplitude 0 150
Differential Temperature -2 (degF) 2				
Temperature 0 (degF) 20				

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb
			Titan_Electric_Cable_Heads-Titan_1-11/1 Electric Cable Head with 1" Fishing Neck	1.03	1.69	5.40
			UW_AGS-UW_AGS_001 (219135) Sondex Adapter - GO Box to Sondex Pin	0.21	1.69	1.00
			UW_XTU-UW_XTU_002 (10012277) Crossover Ultrawire Toolbus to Ultralink	1.58	1.69	6.50
CCL	18.26		UW_CCL-UW_CCL_028 (10025621) 3-1/8" Ultrawire Casing Collar Locator	1.61	3.13	36.00
			UW_PRC-DSS_RAC 5 Arm 2-3/4" Roller Centralizer	2.55	2.75	32.00
CBLROT WVFS8 WVFS7 WVFS6 WVFS5 WVFS4 WVFS3 WVFS2 WVFS1 WVF3FT WVF5FT CBLTEMP	10.87 10.87 10.87 10.87 10.87 10.87 10.87 10.87 10.87 10.87 9.87 5.73		UW_RBT-UW_RBT_004 (10022842) Sondex Ultrawire 3-1/8" Radial Bond Tool	9.48	3.13	140.00
			UW_PRC-DSS_RAC 5 Arm 2-3/4" Roller Centralizer	2.55	2.75	32.00

GR	1.76
TEMP	0.37
TSTAMP	0.00

UW_PGR-UW_PGR_020 (10019371) Production Gamma Ray	1.92	1.69	9.50
UW_PRT-PRT_016 (10025093) Platinum Resistance Thermometer	1.04	1.69	5.20
UW_BUL-UW_BUL_006 (10019730) Sondex Ultrawire Bullnose Terminator	0.22	1.69	1.20

Dataset:	TEP_Chevron TR 434-21-597_04-24-17_RBL.db: field/well/run1/pass4.2
Total length:	22.19 ft
Total weight:	268.80 lb
O.D.:	3.13 in

Calibration Report

Database File	D:\Warrior\Data\Chevron TR 434-21-597\TEP_Chevron TR 434-21-597_04-24-17_RBL.db
Dataset Pathname	pass4.2
Dataset Creation	Mon Apr 24 12:45:00 2017

Temperature Calibration Report

Serial Number:	10025093
Tool Model:	PRT_016
Performed:	Sun Oct 11 12:31:14 2015

Point #	Reading		Reference	
1	13006.00	cps	68.00	degF
2	18181.00	cps	104.00	degF
3	29634.00	cps	176.00	degF
4	41077.00	cps	248.00	degF
5	52560.00	cps	320.00	degF
6	58409.00	cps	356.00	degF
7		cps		degF
8		cps		degF
9		cps		degF
10		cps		degF

Gamma Ray Calibration Report

Serial Number:	10019371	
Tool Model:	UW_PGR_020	
Performed:	(Not Performed)	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	10022842	
Tool Model:	UW_RBT_004	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	468.797	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3FT	0.007	1.084	0.800	81.196	74.623	0.279
5FT	0.002	0.933	0.800	81.196	86.325	0.665
S1	0.005	1.186	0.000	100.000	84.613	-0.389
S2	0.005	1.183	0.000	100.000	84.918	-0.463
S3	0.005	1.149	0.000	100.000	87.470	-0.473
S4	0.008	1.058	0.000	100.000	95.197	-0.725
S5	0.009	1.004	0.000	100.000	100.529	-0.885
S6	0.010	1.008	0.000	100.000	100.206	-1.003
S7	0.007	1.053	0.000	100.000	95.633	-0.694
S8	0.005	1.153	0.000	100.000	87.112	-0.477

RELIANCE
OILFIELD SERVICES

Company	TEP Rocky Mountain LLC
Well	Chevron TR 434-21-597
Field	Trail Ridge
County	Garfield
State	Colorado