



Well Name UHL 2			API Number 051231997700			County Weld		
Section 29	Township 10	Township N/S Dir N	Range 58	Range E/W Dir W	Meridian	Quarter 1 NW	Quarter 2 NW	

Vertical - Original Hole, 8/2/2017 9:05:57 AM

Vertical schematic (actual)

Surface Casing Cement; 10.0-283.0 ftKB; Depth Plug Drilled Out To: Fluid: Surface Cement, Class: , Amount: 165sacks, Yield: , Dens:

Guide Shoe; 282.5 ftKB; 282.5-283.0 ftKB Surface Csg; 0.00 in; 8 5/8 in; 24.00 lb/ft; 10.0 ftKB; 10.0-283.0 ftKB

Production Casing Cement; 5,498.0-6,775.0 ftKB; Depth Plug Drilled Out To: Fluid: Production Cement, Class: 50/50 POZ, Amount: 250sacks, Yield: , Dens:

Tubing - Production; 2 3/8 in; 0.00 in; 10.0-6,589.1 ftKB

Marker Casing Joint; 6,654.1 ftKB; 6,654.1-6,681.4 ftKB

Auto fill Float Collar; 6,758.7 ftKB; 6,758.7-6,759.5 ftKB

Float Joint; 6,759.5 ftKB; 6,759.5-6,774.3 ftKB

Guide Shoe; 6,774.3 ftKB; 6,774.3-6,775.0 ftKB

Cement below shoe; 6,775.0-6,780.0 ftKB; Depth Plug Drilled Out To: Production Csg; 0.00 in; 4 1/2 in; 11.60 lb/ft; 10.0 ftKB; 10.0-6,775.0 ftKB

Niobrara; 5,800.0

Ft Hays; 6,078.0

Codell; 6,116.0

X Bentonite; 6,495.0

D Sand; 6,604.0

Perforated; 6,606.0-6,610.0

J Silt; 6,674.0

J Sand; 6,700.0

No Zone Name Entered; 6,780.0