



PINTAIL 35-P PAD MULTI-WELL PLAN



NOTES:

- PINTAIL FED 2-1HN TO BE AT 892' FSL & 1079' FWL. BOTTOM HOLE AT 600' FSL & 605' FWL, SEC. 11.
- PINTAIL FED 2-2HC TO BE AT 892' FSL & 1104' FWL. BOTTOM HOLE AT 600' FSL & 811' FWL, SEC. 11.
- PINTAIL FED 2-3HN TO BE AT 891' FSL & 1129' FWL. BOTTOM HOLE AT 600' FSL & 996' FWL, SEC. 11.
- PINTAIL FED 2-4HN TO BE AT 890' FSL & 1154' FWL. BOTTOM HOLE AT 600' FSL & 1365' FWL, SEC. 11.
- PINTAIL FED 2-5HN TO BE AT 889' FSL & 1179' FWL. BOTTOM HOLE AT 600' FSL & 1735' FWL, SEC. 11.
- PINTAIL FED 2-6HC TO BE AT 889' FSL & 1204' FWL. BOTTOM HOLE AT 600' FSL & 1920' FWL, SEC. 11.
- PINTAIL FED 2-7HN TO BE AT 888' FSL & 1229' FWL. BOTTOM HOLE AT 600' FSL & 2105' FWL, SEC. 11.
- PINTAIL FED 2-8HN TO BE AT 888' FSL & 1254' FWL. BOTTOM HOLE AT 600' FSL & 2475' FWL, SEC. 11.
- PINTAIL 2-9HN TO BE AT 742' FSL & 1073' FWL. BOTTOM HOLE AT 600' FSL & 2450' FEL, SEC. 11.
- PINTAIL 2-10HN TO BE AT 742' FSL & 1098' FWL. BOTTOM HOLE AT 600' FSL & 2080' FEL, SEC. 11.
- PINTAIL 2-11HC TO BE AT 741' FSL & 1123' FWL. BOTTOM HOLE AT 600' FSL & 1895' FEL, SEC. 11.
- PINTAIL 2-12HN TO BE AT 740' FSL & 1148' FWL. BOTTOM HOLE AT 600' FSL & 1710' FEL, SEC. 11.
- PINTAIL 2-13HN TO BE AT 740' FSL & 1173' FWL. BOTTOM HOLE AT 600' FSL & 1340' FEL, SEC. 11.
- PINTAIL 2-14HN TO BE AT 739' FSL & 1198' FWL. BOTTOM HOLE AT 600' FSL & 970' FEL, SEC. 11.
- PINTAIL 2-15HC TO BE AT 738' FSL & 1223' FWL. BOTTOM HOLE AT 600' FSL & 785' FEL, SEC. 11.
- PINTAIL 2-16HN TO BE AT 738' FSL & 1248' FWL. BOTTOM HOLE AT 600' FSL & 605' FEL, SEC. 11.

LEGEND

- = EXISTING MONUMENT
- = CALCULATED POSITION
- = PROPOSED WELL
- ◆ = EXISTING WELL
- ▲ = BOTTOM HOLE
- ▲ = LANDING POINT
- BHL = BOTTOM HOLE LOCATION

NOTES:

- THIS FIELD SURVEY CONFORMS TO THE MINIMUM STANDARDS SET BY THE C.O.G.C.C., RULE NO. 215
- BEARINGS ARE BASED ON THE ASSUMPTION THAT THE SOUTH LINE OF THE SOUTHEAST QUARTER OF SECTION 35, BEARS S89°28'55"W BETWEEN THE MONUMENTS SHOWN HEREON.
- ALL DISTANCES AND BEARINGS SHOWN HEREON ARE GROUND VALUES AS GPS MEASURED IN THE FIELD, WITH TIES TO WELLS MEASURED PERPENDICULAR TO SECTION LINES. THIS LOW DISTORTION PROJECTION (LDP) IS BASED ON THE NORTH AMERICAN DATUM OF 1983, U.S. SURVEY FOOT WITH A LATITUDE ORIGIN OF 40.655085°N, A CENTRAL MERIDIAN LONGITUDE OF 104.086861°W, AND A SCALE FACTOR ON THE CENTRAL MERIDIAN OF 1.000232 (EXACT). THE LDP BASIS OF BEARINGS IS GEODETIC NORTH.
- FIELD VERIFICATION OF MONUMENTS COMPLETED WITHIN 1 YEAR OF SIGNATURE DATE.