

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401451527

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850
2. Name of Operator: TEP ROCKY MOUNTAIN LLC
3. Address: PO BOX 370
City: PARACHUTE State: CO Zip: 81635
4. Contact Name: Kellye Garcia
Phone: (832) 726-1159
Fax:
Email: kgarcia@terraep.com

5. API Number 05-045-23461-00
6. County: GARFIELD
7. Well Name: CHEVRON
Well Number: TR 23-23-597
8. Location: QtrQtr: SWNE Section: 23 Township: 5S Range: 97W Meridian: 6
9. Field Name: TRAIL RIDGE Field Code: 83825

Completed Interval

FORMATION: COZZETTE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/18/2017 End Date: 09/27/2017 Date of First Production this formation: 10/25/2017

Perforations Top: 9801 Bottom: 9974 No. Holes: 21 Hole size: 35/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

10089 bbls of slickwater; 199829 100/Mesh; 196 gals of biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 10094

Max pressure during treatment (psi): 6940

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl):

Number of staged intervals: 1

Recycled water used in treatment (bbl): 10089

Flowback volume recovered (bbl): 1113

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 199829

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: CORCORAN Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/18/2017 End Date: 09/27/2017 Date of First Production this formation: 10/23/2017

Perforations Top: 10004 Bottom: 10229 No. Holes: 27 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

13186 bbls of slickwater; 260297 100/Mesh; 263 gals of biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 13192

Max pressure during treatment (psi): 6940

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl):

Number of staged intervals: 2

Recycled water used in treatment (bbl): 13186

Flowback volume recovered (bbl): 1431

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 260297

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK-CAMEO-COZZETTE-CORCORAN Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/18/2017 End Date: 09/27/2017 Date of First Production this formation: 10/25/2017
Perforations Top: 7492 Bottom: 10229 No. Holes: 288 Hole size: 35/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

123376 bbls of slickwater; 2450186 100/Mesh; 2642 gals of biocide

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 123439

Max pressure during treatment (psi): 6940

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl):

Number of staged intervals: 12

Recycled water used in treatment (bbl): 123376

Flowback volume recovered (bbl): 45841

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 2450186

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 10/25/2017 Hours: 24 Bbl oil: 0 Mcf Gas: 2000 Bbl H2O: 0
Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 2000 Bbl H2O: 0 GOR: 0
Test Method: FLOWING Casing PSI: 2304 Tubing PSI: 1854 Choke Size: 23/64
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1071 API Gravity Oil: 0
Tubing Size: 2 + 3/8 Tubing Setting Depth: 9971 Tbg setting date: 09/26/2017 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 09/18/2017 End Date: 09/27/2017 Date of First Production this formation: 10/25/2017

Perforations Top: 7492 Bottom: 9498 No. Holes: 240 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

100101 bbls of slickwater; 1990061 100/Mesh; 2180 gals of biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 100153

Max pressure during treatment (psi): 6940

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl):

Number of staged intervals: 10

Recycled water used in treatment (bbl): 100101

Flowback volume recovered (bbl): 43248

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 1990061

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

All flowback volumes are estimates based on commingled volume.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Kellye Garcia

Title: Land & Regulatory Tech Date: Email kgarcia@terraep.com

Attachment Check List

Att Doc Num Name

401451687 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group Comment

Comment Date

Stamp Upon Approval

Total: 0 comment(s)