

Triple Combo Main Pass

Sonic Main Pass

Triple Combo Repeat Pass

Sonic Repeat Pass

Mud Log

Gamma Ray (GR)

Caliper (CALI)

Bit Size (BS)

Deep Resistivity (RT)

Medium Resistivity (RM)

Shallow Resistivity (RS)

Neutron Porosity (NPHI)

Density Porosity (DPHI)

Bulk Density (RHOB)

Photoelectric Factor (PEF)

Delta-T Compressional (DTC)

Delta-T Shear (DTS)

Mud Weight (MW)

Viscosity (VIS)

Resistivity (RES)

Temperature (TEMP)

Total Gas (TGAS)

Chromatograph (C1 C2 C3 C4 C5)

Lithology

Porosity

Fluid Saturation

Permeability

Hydrocarbon Indicators

Gas Ratios

Mud Gas

Connection Gas

Trip Gas

Background Gas

Cuttings Description

Lithology Percentages

Sample Depth

Rate of Penetration (ROP)

Weight on Bit (WOB)

Rotary Speed (RPM)

Torque

Standpipe Pressure (SPP)

Pump Rate

Hookload

Drilling Parameters

Mechanical Specific Energy (MSE)

Drilling Efficiency

Kick

Loss

Stuck Pipe

Washout

Vibration

Drilling Events

Time Log

Depth Log

Wireline Logging Operations

Drilling Operations

Mud Logging Operations

Geological Interpretation

Reservoir Characterization

Hydrocarbon Potential

Completion Recommendations

Production Forecast

Economic Evaluation

Risk Assessment

Environmental Impact

Safety Considerations

Regulatory Compliance

Data Management

Quality Control

Quality Assurance

Operational Efficiency

Cost Control

Project Management

Team Communication

Client Reporting

Data Visualization

Data Analysis

Data Interpretation

Data Integration

Data Validation

Data Storage

Data Retrieval

Data Security

Data Backup

Data Recovery

Data Archiving

Data Sharing

Data Collaboration

Data Standardization

Data Normalization

Data Aggregation

Data Mining

Data Modeling

Data Simulation

Data Optimization

Data Automation



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Titan_Electric_Cable_Heads-Titan_1-11 Electric Cable Head with 1" Fishing Neck	1.03	1.69	5.40
			DSS_RAC-RAC_5-Arm 5 Arm 2-3/4" Roller Centralizer	2.55	2.75	32.00
Temp	16.05					
			Probe_RADII-C-P_RBT_2750 (FW1305-09 Probe 2-3/4" Sector Cement Bond Tool with Temperature Probe	9.19	2.75	105.00
WVFS8	13.88					
WVFS7	13.88					
WVFS6	13.88					
WVFS5	13.88					
WVFS4	13.88					
WVFS3	13.88					
WVFS2	13.88					
WVFS1	13.88					
WVFCAL	13.88					
WVF3FT	13.88					
WVF5FT	12.88					
HeadVolt	9.63					
			DSS_RAC-RAC_5-Arm 5 Arm 2-3/4" Roller Centralizer	2.55	2.75	32.00
DCCL	6.18					
CCL	6.18					
GR	4.96		Probe_GR_CCL-P_CGR_2750_S (FW1211-081) Probe 2-3/4" Digital CCL / Gamma Ray Combined	14.54	2.75	55.00
			DSS_RAC-RAC_5-Arm 5 Arm 2-3/4" Roller Centralizer	2.55	2.75	32.00

Dataset: tep_federal gm 11-10_rbl_08-30-17.db: field/well/run1/Main.1
Total length: 22.40 ft
Total weight: 261.40 lb
O.D.: 2.75 in

Calibration Report

Database File: d:\warrior\data\tep_federal gm 11-10_rbl_08-30-17\tep_federal gm 11-10_rbl_08-30-17.db
Dataset Pathname: Main.1
Dataset Creation: Thu Aug 31 11:22:48 2017

Gamma Ray Calibration Report

Serial Number:	FW1211-081	
Tool Model:	P_CGR_2750_S	
Performed:	Sat Feb 06 11:31:52 2016	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.6	cps
Sensitivity:	0.6061	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1305-098	
Tool Model:	P_RBT_2750	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	32.619	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.007	0.629	0.800	81.196	126.481	1.678
CAL	-0.005	0.694				
5'	-0.006	0.493	0.800	81.196	161.124	1.778
SUM						
S1	-0.009	0.647	0.000	100.000	152.383	1.352
S2	-0.006	0.659	0.000	100.000	150.487	0.884
S3	-0.007	0.701	0.000	100.000	141.316	0.935
S4	-0.007	0.711	0.000	100.000	139.262	0.957
S5	-0.006	0.674	0.000	100.000	147.036	0.931
S6	-0.006	0.636	0.000	100.000	155.711	0.998
S7	-0.007	0.623	0.000	100.000	158.923	1.061
S8	-0.007	0.628	0.000	100.000	157.563	1.103

Internal Reference Calibration, performed Fri May 05 10:29:14 2017:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.005	0.694	1.000	0.000

Air Zero Calibration, performed Wed Aug 30 11:29:05 2017:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	-0.006	0.000	-0.000
5'	-0.004	0.000	0.000
SUM			
S1	-0.009	0.000	0.000
S2	-0.006	0.000	0.000
S3	-0.006	0.000	0.000
S4	-0.006	0.000	0.000
S5	-0.006	0.000	0.000
S6	-0.006	0.000	0.000
S7	-0.006	0.000	-0.000
S8	-0.006	0.000	-0.000

RELIANCE
WIRELINE SERVICES

Company	TEP Rocky Mountain LLC
Well	Federal GM 11-10
Field	Grand Valley
County	Garfield
State	Colorado