

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401475652</div>			
Date Received: <div>12/04/2017</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number:	69175	Contact Name	Karen Olson
Name of Operator:	PDC ENERGY INC	Phone:	(303) 860-5800
Address:	1775 SHERMAN STREET - STE 3000	Fax:	()
City:	DENVER	State:	CO
Zip:	80203	Email:	karen.olson@pdce.com

API Number :	05-	123	42655	00	OGCC Facility ID Number:	444513			
Well/Facility Name:	Brown			Well/Facility Number:	23X-241				
Location QtrQtr:	SWSE	Section:	23	Township:	5N	Range:	65W	Meridian:	6
County:	WELD		Field Name:	WATTENBERG					
Federal, Indian or State Lease Number:									

Complete the Attachment
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Spoke with landowner Thomas Brown on 11/7/2017 and the water well (Permit: 12971-R- Receipt: 9061390 Facility ID: 754963) is shut in for winter. Well was sampled 8/7/2017 for PDC facility High Plains 5N65W25; however, this is outside of sampling window for Brown 5N64W23D.
A sample will be collected once well is operating in the spring, prior to 6/1/2018.
This sundry is for all wells on COGCC Facility ID: 444515 (API #'s: 123-42655, 123-42656, 123-42657, 123-42658, 123-42659, 123-42660)

Operator Comments:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Nikki Graber
Title: Associate Geologist Email: ngrab@olssonassociates.com Date: 12/4/2017

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 12/5/2017

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

	If samples are not able to be collected the operator shall provide a Sundry Notice explaining why the samples were not collected. The samples or Sundry Notice shall be provided to the COGCC by July 1, 2018.
--	--

General Comments**User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)

Attachment Check List**Att Doc Num****Name**

401475652	SUNDRY NOTICE APPROVED-GW
401476606	FORM 4 SUBMITTED

Total Attach: 2 Files