

OIL AND GAS CONSERVATION  
DEPARTMENT OF NATURAL RESOURCES  
OF THE STATE OF COLORADO

File in duplicate for Patented and Federal lands.  
File in triplicate for State lands.



01184952

RECEIVED

NOV 18 1985

RECEIVED

FEB 07 1983

COLO. OIL &amp; GAS CONSERVATION AND SERIAL NO. C1

# SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR GULF OIL CORPORATION, ATTN: R. W. Huwaldt		7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR P. O. Box 2619, Casper, Wyoming 82602		8. FARM OR LEASE NAME Yenter "A"	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface At proposed prod. zone 330' NSL & 990' EWL		9. WELL NO. 2	
14. PERMIT NO.		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4381' K.B.	
10. FIELD AND POOL, OR WILDCAT Yenter		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA NE 1/4 Sec. 3-8N-54W	
12. COUNTY Logan		13. STATE Colorado	

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON

CHANGE PLANS

X

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Date of work \_\_\_\_\_

See Attached

18. I hereby certify that the foregoing is true and correct

SIGNED J. B. Desch  
J. B. Desch

TITLE Production Engineer

DATE 2/4/83

(This space for Federal or State office use)

APPROVED BY [Signature]

CONDITIONS OF APPROVAL, IF ANY:

TITLE DIRECTOR  
O & G Cons. Comm.

DATE FEB 8 1983



PROCEDURE  
WENTER 'A' - #2  
SEC 3 - 8N - 54W  
LOGAN CO., COLO.

RECEIVED  
FEB 07 1985  
NOV 19 1985  
COLO. OIL & GAS CONS. COMM.

RE: PLUG AND ABANDON

- 1) MIRU PULLING UNIT AND MAKE-IN WORK STRING.
- 2) PU AND TIH W/ CEMENT RETAINER ON  $2\frac{7}{8}$ " TGG. SET RETAINER @  $\pm 5108'$  KB.
- 3) RU CEMENTERS AND PUMP 100 SX CLASS G CEMENT WITH 0.5% HALAD-9. DISPLACE CEMENT WITH 10 LB/GAL MUD. LEAVE CEMENT IN CSG BELOW RETAINER.
- 4) P.U. OUT OF RETAINER AND CIRCULATE WITH 10 LB/GAL MUD. POOH W/ TGG.
- 5) R.U. WIRELINE AND SHOOT FOUR HOLES @  $260'$  KB. R.D. WIRELINE.
- 6) P.U. & TIH W/ CEMENT RETAINER ON  $2\frac{7}{8}$ " TGG. SET RETAINER @  $\pm 160'$  K.B.
- 7) R.U. CEMENTERS AND PUMP 100 SX CLASS G CEMENT WITH 0.5% HALAD-9. DISPLACE WITH 10 LB/GAL MUD. LEAVE CEMENT IN CSG BELOW RETAINER.
- 8) P.U. OUT OF RETAINER AND CIRCULATE W/ 10 LB/GAL MUD. POOH AND LAY DOWN TGG.
- 9) SET A 10 SX CEMENT PLUG AT THE SURFACE WITH A 10 FOOT MARKER PIPE NOT LESS THAN 4" IN DIAMETER. LEAVE 4 FT. ABOVE GROUND LEVEL AND TIE REMAINDER SECURELY IMBEDDED

IN THE CEMENT. THE MARKER PIPE SHOULD  
SHOW NAME OF OPERATOR, NAME OF LEASE, WELL  
NUMBER, AND LEGAL DESCRIPTION OF THE WELL.

J. B. DRESCH

1-18-83

CC LGR-1, EAM-1, JLB-1, SPM-2, IBD-1, INFO CENTRAL-1

AND LGR \_\_\_\_\_ EAM \_\_\_\_\_ JLB \_\_\_\_\_