





Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSec	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	
3	1104.25	18.09	239.26	1089.31	-72.35	-121.64	2.00	239.26	-73.34	
4	6568.62	18.09	239.26	6283.72	-939.46	-1579.56	0.00	0.00	-952.39	
5	7808.91	90.00	0.34	7084.00	-231.20	-1799.16	8.00	119.82	-245.95	RUEGGE 3C-4H-N165 TPZ
6	12148.53	90.00	0.34	7084.00	4108.34	-1773.29	0.00	0.00	4093.66	RUEGGE 3C-4H-N165 BHL

Project: DJ BASIN
Site: S4-T1N-R65W
Well: RUEGGE 3C-4H-N165
Wellbore: OH
Design: PLAN #1



Magnetic Field
Strength: 52188.7snT
Dip Angle: 66.50°
Date: 11/2/2017
Model: HDGM

WELL DETAILS: RUEGGE 3C-4H-N165

4917.00						
+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.00	0.00	1271333.68	3231971.96	40.075225	-104.667066	3C-4H-N165 SHL



Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well RUEGGE 3C-4H-N165 - Slot RUEGGE 3C-
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4940.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4940.00usft
Site:	S4-T1N-R65W	North Reference:	True
Well:	RUEGGE 3C-4H-N165	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Project	DJ BASIN		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		

Site		S4-T1N-R65W			
Site Position:		Northing:	1,271,333.68 usft	Latitude:	40.075225
From:	Map	Easting:	3,231,971.96 usft	Longitude:	-104.671056
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.54 °

Well	RUEGGE 3C-4H-N165 - Slot RUEGGE 3C-4H-N165 SHL					
Well Position	+N/-S	0.00 usft	Northing:	1,271,333.68 usft	Latitude:	40.075225
	+E/-W	0.00 usft	Easting:	3,231,971.96 usft	Longitude:	-104.671056
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	4,917.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination	Dip Angle	Field Strength
			(°)	(°)	(nT)
	HDGM	11/2/2017	8.22	66.50	52,188.70000000

Design	PLAN #1				
Audit Notes:					
Version:	Phase:	PLAN	Tie On Depth:	0.00	
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction	
	(usft)	(usft)	(usft)	(°)	
	0.00	0.00	0.00	0.47	

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,104.25	18.09	239.26	1,089.31	-72.35	-121.64	2.00	2.00	0.00	239.26	
6,568.62	18.09	239.26	6,283.72	-939.46	-1,579.56	0.00	0.00	0.00	0.00	
7,808.91	90.00	0.34	7,084.00	-231.20	-1,799.16	8.00	5.80	9.76	119.82	RUEGGE 3C-4H-N16
12,148.53	90.00	0.34	7,084.00	4,108.34	-1,773.29	0.00	0.00	0.00	0.00	RUEGGE 3C-4H-N16

Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well RUEGGE 3C-4H-N165 - Slot RUEGGE 3C-
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4940.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4940.00usft
Site:	S4-T1N-R65W	North Reference:	True
Well:	RUEGGE 3C-4H-N165	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	
300.00	2.00	239.26	299.98	-0.89	-1.50	-0.90	2.00	2.00	
400.00	4.00	239.26	399.84	-3.57	-6.00	-3.62	2.00	2.00	
500.00	6.00	239.26	499.45	-8.02	-13.49	-8.13	2.00	2.00	
600.00	8.00	239.26	598.70	-14.25	-23.96	-14.45	2.00	2.00	
700.00	10.00	239.26	697.47	-22.25	-37.41	-22.55	2.00	2.00	
800.00	12.00	239.26	795.62	-32.00	-53.81	-32.44	2.00	2.00	
900.00	14.00	239.26	893.06	-43.50	-73.14	-44.10	2.00	2.00	
1,000.00	16.00	239.26	989.64	-56.73	-95.38	-57.51	2.00	2.00	
1,100.00	18.00	239.26	1,085.27	-71.67	-120.51	-72.66	2.00	2.00	
1,104.25	18.09	239.26	1,089.31	-72.35	-121.64	-73.34	2.00	2.00	
1,200.00	18.09	239.26	1,180.33	-87.54	-147.19	-88.75	0.00	0.00	
1,300.00	18.09	239.26	1,275.39	-103.41	-173.87	-104.83	0.00	0.00	
1,400.00	18.09	239.26	1,370.45	-119.28	-200.55	-120.92	0.00	0.00	
1,500.00	18.09	239.26	1,465.51	-135.15	-227.23	-137.01	0.00	0.00	
1,600.00	18.09	239.26	1,560.57	-151.01	-253.91	-153.09	0.00	0.00	
1,700.00	18.09	239.26	1,655.63	-166.88	-280.59	-169.18	0.00	0.00	
1,800.00	18.09	239.26	1,750.69	-182.75	-307.27	-185.27	0.00	0.00	
1,900.00	18.09	239.26	1,845.75	-198.62	-333.95	-201.35	0.00	0.00	
2,000.00	18.09	239.26	1,940.81	-214.49	-360.63	-217.44	0.00	0.00	
2,100.00	18.09	239.26	2,035.87	-230.36	-387.31	-233.53	0.00	0.00	
2,200.00	18.09	239.26	2,130.93	-246.23	-413.99	-249.61	0.00	0.00	
2,300.00	18.09	239.26	2,225.99	-262.09	-440.67	-265.70	0.00	0.00	
2,400.00	18.09	239.26	2,321.05	-277.96	-467.35	-281.79	0.00	0.00	
2,500.00	18.09	239.26	2,416.10	-293.83	-494.03	-297.87	0.00	0.00	
2,600.00	18.09	239.26	2,511.16	-309.70	-520.71	-313.96	0.00	0.00	
2,700.00	18.09	239.26	2,606.22	-325.57	-547.40	-330.05	0.00	0.00	
2,800.00	18.09	239.26	2,701.28	-341.44	-574.08	-346.13	0.00	0.00	
2,900.00	18.09	239.26	2,796.34	-357.31	-600.76	-362.22	0.00	0.00	
3,000.00	18.09	239.26	2,891.40	-373.17	-627.44	-378.31	0.00	0.00	
3,100.00	18.09	239.26	2,986.46	-389.04	-654.12	-394.39	0.00	0.00	
3,200.00	18.09	239.26	3,081.52	-404.91	-680.80	-410.48	0.00	0.00	
3,300.00	18.09	239.26	3,176.58	-420.78	-707.48	-426.57	0.00	0.00	
3,400.00	18.09	239.26	3,271.64	-436.65	-734.16	-442.66	0.00	0.00	
3,500.00	18.09	239.26	3,366.70	-452.52	-760.84	-458.74	0.00	0.00	
3,600.00	18.09	239.26	3,461.76	-468.38	-787.52	-474.83	0.00	0.00	
3,700.00	18.09	239.26	3,556.82	-484.25	-814.20	-490.92	0.00	0.00	
3,800.00	18.09	239.26	3,651.88	-500.12	-840.88	-507.00	0.00	0.00	
3,900.00	18.09	239.26	3,746.94	-515.99	-867.56	-523.09	0.00	0.00	
4,000.00	18.09	239.26	3,842.00	-531.86	-894.24	-539.18	0.00	0.00	
4,100.00	18.09	239.26	3,937.06	-547.73	-920.92	-555.26	0.00	0.00	
4,200.00	18.09	239.26	4,032.12	-563.60	-947.60	-571.35	0.00	0.00	
4,300.00	18.09	239.26	4,127.18	-579.46	-974.28	-587.44	0.00	0.00	
4,400.00	18.09	239.26	4,222.24	-595.33	-1,000.96	-603.52	0.00	0.00	
4,500.00	18.09	239.26	4,317.30	-611.20	-1,027.64	-619.61	0.00	0.00	
4,600.00	18.09	239.26	4,412.36	-627.07	-1,054.33	-635.70	0.00	0.00	
4,700.00	18.09	239.26	4,507.42	-642.94	-1,081.01	-651.78	0.00	0.00	
4,800.00	18.09	239.26	4,602.48	-658.81	-1,107.69	-667.87	0.00	0.00	
4,900.00	18.09	239.26	4,697.54	-674.68	-1,134.37	-683.96	0.00	0.00	
5,000.00	18.09	239.26	4,792.60	-690.54	-1,161.05	-700.04	0.00	0.00	

Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well RUEGGE 3C-4H-N165 - Slot RUEGGE 3C-
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4940.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4940.00usft
Site:	S4-T1N-R65W	North Reference:	True
Well:	RUEGGE 3C-4H-N165	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
5,100.00	18.09	239.26	4,887.66	-706.41	-1,187.73	-716.13	0.00	0.00	
5,200.00	18.09	239.26	4,982.72	-722.28	-1,214.41	-732.22	0.00	0.00	
5,300.00	18.09	239.26	5,077.78	-738.15	-1,241.09	-748.30	0.00	0.00	
5,400.00	18.09	239.26	5,172.84	-754.02	-1,267.77	-764.39	0.00	0.00	
5,500.00	18.09	239.26	5,267.89	-769.89	-1,294.45	-780.48	0.00	0.00	
5,600.00	18.09	239.26	5,362.95	-785.75	-1,321.13	-796.57	0.00	0.00	
5,700.00	18.09	239.26	5,458.01	-801.62	-1,347.81	-812.65	0.00	0.00	
5,800.00	18.09	239.26	5,553.07	-817.49	-1,374.49	-828.74	0.00	0.00	
5,900.00	18.09	239.26	5,648.13	-833.36	-1,401.17	-844.83	0.00	0.00	
6,000.00	18.09	239.26	5,743.19	-849.23	-1,427.85	-860.91	0.00	0.00	
6,100.00	18.09	239.26	5,838.25	-865.10	-1,454.53	-877.00	0.00	0.00	
6,200.00	18.09	239.26	5,933.31	-880.97	-1,481.21	-893.09	0.00	0.00	
6,300.00	18.09	239.26	6,028.37	-896.83	-1,507.89	-909.17	0.00	0.00	
6,400.00	18.09	239.26	6,123.43	-912.70	-1,534.57	-925.26	0.00	0.00	
6,500.00	18.09	239.26	6,218.49	-928.57	-1,561.26	-941.35	0.00	0.00	
6,568.62	18.09	239.26	6,283.72	-939.46	-1,579.56	-952.39	0.00	0.00	
6,600.00	16.97	246.74	6,313.65	-943.76	-1,587.96	-956.75	8.00	-3.55	
6,700.00	15.68	275.11	6,409.77	-948.33	-1,614.87	-961.54	8.00	-1.30	
6,800.00	18.12	301.61	6,505.58	-938.96	-1,641.61	-952.39	8.00	2.44	
6,900.00	23.14	319.47	6,599.23	-915.84	-1,667.66	-929.49	8.00	5.02	
7,000.00	29.45	330.65	6,688.89	-879.42	-1,692.52	-893.27	8.00	6.31	
7,100.00	36.39	338.04	6,772.82	-830.40	-1,715.70	-844.44	8.00	6.93	
7,200.00	43.64	343.29	6,849.38	-769.74	-1,736.75	-783.96	8.00	7.26	
7,300.00	51.09	347.29	6,917.08	-698.62	-1,755.26	-712.99	8.00	7.44	
7,400.00	58.64	350.53	6,974.60	-618.43	-1,770.87	-632.93	8.00	7.55	
7,500.00	66.26	353.28	7,020.83	-530.72	-1,783.28	-545.33	8.00	7.62	
7,600.00	73.92	355.72	7,054.87	-437.20	-1,792.24	-451.89	8.00	7.66	
7,700.00	81.61	357.98	7,076.04	-339.70	-1,797.58	-354.43	8.00	7.69	
7,800.00	89.31	0.15	7,083.95	-240.11	-1,799.20	-254.86	8.00	7.70	
7,808.91	90.00	0.34	7,084.00	-231.20	-1,799.16	-245.95	8.00	7.70	
7,900.00	90.00	0.34	7,084.00	-140.11	-1,798.62	-154.86	0.00	0.00	
8,000.00	90.00	0.34	7,084.00	-40.11	-1,798.02	-54.86	0.00	0.00	
8,100.00	90.00	0.34	7,084.00	59.89	-1,797.42	45.14	0.00	0.00	
8,200.00	90.00	0.34	7,084.00	159.89	-1,796.83	145.14	0.00	0.00	
8,300.00	90.00	0.34	7,084.00	259.88	-1,796.23	245.14	0.00	0.00	
8,400.00	90.00	0.34	7,084.00	359.88	-1,795.64	345.14	0.00	0.00	
8,500.00	90.00	0.34	7,084.00	459.88	-1,795.04	445.14	0.00	0.00	
8,600.00	90.00	0.34	7,084.00	559.88	-1,794.44	545.14	0.00	0.00	
8,700.00	90.00	0.34	7,084.00	659.88	-1,793.85	645.14	0.00	0.00	
8,800.00	90.00	0.34	7,084.00	759.88	-1,793.25	745.14	0.00	0.00	
8,900.00	90.00	0.34	7,084.00	859.87	-1,792.66	845.14	0.00	0.00	
9,000.00	90.00	0.34	7,084.00	959.87	-1,792.06	945.14	0.00	0.00	
9,100.00	90.00	0.34	7,084.00	1,059.87	-1,791.46	1,045.14	0.00	0.00	
9,200.00	90.00	0.34	7,084.00	1,159.87	-1,790.87	1,145.14	0.00	0.00	
9,300.00	90.00	0.34	7,084.00	1,259.87	-1,790.27	1,245.14	0.00	0.00	
9,400.00	90.00	0.34	7,084.00	1,359.86	-1,789.68	1,345.14	0.00	0.00	
9,500.00	90.00	0.34	7,084.00	1,459.86	-1,789.08	1,445.14	0.00	0.00	
9,600.00	90.00	0.34	7,084.00	1,559.86	-1,788.48	1,545.14	0.00	0.00	
9,700.00	90.00	0.34	7,084.00	1,659.86	-1,787.89	1,645.14	0.00	0.00	
9,800.00	90.00	0.34	7,084.00	1,759.86	-1,787.29	1,745.14	0.00	0.00	
9,900.00	90.00	0.34	7,084.00	1,859.86	-1,786.69	1,845.14	0.00	0.00	
10,000.00	90.00	0.34	7,084.00	1,959.85	-1,786.10	1,945.14	0.00	0.00	

Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well RUEGGE 3C-4H-N165 - Slot RUEGGE 3C-
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4940.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4940.00usft
Site:	S4-T1N-R65W	North Reference:	True
Well:	RUEGGE 3C-4H-N165	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
10,100.00	90.00	0.34	7,084.00	2,059.85	-1,785.50	2,045.14	0.00	0.00	
10,200.00	90.00	0.34	7,084.00	2,159.85	-1,784.91	2,145.14	0.00	0.00	
10,300.00	90.00	0.34	7,084.00	2,259.85	-1,784.31	2,245.14	0.00	0.00	
10,400.00	90.00	0.34	7,084.00	2,359.85	-1,783.71	2,345.14	0.00	0.00	
10,500.00	90.00	0.34	7,084.00	2,459.85	-1,783.12	2,445.14	0.00	0.00	
10,600.00	90.00	0.34	7,084.00	2,559.84	-1,782.52	2,545.14	0.00	0.00	
10,700.00	90.00	0.34	7,084.00	2,659.84	-1,781.93	2,645.14	0.00	0.00	
10,800.00	90.00	0.34	7,084.00	2,759.84	-1,781.33	2,745.14	0.00	0.00	
10,900.00	90.00	0.34	7,084.00	2,859.84	-1,780.73	2,845.13	0.00	0.00	
11,000.00	90.00	0.34	7,084.00	2,959.84	-1,780.14	2,945.13	0.00	0.00	
11,100.00	90.00	0.34	7,084.00	3,059.83	-1,779.54	3,045.13	0.00	0.00	
11,200.00	90.00	0.34	7,084.00	3,159.83	-1,778.95	3,145.13	0.00	0.00	
11,300.00	90.00	0.34	7,084.00	3,259.83	-1,778.35	3,245.13	0.00	0.00	
11,400.00	90.00	0.34	7,084.00	3,359.83	-1,777.75	3,345.13	0.00	0.00	
11,500.00	90.00	0.34	7,084.00	3,459.83	-1,777.16	3,445.13	0.00	0.00	
11,600.00	90.00	0.34	7,084.00	3,559.83	-1,776.56	3,545.13	0.00	0.00	
11,700.00	90.00	0.34	7,084.00	3,659.82	-1,775.96	3,645.13	0.00	0.00	
11,800.00	90.00	0.34	7,084.00	3,759.82	-1,775.37	3,745.13	0.00	0.00	
11,900.00	90.00	0.34	7,084.00	3,859.82	-1,774.77	3,845.13	0.00	0.00	
12,000.00	90.00	0.34	7,084.00	3,959.82	-1,774.18	3,945.13	0.00	0.00	
12,100.00	90.00	0.34	7,084.00	4,059.82	-1,773.58	4,045.13	0.00	0.00	
12,148.53	90.00	0.34	7,084.00	4,108.34	-1,773.29	4,093.66	0.00	0.00	

Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
RUEGGE 3C-4H-N165 1 - plan hits target center - Point	0.00	0.00	7,084.00	-231.20	-1,799.16	1,271,085.67	3,230,175.04	40.074590	-104.677486
RUEGGE 3C-4H-N165 1 - plan hits target center - Point	0.00	0.00	7,084.00	4,108.34	-1,773.29	1,275,425.27	3,230,160.34	40.086503	-104.677394