Radial Cement Bond
Gamma Ray
Casing Collar Log

RELIANCE OILFIELD SERVICES

Company TEP Rocky Mountain LLC
Well Tri State Trucking PA 511-25
Field Parachute
County Garfield State Colorado

Location: API #: 05-045-23643
2275 FNL & 1895 FWL SENW
SEC 25 TWP 6S RGE 95W

Other Services
--

Permanent Datum Ground Level Elevation 5224'
Log Measured From Kelly Bushing 24 FT
Drilling Measured From Kelly Bushing

Elevation
K.B. 5248'
D.F. 5247'
G.L. 5224'

Company	TEP Rocky Mountain LLC
Well	Tri State Trucking PA 511-25
Field	Parachute
County	Garfield
State	Colorado

Date	15-JAN-2018
Run Number	One
Depth Driller	8085 FT
Depth Logger	7989 FT
Bottom Logged Interval	7989 FT
Top Log Interval	Surface
Open Hole Size	8.75"
Type Fluid	Fresh Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	235°F
Estimated Cement Top	See Log
Time Well Ready	R.O.A.
Time Logger on Bottom	17:45
Equipment Number	HD-359
Location	Grand Junction, CO
Recorded By	J.Donnelly
Witnessed By	D. Welsh

Borehole Record			Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	32.3	H-40	Surface	1122 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	8045 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint from 4028 FT to 4050 FT
Log ran from 7989 FT to Surface
Log ran with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!!

RELIANCE OILFIELD SERVICES

Main Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep_tri state trucking pa 511-25_rbl_01-15-18\tep_tri state trucking pa 511-25_rbl_01-15-18.db
Dataset Pathname	main.1
Presentation Format	ros_rbt004_t
Dataset Creation	Tue Jan 16 11:36:30 2018
Charted by	Depth in Feet scaled 1:240

Gamma Ray 0 (GAPI) 200 Casing Collar Locator Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Temperature 0 (degF) 20		3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150


133.9
3800
135.9
3900


138.1
4000
Marker Joint
140.4
4100


142.6
4200
144.9
4300


147.4
4400
149.7
4500


151.6
4600
153.1
4700


154.7
4800
156.4
4900


158.5
5000
160.5
5100


163.2
5200
165.4
5300


167.2
5400
169.1
5500


171.1
5600
173.0
5700


174.9
5800
176.7
5900


178.8
6000
180.9
6100


182.6
6200
184.2
6300


186.5
6400
188.6
6500


190.8
6600
193.0
6700


194.9
6800
196.7
6900


199.2
7000
202.0
7100


204.6
7200
207.0
7300


210.7
7400
214.4
7500


217.4
7600
222.0
7700



RELIANCE OILFIELD SERVICES

Repeat Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep_tri state trucking pa 511-25_rbl_01-15-18\tep_tri state trucking pa 511-25_rbl_01-15-18.db
Dataset Pathname	Repeat.1
Presentation Format	ros_rbt004_tep
Dataset Creation	Tue Jan 16 11:50:59 2018
Charted by	Depth in Feet scaled 1:240



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Titan CHD-16875 GO Titan 1-11/16" Assembled Electric Cable Head w/ 1" Fishing Neck	1.03	1.69	5.40
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
TEMP	16.33					
WVFS8	14.10		Probe Radii-2750 RBT (FW1305-098) Probe 2-3/4" Radial Cement Bond Tool with Integral Temperature Sub	9.39	2.75	105.00
WVFS7	14.10					
WVFS6	14.10					
WVFS5	14.10					
WVFS4	14.10					
WVFS3	14.10					
WVFS2	14.10					
WVFS1	14.10					
WVFCAL	14.10					
WVF3FT	14.10					
WVF5FT	13.10					
HEADVOLT	9.85					
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
CCL$2	6.42					
CCL$1	6.42					
GR	5.18		Probe GR-CCL-2750 GOB (FW1307-038) Probe 2-3/4" rev.2 Digital Scintillation Gamma Ray/CCL Combined	4.51	2.75	55.00
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
			GO BN-14375 GO 1-7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset:	TEP_Tri State Trucking PA 511-25_RBL_01-15-18.db: field/well/run1/main
Total length:	22.82 ft
Total weight:	262.40 lb
O.D.:	2.75 in

Calibration Report

Database File	c:\programdata\warrior\data\tep_tri state trucking pa 511-25_rbl_01-15-18\tep_tri state trucking pa 511-25_rb
Dataset Pathname	main.1
Dataset Creation	Tue Jan 16 11:36:30 2018

Gamma Ray Calibration Report

Serial Number:	FW1307-038	
Tool Model:	2750 GOB	
Performed:	Sun Nov 12 12:44:12 2017	
Calibrator Value:	637.0	GAPI
Background Reading:	113.2	cps
Calibrator Reading:	1022.4	cps
Sensitivity:	0.7007	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1305-098	
Tool Model:	2750 RBT	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	33.745	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.004	0.803	0.800	81.196	99.641	1.184
CAL	-0.006	0.756				
5'	-0.045	0.631	0.800	81.196	118.895	6.170
SUM						
S1	-0.010	0.770	0.000	100.000	128.238	1.220
S2	-0.006	0.774	0.000	100.000	128.348	0.710
S3	-0.006	0.852	0.000	100.000	116.488	0.721
S4	-0.006	0.944	0.000	100.000	105.315	0.617
S5	-0.012	0.959	0.000	100.000	102.978	1.278
S6	-0.006	0.884	0.000	100.000	112.260	0.728
S7	-0.012	0.808	0.000	100.000	121.923	1.494
S8	-0.006	0.784	0.000	100.000	126.659	0.735

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.006	0.756	1.000	0.000

Air Zero Calibration, performed Mon Jan 15 15:05:17 2018:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	-0.008	0.000	-0.000
5'	-0.003	0.000	0.001
SUM			
S1	-0.010	0.000	0.000
S2	-0.006	0.000	0.001
S3	-0.006	0.000	-0.000
S4	-0.006	0.000	0.000
S5	-0.005	0.000	0.000
S6	-0.005	0.000	0.000
S7	-0.005	0.000	-0.000
S8	-0.005	0.000	-0.000

Temperature Calibration Report

Serial Number:	FW1305-098	
Tool Model:	2750 RBT	
Performed:	Sun Nov 12 13:43:57 2017	
	Reference	Reading
Low Reference:	100.00 degF	109.43 degF
High Reference:	350.00 degF	405.87 degF
Gain:	0.84	
Offset:	7.72	
Delta Spacing	1	

RELIANCE OILFIELD SERVICES

Company	TEP Rocky Mountain LLC
Well	Tri State Trucking PA 511-25
Field	Parachute
County	Garfield
State	Colorado