Jesser 3E 10-3N

Well Information
Well Name: Jesser 3E 10-3N
Operator: Continental Resources
Field: Stoneview
County: Bowman
State: North Dakota
Surface Location: 1,000' FNL & 1,000' FWL
Section 10-T130N-R104W
Elevation: GL: 3,000' KB: 3,025'

Logging Company: Weatherford
Logging Engineer: Jeff Hall
Mudlogging Company: Weatherford
Mudlogging Engineer: Jeff Hall

Drilling Info
Spud: 10/15/2014
Surface Casing: 9 5/8" @ 2,000'
Intermediate Casing: 7" @ 10,000'
Total Depth: 20,000'
Rig Released: 11/15/2014

Mud Info
Mud Type: Oil Based
Mud Weight: 9.6 - 10.2 ppg
Viscosity: 40 - 60 sec/qt
Chlorides: 30,000 - 40,000 ppm

Bit Info
Bit #1: 8 3/4" PDC
Bit #2: 6" PDC

Gas Info
Gas Detector: Bloodhound
Gas Units: Units

Personnel
Mudlogger: Jeff Hall
Mudlogger: Jeff Hall

Bit	Size	Type	Manufacturer	Model	Jets	TFA	In	Out	Footage	Hours	ROP
1	8 3/4"	PDC	Smith	MDSi616	6x20	0.94	2,000'	10,000'	8,000'	72.5	110.3
2	6"	PDC	Smith	MDSi613	6x16	0.59	10,000'	20,000'	10,000'	120.0	83.3
3											
4											
5											
6											
7											
8											






#116 MD(11237.00) Inc(88.9) Azm(89.7) TVD(7013.46) VS(4094.90) DLS(2.1)
#117 MD(11332.00) Inc(89.8) Azm(89.7) TVD(7014.54) VS(4181.15) DLS(0.9)
#118 MD(11427.00) Inc(87.9) Azm(89.2) TVD(7016.46) VS(4267.56) DLS(2.1)
#119 MD(11523.00) Inc(88.2) Azm(90.7) TVD(7019.74) VS(4354.48) DLS(1.6)
#120 MD(11619.00) Inc(91.8) Azm(89.4) TVD(7019.75) VS(4441.38) DLS(4.0)
#121 MD(11714.00) Inc(91.8) Azm(88.7) TVD(7016.80) VS(4528.05) DLS(0.7)
#122 MD(11809.00) Inc(91.4) Azm(88.9) TVD(7014.18) VS(4614.89) DLS(0.5)
#123 MD(11905.00) Inc(91.0) Azm(88.5) TVD(7012.20) VS(4702.72) DLS(0.6)
11250
11300
11350
11400
11450
11500
11550
11600
11650
11700
11750
11800
11850
11900
11950
12000
12050
Gamma
API
0.0
100.0
150.0
300.0
450.0
ROP
ft/hr
0.0
1000.0
1000.0
2000.0
3000.0