Well Name	Jesser 3E 10-14C
Surface Location	10-T153N-R97W
Bottom Hole Location	10-T153N-R97W
Elevation	KB: 1,999 GL: 1,974
Spud Date	10/1/2014
Rig Release Date	10/8/2014
Ticket No	14-0000
API #	33-053-06000
Operator	Whiting Oil and Gas Corporation
Contractor	Nabors Drilling USA LP
Rig	Nabors B-48

Casing Strings	Depth	Hole Size
Conductor	110'	20"
Surface	2,000'	13 1/2"
Intermediate	11,000'	8 3/4"
Production	21,000'	6"

Mud Data	Type	Weight
Surface	Fresh Water	8.4 - 9.0
Intermediate	Invert	9.0 - 10.0
Production	Invert	9.0 - 10.0

Bit Record													
Bit #	Run	Size	Manufacturer	Serial Number	Type	Jets	TFA	Depth Out	Depth In	Footage	Hours	ROP	Dull Grade
1	1	13 1/2"	Hughes	7120202	MX-1	3 x 20	0.9	2,000'	110'	1,890'	20.5	92.2	1-1-WT-A-E-I-NO-TD
2	1	8 3/4"	Hughes	7120203	MX-1	3 x 20	0.9	11,000'	2,000'	9,000'	84.5	106.5	1-1-WT-A-E-I-NO-TD
3	1	6"	Hughes	7120204	MX-1	3 x 20	0.9	21,000'	11,000'	10,000'	120.5	83.0	1-1-WT-A-E-I-NO-TD
4													
5													
6													
7													
8													

Copyright © 2014 Whiting Oil and Gas Corporation


Gamma Ray (API)
Resistivity (ohm-m)
Neutron Porosity (%)
Bulk Density (g/cm3)
Jesser 3E 10-14C
Jesser 3E 10-14C
Jesser 3E 10-14C






10850
10900
10950
11000
11050
11100
11150
11200
11250
11300
11350
11400
11450
11500
11550
11600
11650
11700
11750
11800
11850
11900
11950
12000
12050
12100
12150
Gamma
API
0.0
200.0
MD
MD
ROP
min
max
0.0
1000.0