Brown 23P-321

Date	2/2/2022
Time	10:00:00
Operator	Rod Jones
Patient Name	Test, Jo Ann
Patient ID	1234
Patient Type	Adult
Gender	Female
Height	165 cm
Weight	68 kg
Patient Group	Medical
Room	ICU/CCU
Bed	1
Physician	Smith, Jane
Diagnosis	Test
Medications	Test
Comments	Test

Calibration Results	Ch1	Ch2
Calibration Factor	5.00	5.00
Calibration Offset	0	0

Channel Assignments			
Channel	Type	Name	Units
1	Pressure	Test	mmHg
2	Pressure	Test	mmHg
3	Pressure	Test	mmHg

Pressure Channels							
Ch	Name	Units	Scale	Filter	Sensitivity	Zero	Source
1	Test	mmHg	0-100	0.05-20 Hz	5	0	Pressure
2	Test	mmHg	0-100	0.05-20 Hz	5	0	Pressure
3	Test	mmHg	0-100	0.05-20 Hz	5	0	Pressure


Gamma
0
150
API
Depth
1:240
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
2850
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350