



05-011-6172

May 26, 2000

PS Form 3811, December 1994

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

THOMAS L. SPRING
7400 E. ORCHARD ROAD
SUITE 2000
GREEN WOOD VILLAGE, CO.
80111

4a. Article Number

2 474 197 003

4b. Service Type

- | | |
|--|---|
| <input type="checkbox"/> Registered | <input checked="" type="checkbox"/> Certified |
| <input type="checkbox"/> Express Mail | <input type="checkbox"/> Insured |
| <input checked="" type="checkbox"/> Return Receipt for Merchandise | <input type="checkbox"/> COD |

7. Date of Delivery


5-5-2000

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.





INDUCTION • ELECTRIC LOG

COMPANY GREAT WESTERN DRILLING COMPANY	
WELL #1 BOURNE	
FIELD WILDCAT	
COUNTY BENT	STATE COLORADO
Location 1980' FNL - 1800' FWL	
Sec. 30	Twp 22S Rge 48W
Other Services: NONE	
GROUND LEVEL Elev. 3822'	
from KELLY BUSHING F.N. Above Perm. Datum	
ed From KELLY BUSHING	
Elev.: K.B. 3832'	
D.F. 3822'	
G.L. 3822'	
4-30-74	
ONE	
4755	
4756	
4750	
398	
8 3/4 400'	
399'	
7 7/8"	
WATER BASE	
MUD	
9.1 1.62	
9.5 1.6 ml	
FLOW LINE	
1.4 @ 82'	
72 @ 50'	
1.8 @ 50'	
MEASURED	
28 @ 116'	
8766 BRIGGTON	
S. IVESTER	
MR. MCGLOTH	

RECEIVED
MAY 11 1974

Fold Here

Service Ticket No. WL-078771 Remarks:

Change in Mud Type or Additional Samples		SCALE CHANGES	
Date	Sample No.	Type Log	Depth
Depth-Driller		IND. ELEC	4750'
Type Fluid in Hole			NO CHANGE
Dens.			
ph			
Fluid Loss			
Source of Sample			
R _m @ Meas. Temp.			
R _{mt} @ Meas. Temp.			
R _{mt} @ Meas. Temp.			
Source: R _{mt}			
R _m @ BHT			
R _{mt} @ BHT			
R _{mt} @ BHT			

EQUIPMENT DATA

Run No.	Tool Type and No.	Pad Type	Tool Position	Other
ONE	J-A - 10033	1 1/2" S.O.		

Wellslex does not guarantee the accuracy of any interpretation of log data; conversion of log data to physical rock parameters, or recommendations which may be given by Wells personnel or which may appear on the log or in any other form, are the responsibility of the user of such data. Interpretation, correlation, or recommendations are made by Wells personnel and are not intended to be a substitute for independent geological or geophysical interpretation. Wells is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

2" 100'

POTENTIAL MILLIVOLTS

RESISTIVITY OHMS M²/M CONDUCTIVITY M MHOS/M

	18" Normal	50	500	0
		500	1000	5000
	AMPLIFIED	10		
	Induction			

Rmf 31 at 116' F.