RELIANCE
OILFIELD SERVICES

Radial Cement Bond
Gamma Ray
Casing Collar Log

Company	TEP Rocky Mountain LLC
Well	Tri State Trucking PA 321-25
Field	Parachute
County	Garfield
State	Colorado

Company TEP Rocky Mountain LLC
Well Tri State Trucking PA 321-25
Field Parachute
County Garfield State Colorado

Location: API # : 05-045-23644
SEC 25 TWP 6S RGE 95W

Other Services
--

		Elevation	Elevation
Permanent Datum	Ground Level	5223.8'	K.B. 5247.8'
Log Measured From	Kelly Bushing	24 FT	D.F. 5246.8'
Drilling Measured From	Kelly Bushing		G.L. 5223.8'

Date	03-APR-2018
Run Number	One
Depth Driller	8280 FT
Depth Logger	8126 FT
Bottom Logged Interval	8113 FT
Top Log Interval	Surface
Open Hole Size	8.750"
Type Fluid	Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	232°F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	13:00
Equipment Number	HD-0359
Location	Grand Junction, CO
Recorded By	Z. Fisher
Witnessed By	C.Applegate

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	32.3	H-40	Surface	1127 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	8239 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint Logged from 4562-4584 FT
Log ran from 8113 FT to Surface
Recorded with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!

RELIANCE
OILFIELD SERVICES

Main Pass

Recorded with 0 PSI Surface Induced Pressure

Database File	tep\tri state trucking pa 321-25\tep_tri state trucking pa 321-25_rbl_04-03-18.db
Dataset Pathname	main
Presentation Format	ros_rbt004_tep
Dataset Creation	Tue Apr 03 13:27:32 2018
Charted by	Depth in Feet scaled 1:240

Gamma Ray
0 (GAPI) 200
Line Speed
-150 (ft/min) 150
Line Tension
0 (lb) 2000
Differential Temperature
-2 (degF) 2
Temperature
0 (degF) 20
Casing Collar Locator

3' Amplitude
0 (mV) 100
3' Amplitude x 5
0 (mV) 20
3' Travel Time
300 (usec) 200

5' Variable Density Log
200 (usec) 1200

Sector Map

Average Amplitude
0 150
MimimumAmplitude
0 150
MaximumAmplitude
0 150


129.4
3700
131.3
3800
133.1
3900


135.1
4000
136.8
4100


138.8
4200
140.9
4300


143.1
4400
145.4
4500
Marker Joint


147.7
4600
149.7
4700
151.3
4800


153.2
4900
154.8
5000


156.8
5100
158.8
5200


160.7
5300
163.6
5400


165.5
5500
167.5
5600


169.2
5700
170.7
5800


172.9
5900
174.5
6000


176.1
6100
178.4
6200


180.3
6300
181.5
6400


184.0
6500
186.0
6600


188.0
6700
190.1
6800


192.2
6900
194.2
7000


196.2
7100
198.2
7200


201.2
7300
203.6
7400


205.7
7500
208.7
7600



Gamma Ray	3' Amplitude	5' Variable Density Log	Sector Map	Average Amplitude
0 (GAPI) 200	0 (mV) 100	200 (usec) 1200		0 150
Line Speed	3' Amplitude x 5			Mimimum Amplitude
-150 (ft/min) 150	0 (mV) 20			0 150
Line Tension	3' Travel Time			Maximum Amplitude
0 (lb) 2000	300 (usec) 200			0 150
Differential Temperature				
-2 (degF) 2				
Temperature				
0 (degF) 20				
Casing Collar Locator				

RELIANCE OILFIELD SERVICES

Repeat Pass

Recorded with 0 PSI Surface Induced Pressure

Database File	tep\tri state trucking pa 321-25\tep_tri state trucking pa 321-25_rbl_04-03-18.db
Dataset Pathname	repeat
Presentation Format	ros_rbt004_tep
Dataset Creation	Tue Apr 03 13:22:18 2018
Charted by	Depth in Feet scaled 1:240

Gamma Ray	3' Amplitude	5' Variable Density Log	Sector Map	Average Amplitude
0 (GAPI) 200	0 (mV) 100	200 (usec) 1200		0 150
Line Speed	3' Amplitude x 5			Mimimum Amplitude
-150 (ft/min) 150	0 (mV) 20			0 150
Line Tension	3' Travel Time			Maximum Amplitude
0 (lb) 2000	300 (usec) 200			0 150
Differential Temperature				
-2 (degF) 2				
Temperature				
0 (degF) 20				



Gamma Ray	3' Amplitude	5' Variable Density Log	Sector Map	Average Amplitude
0 (GAPI) 200	0 (mV) 100	200 (usec) 1200		0 150
Line Speed	3' Amplitude x 5			Mimimum Amplitude
-150 (ft/min) 150	0 (mV) 20			0 150
Line Tension	3' Travel Time			Maximum Amplitude
0 (lb) 2000	300 (usec) 200			0 150
Differential Temperature				
-2 (degF) 2				
Temperature				
0 (degF) 20				

Sensor	Offset (ft)
TEMP	16.33
WVFS8	14.10
WVFS7	14.10
WVFS6	14.10
WVFS5	14.10
WVFS4	14.10
WVFS3	14.10
WVFS2	14.10
WVFS1	14.10
WVFCAL	14.10
WVF3FT	14.10
WVF5FT	13.10
HEADVOLT	9.85
CCL$2	6.42
CCL$1	6.42
GR	5.18

Schematic



Description	Length (ft)	O.D. (in)	Weight (lb)
Titan CHD-14375 GO Titan 1-7/16" Assembled Electric Cable Head w/ 1" Fishing Neck	1.03	1.44	3.60
DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
Probe Radii-2750 RBT (FW1305-098) Probe 2-3/4" Radial Cement Bond Tool with Integral Temperature Sub	9.39	2.75	105.00
DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
Probe GR-CCL-2750 GOB (FW1307-038) Probe 2-3/4" rev.2 Digital Scintillation Gamma Ray/CCL Combined	4.51	2.75	55.00
DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
GO BN-14375 GO 1-7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset:	TEP_Tri State Trucking PA 321-25_RBL_04-03-18.db: field/well/run1/main
Total length:	22.82 ft
Total weight:	260.60 lb
O.D.:	2.75 in

Calibration Report

Database File	C:\ProgramData\Warrior\Data\TEP\Tri State Trucking PA 321-25\TEP_Tri State Trucking PA 321-25_RBL_04-
Dataset Pathname	main
Dataset Creation	Tue Apr 03 13:27:32 2018

Gamma Ray Calibration Report

Serial Number:	FW1307-038	
Tool Model:	2750 GOB	
Performed:	Sun Nov 12 11:44:12 2017	
Calibrator Value:	637.0	GAPI
Background Reading:	113.2	cps
Calibrator Reading:	1022.4	cps
Sensitivity:	0.7007	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1305-098	
Tool Model:	2750 RBT	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	24.000	ft

Master Calibration, performed Tue Apr 03 11:53:03 2018:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.007	0.731	0.800	81.196	108.905	1.579
CAL	-0.005	0.765				
5'	-0.001	0.725	0.800	81.196	110.705	0.957
SUM						
S1	-0.009	0.730	0.000	100.000	135.403	1.152
S2	-0.005	0.744	0.000	100.000	133.557	0.662
S3	-0.005	0.737	0.000	100.000	134.790	0.684
S4	-0.004	0.731	0.000	100.000	135.956	0.604
S5	-0.004	0.738	0.000	100.000	134.686	0.597
S6	-0.005	0.743	0.000	100.000	133.623	0.680
S7	-0.003	0.749	0.000	100.000	132.983	0.429
S8	-0.005	0.735	0.000	100.000	135.246	0.649

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.005	0.765	1.000	0.000

Air Zero Calibration, performed Tue Apr 03 11:53:29 2018:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.001	0.000	-0.008
5'	-0.001	0.000	-0.001
SUM			
S1	-0.008	0.000	-0.001
S2	-0.004	0.000	-0.001
S3	-0.004	0.000	-0.001
S4	-0.005	0.000	0.000
S5	-0.005	0.000	0.000
S6	-0.004	0.000	-0.001
S7	-0.005	0.000	0.002
S8	-0.003	0.000	-0.002

Temperature Calibration Report

Serial Number:	FW1305-098	
Tool Model:	2750 RBT	
Performed:	Sun Nov 12 12:43:57 2017	
	Reference	Reading
Low Reference:	100.00 degF	109.43 degF
High Reference:	350.00 degF	405.87 degF
Gain:	0.84	
Offset:	7.72	
Delta Spacing	1	

RELIANCE OILFIELD SERVICES

Company	TEP Rocky Mountain LLC
Well	Tri State Trucking PA 321-25
Field	Parachute
County	Garfield
State	Colorado