



**East Bull Creek Well  
EBC Pad 4  
EBC #6  
EBC #6 Lat 1**

## **Catamount Energy Partners Proposal Report**

EBC Pad 4, EBC #6



EBC Pad 4, EBC #6



# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #6
<b>Company:</b>		<b>TVD Reference:</b>	EBC #6
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #6
<b>Site:</b>	EBC Pad 4	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #6	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #6 Lat 1		

<b>Project</b>	East Bull Creek Well		
<b>Map System:</b>	HPGN Colorado State Planes	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	High Precision GPS Network (aka HARN, NAD83/9)		
<b>Map Zone:</b>	Southern Zone		

<b>Site</b>	EBC Pad 4		
<b>Site Position:</b>		<b>Northing:</b>	0
<b>From:</b>	Map	<b>Easting:</b>	0
<b>Position Uncertainty:</b>	0ft	<b>Slot Radius:</b>	0in
		<b>Latitude:</b>	33.48902771° N
		<b>Longitude:</b>	115.33027986° W
		<b>Grid Convergence:</b>	-6.0°

<b>Well</b>	EBC #6		
<b>Well Position:</b>	<b>+N/-S</b>	1184892ft	<b>Northing:</b> +1184892
	<b>+E/-W</b>	2448243ft	<b>Easting:</b> +2448243
<b>Position Uncertainty:</b>		1ft	<b>Wellhead Elevation:</b> 6750ft
			<b>Latitude:</b> 37.15908379° N
			<b>Longitude:</b> 107.39342301° W
			<b>Ground Level:</b> 6734ft

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	User Defined	2/8/2018	0.0	0.0	0.0

<b>Proposal</b>	EBC #6 Lat 1		
<b>Audit Notes:</b>			
<b>Version:</b>	<b>Phase:</b>	<b>Tie On Depth:</b>	2970ft

Vertical Section:	Depth from TVD (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0	0	0	266.5

Survey Program		3/26/2018			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
0	12428	EBC #6 Pilot	MWD	MWD	

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
2970	39.2	270.0	2580	0	-1222					
3233	76.5	265.7	2718	-10	-1441	14.2	14.1	-1.6	-6.9	
3318	87.1	267.5	2730	-15	-1525	12.7	12.5	2.1	9.7	
3554	87.1	260.4	2742	-40	-1758	3.0	0.0	-3.0	-90.0	
6950	87.1	260.4	2913	-604	-5103	0.0	0.0	0.0	0.0	
7428	87.1	270.0	2937	-644	-5578	2.0	0.0	2.0	90.4	
12428	87.1	270.0	3190	-644	-10572	0.0	0.0	0.0	0.0	EBC 6 Lat 1 BHL

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
0	0.0	0.0	0	-6750	0	0	0	0	0.0	0.0	MWD
100	0.0	0.0	100	-6650	0	0	0	0	0.0	0.0	
200	0.0	0.0	200	-6550	0	0	0	0	0.0	0.0	
300	0.0	0.0	300	-6450	0	0	0	0	0.0	0.0	
400	0.0	0.0	400	-6350	0	0	0	0	0.0	0.0	

# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #6
<b>Company:</b>		<b>TVD Reference:</b>	EBC #6
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #6
<b>Site:</b>	EBC Pad 4	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #6	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #6 Lat 1		

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
500	0.0	0.0	500	-6250	0	0	0	0	0.0	0.0	
510	0.3	270.0	510	-6240	0	0	0	0	270.0	3.5	
540	1.4	270.0	540	-6210	0	0	0	0	270.0	3.5	
570	2.4	270.0	570	-6180	0	-1	1	1	270.0	3.5	
600	3.5	270.0	600	-6150	0	-3	3	3	270.0	3.5	
630	4.5	270.0	630	-6120	0	-5	5	5	270.0	3.5	
660	5.6	270.0	660	-6090	0	-8	8	8	270.0	3.5	
690	6.6	270.0	690	-6060	0	-11	11	11	270.0	3.5	
720	7.7	270.0	719	-6031	0	-15	15	15	270.0	3.5	
750	8.7	270.0	749	-6001	0	-19	19	19	270.0	3.5	
780	9.8	270.0	779	-5971	0	-24	24	24	270.0	3.5	
810	10.8	270.0	808	-5942	0	-29	29	29	270.0	3.5	
840	11.9	270.0	838	-5912	0	-35	35	35	270.0	3.5	
870	12.9	270.0	867	-5883	0	-42	42	42	270.0	3.5	
900	14.0	270.0	896	-5854	0	-49	49	49	270.0	3.5	
930	15.0	270.0	925	-5825	0	-56	56	56	270.0	3.5	
960	16.1	270.0	954	-5796	0	-64	64	64	270.0	3.5	
990	17.1	270.0	983	-5767	0	-73	73	73	270.0	3.5	
1020	18.2	270.0	1011	-5739	0	-82	82	82	270.0	3.5	
1050	19.2	270.0	1040	-5710	0	-92	91	92	270.0	3.5	
1080	20.3	270.0	1068	-5682	0	-102	101	102	270.0	3.5	
1110	21.3	270.0	1096	-5654	0	-112	112	112	270.0	3.5	
1140	22.4	270.0	1124	-5626	0	-124	123	124	270.0	3.5	
1170	23.4	270.0	1151	-5599	0	-135	135	135	270.0	3.5	
1200	24.5	270.0	1179	-5571	0	-147	147	147	270.0	3.5	
1230	25.5	270.0	1206	-5544	0	-160	160	160	270.0	3.5	
1260	26.6	270.0	1233	-5517	0	-173	173	173	270.0	3.5	
1290	27.6	270.0	1260	-5490	0	-187	187	187	270.0	3.5	
1320	28.7	270.0	1286	-5464	0	-201	201	201	270.0	3.5	
1350	29.7	270.0	1312	-5438	0	-216	215	216	270.0	3.5	
1380	30.8	270.0	1338	-5412	0	-231	230	231	270.0	3.5	
1410	31.8	270.0	1364	-5386	0	-246	246	246	270.0	3.5	
1440	32.9	270.0	1389	-5361	0	-263	262	263	270.0	3.5	
1470	33.9	270.0	1414	-5336	0	-279	279	279	270.0	3.5	
1500	35.0	270.0	1439	-5311	0	-296	296	296	270.0	3.5	
1530	36.0	270.0	1463	-5287	0	-313	313	313	270.0	3.5	
1560	37.1	270.0	1487	-5263	0	-331	331	331	270.0	3.5	
1590	38.1	270.0	1511	-5239	0	-350	349	350	270.0	3.5	
1620	39.2	270.0	1535	-5215	0	-368	368	368	270.0	3.5	
1621	39.2	270.0	1535	-5215	0	-369	368	369	270.0	3.5	
1700	39.2	270.0	1597	-5153	0	-419	418	419	270.0	0.0	
1800	39.2	270.0	1674	-5076	0	-482	481	482	270.0	0.0	
1900	39.2	270.0	1752	-4998	0	-546	545	546	270.0	0.0	
2000	39.2	270.0	1829	-4921	0	-609	608	609	270.0	0.0	
2100	39.2	270.0	1906	-4844	0	-672	671	672	270.0	0.0	
2200	39.2	270.0	1984	-4766	0	-735	734	735	270.0	0.0	
2300	39.2	270.0	2061	-4689	0	-799	797	799	270.0	0.0	
2400	39.2	270.0	2139	-4611	0	-862	860	862	270.0	0.0	
2500	39.2	270.0	2216	-4534	0	-925	923	925	270.0	0.0	
2600	39.2	270.0	2294	-4456	0	-988	986	988	270.0	0.0	

# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #6
<b>Company:</b>		<b>TVD Reference:</b>	EBC #6
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #6
<b>Site:</b>	EBC Pad 4	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #6	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #6 Lat 1		

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
2700	39.2	270.0	2371	-4379	0	-1052	1050	1052	270.0	0.0	
2800	39.2	270.0	2449	-4301	0	-1115	1113	1115	270.0	0.0	
2900	39.2	270.0	2526	-4224	0	-1178	1176	1178	270.0	0.0	
2970	39.2	270.0	2580	-4170	0	-1222	1220	1222	270.0	0.0	
3000	43.5	269.3	2603	-4147	0	-1242	1240	1242	270.0	14.2	
3030	47.7	268.6	2624	-4126	-1	-1264	1261	1264	270.0	14.2	
3060	51.9	268.1	2643	-4107	-1	-1286	1284	1286	269.9	14.2	
3090	56.2	267.6	2661	-4089	-2	-1311	1308	1311	269.9	14.2	
3120	60.4	267.1	2677	-4073	-3	-1336	1334	1336	269.9	14.2	
3150	64.7	266.7	2690	-4060	-5	-1363	1361	1363	269.8	14.2	
3180	68.9	266.3	2702	-4048	-6	-1390	1388	1390	269.7	14.2	
3210	73.2	266.0	2712	-4038	-8	-1419	1416	1419	269.7	14.2	
3232	76.3	265.7	2718	-4032	-10	-1440	1438	1440	269.6	14.2	Target Coal
3233	76.5	265.7	2718	-4032	-10	-1441	1439	1441	269.6	14.2	
3240	77.3	265.8	2720	-4030	-10	-1448	1445	1448	269.6	12.7	
3270	81.1	266.5	2725	-4025	-12	-1477	1475	1477	269.5	12.7	
3300	84.8	267.1	2729	-4021	-14	-1507	1505	1507	269.5	12.7	
3318	87.1	267.5	2730	-4020	-15	-1525	1523	1525	269.4	12.7	
3330	87.1	267.1	2731	-4019	-16	-1537	1535	1537	269.4	3.0	
3360	87.1	266.2	2732	-4018	-17	-1566	1565	1567	269.4	3.0	
3390	87.1	265.3	2734	-4016	-19	-1596	1595	1596	269.3	3.0	
3420	87.1	264.4	2735	-4015	-22	-1626	1625	1626	269.2	3.0	
3450	87.1	263.5	2737	-4013	-25	-1656	1654	1656	269.1	3.0	
3480	87.1	262.6	2738	-4012	-29	-1686	1684	1686	269.0	3.0	
3510	87.1	261.7	2740	-4010	-33	-1715	1714	1716	268.9	3.0	
3540	87.1	260.8	2741	-4009	-38	-1745	1744	1745	268.8	3.0	
3554	87.1	260.4	2742	-4008	-40	-1758	1758	1759	268.7	3.0	
3600	87.1	260.4	2744	-4006	-47	-1804	1804	1805	268.5	0.0	
3700	87.1	260.4	2749	-4001	-64	-1903	1903	1904	268.1	0.0	
3800	87.1	260.4	2754	-3996	-81	-2001	2002	2003	267.7	0.0	
3900	87.1	260.4	2759	-3991	-97	-2100	2102	2102	267.3	0.0	
4000	87.1	260.4	2764	-3986	-114	-2198	2201	2201	267.0	0.0	
4100	87.1	260.4	2769	-3981	-131	-2297	2300	2300	266.7	0.0	
4200	87.1	260.4	2774	-3976	-147	-2395	2400	2400	266.5	0.0	
4300	87.1	260.4	2780	-3970	-164	-2493	2499	2499	266.2	0.0	
4400	87.1	260.4	2785	-3965	-180	-2592	2598	2598	266.0	0.0	
4500	87.1	260.4	2790	-3960	-197	-2690	2697	2698	265.8	0.0	
4600	87.1	260.4	2795	-3955	-214	-2789	2797	2797	265.6	0.0	
4700	87.1	260.4	2800	-3950	-230	-2887	2896	2897	265.4	0.0	
4800	87.1	260.4	2805	-3945	-247	-2986	2995	2996	265.3	0.0	
4900	87.1	260.4	2810	-3940	-264	-3084	3095	3096	265.1	0.0	
5000	87.1	260.4	2815	-3935	-280	-3183	3194	3195	265.0	0.0	
5100	87.1	260.4	2820	-3930	-297	-3281	3293	3295	264.8	0.0	
5200	87.1	260.4	2825	-3925	-313	-3380	3393	3394	264.7	0.0	
5300	87.1	260.4	2830	-3920	-330	-3478	3492	3494	264.6	0.0	
5400	87.1	260.4	2835	-3915	-347	-3577	3591	3594	264.5	0.0	
5500	87.1	260.4	2840	-3910	-363	-3675	3691	3693	264.4	0.0	
5600	87.1	260.4	2845	-3905	-380	-3774	3790	3793	264.3	0.0	
5700	87.1	260.4	2850	-3900	-396	-3872	3889	3892	264.2	0.0	
5800	87.1	260.4	2855	-3895	-413	-3971	3988	3992	264.1	0.0	

# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #6
<b>Company:</b>		<b>TVD Reference:</b>	EBC #6
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #6
<b>Site:</b>	EBC Pad 4	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #6	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #6 Lat 1		

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
5900	87.1	260.4	2860	-3890	-430	-4069	4088	4092	264.0	0.0	
6000	87.1	260.4	2865	-3885	-446	-4168	4187	4191	263.9	0.0	
6100	87.1	260.4	2870	-3880	-463	-4266	4286	4291	263.8	0.0	
6200	87.1	260.4	2875	-3875	-480	-4365	4386	4391	263.7	0.0	
6300	87.1	260.4	2880	-3870	-496	-4463	4485	4491	263.7	0.0	
6400	87.1	260.4	2885	-3865	-513	-4562	4584	4590	263.6	0.0	
6500	87.1	260.4	2890	-3860	-529	-4660	4684	4690	263.5	0.0	
6600	87.1	260.4	2895	-3855	-546	-4759	4783	4790	263.5	0.0	
6700	87.1	260.4	2900	-3850	-563	-4857	4882	4889	263.4	0.0	
6800	87.1	260.4	2905	-3845	-579	-4955	4982	4989	263.3	0.0	
6900	87.1	260.4	2910	-3840	-596	-5054	5081	5089	263.3	0.0	
6950	87.1	260.4	2913	-3837	-604	-5103	5130	5139	263.2	0.0	
6960	87.1	260.6	2913	-3837	-606	-5113	5140	5149	263.2	2.0	
6990	87.1	261.2	2915	-3835	-611	-5143	5170	5179	263.2	2.0	
7020	87.1	261.8	2916	-3834	-615	-5172	5200	5209	263.2	2.0	
7050	87.1	262.4	2918	-3832	-619	-5202	5230	5239	263.2	2.0	
7080	87.1	263.0	2919	-3831	-623	-5232	5260	5269	263.2	2.0	
7110	87.1	263.6	2921	-3829	-626	-5261	5290	5299	263.2	2.0	
7140	87.1	264.2	2922	-3828	-630	-5291	5320	5329	263.2	2.0	
7170	87.1	264.8	2924	-3826	-632	-5321	5350	5359	263.2	2.0	
7200	87.1	265.4	2925	-3825	-635	-5351	5380	5388	263.2	2.0	
7230	87.1	266.0	2927	-3823	-637	-5381	5410	5418	263.2	2.0	
7260	87.1	266.6	2928	-3822	-639	-5411	5440	5448	263.3	2.0	
7290	87.1	267.2	2930	-3820	-641	-5441	5470	5478	263.3	2.0	
7320	87.1	267.8	2931	-3819	-642	-5471	5499	5508	263.3	2.0	
7350	87.1	268.4	2933	-3817	-643	-5500	5529	5538	263.3	2.0	
7380	87.1	269.0	2934	-3816	-644	-5530	5559	5568	263.4	2.0	
7410	87.1	269.6	2936	-3814	-644	-5560	5589	5598	263.4	2.0	
7428	87.1	270.0	2937	-3813	-644	-5578	5607	5615	263.4	2.0	
7500	87.1	270.0	2940	-3810	-644	-5650	5679	5687	263.5	0.0	
7600	87.1	270.0	2945	-3805	-644	-5750	5779	5786	263.6	0.0	
7700	87.1	270.0	2951	-3799	-644	-5850	5878	5885	263.7	0.0	
7800	87.1	270.0	2956	-3794	-644	-5950	5978	5985	263.8	0.0	
7900	87.1	270.0	2961	-3789	-644	-6050	6078	6084	263.9	0.0	
8000	87.1	270.0	2966	-3784	-644	-6150	6177	6183	264.0	0.0	
8100	87.1	270.0	2971	-3779	-644	-6250	6277	6283	264.1	0.0	
8200	87.1	270.0	2976	-3774	-644	-6349	6377	6382	264.2	0.0	
8300	87.1	270.0	2981	-3769	-644	-6449	6476	6481	264.3	0.0	
8400	87.1	270.0	2986	-3764	-644	-6549	6576	6581	264.4	0.0	
8500	87.1	270.0	2991	-3759	-644	-6649	6676	6680	264.5	0.0	
8600	87.1	270.0	2996	-3754	-644	-6749	6776	6780	264.5	0.0	
8700	87.1	270.0	3001	-3749	-644	-6849	6875	6879	264.6	0.0	
8800	87.1	270.0	3006	-3744	-644	-6949	6975	6978	264.7	0.0	
8900	87.1	270.0	3011	-3739	-644	-7049	7075	7078	264.8	0.0	
9000	87.1	270.0	3016	-3734	-644	-7148	7174	7177	264.9	0.0	
9100	87.1	270.0	3021	-3729	-644	-7248	7274	7277	264.9	0.0	
9200	87.1	270.0	3027	-3723	-644	-7348	7374	7376	265.0	0.0	
9300	87.1	270.0	3032	-3718	-644	-7448	7473	7476	265.1	0.0	
9400	87.1	270.0	3037	-3713	-644	-7548	7573	7575	265.1	0.0	
9500	87.1	270.0	3042	-3708	-644	-7648	7673	7675	265.2	0.0	

# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #6
<b>Company:</b>		<b>TVD Reference:</b>	EBC #6
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #6
<b>Site:</b>	EBC Pad 4	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #6	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #6 Lat 1		

Planned Survey											
Measured Depth (ft)	Incl. (°)	Az. (°)	Vertical Depth (ft)	Sub Sea Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Closure Distance (ft)	Closure Azimuth (°)	Dogleg Rate (°/100ft)	Comments/ Formations
9600	87.1	270.0	3047	-3703	-644	-7748	7772	7774	265.2	0.0	
9700	87.1	270.0	3052	-3698	-644	-7847	7872	7874	265.3	0.0	
9800	87.1	270.0	3057	-3693	-644	-7947	7972	7973	265.4	0.0	
9900	87.1	270.0	3062	-3688	-644	-8047	8071	8073	265.4	0.0	
10000	87.1	270.0	3067	-3683	-644	-8147	8171	8173	265.5	0.0	
10100	87.1	270.0	3072	-3678	-644	-8247	8271	8272	265.5	0.0	
10200	87.1	270.0	3077	-3673	-644	-8347	8371	8372	265.6	0.0	
10300	87.1	270.0	3082	-3668	-644	-8447	8470	8471	265.6	0.0	
10400	87.1	270.0	3087	-3663	-644	-8547	8570	8571	265.7	0.0	
10500	87.1	270.0	3092	-3658	-644	-8646	8670	8670	265.7	0.0	
10600	87.1	270.0	3097	-3653	-644	-8746	8769	8770	265.8	0.0	
10700	87.1	270.0	3102	-3648	-644	-8846	8869	8870	265.8	0.0	
10800	87.1	270.0	3108	-3642	-644	-8946	8969	8969	265.9	0.0	
10900	87.1	270.0	3113	-3637	-644	-9046	9068	9069	265.9	0.0	
11000	87.1	270.0	3118	-3632	-644	-9146	9168	9168	266.0	0.0	
11100	87.1	270.0	3123	-3627	-644	-9246	9268	9268	266.0	0.0	
11200	87.1	270.0	3128	-3622	-644	-9346	9367	9368	266.1	0.0	
11300	87.1	270.0	3133	-3617	-644	-9445	9467	9467	266.1	0.0	
11400	87.1	270.0	3138	-3612	-644	-9545	9567	9567	266.1	0.0	
11500	87.1	270.0	3143	-3607	-644	-9645	9666	9667	266.2	0.0	
11600	87.1	270.0	3148	-3602	-644	-9745	9766	9766	266.2	0.0	
11700	87.1	270.0	3153	-3597	-644	-9845	9866	9866	266.3	0.0	
11800	87.1	270.0	3158	-3592	-644	-9945	9966	9966	266.3	0.0	
11900	87.1	270.0	3163	-3587	-644	-10045	10065	10065	266.3	0.0	
12000	87.1	270.0	3168	-3582	-644	-10145	10165	10165	266.4	0.0	
12100	87.1	270.0	3173	-3577	-644	-10244	10265	10265	266.4	0.0	
12200	87.1	270.0	3178	-3572	-644	-10344	10364	10364	266.4	0.0	
12300	87.1	270.0	3184	-3566	-644	-10444	10464	10464	266.5	0.0	
12400	87.1	270.0	3189	-3561	-644	-10544	10564	10564	266.5	0.0	
12428	87.1	270.0	3190	-3560	-644	-10572	10592	10592	266.5	0.0	EBC 6 Lat 1 BHL

Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude	
-hit/miss target										
-Shape										
EBC 6 Lat 1 BHL			3190	-644	-10572	+1184248	+2437671	37.15672136° N	107.42964627° W	
- proposal hits the target center										
- Point										

Formations					
Measured Depth (ft)	Vertical Depth (ft)	Subsea Depth (ft)	Name	Dip Angle (°)	Dip Direction (°)
3232	2718	-4032	Target Coal	0.0	0.0

Checked By:	Approved By:	Date:
-------------	--------------	-------



# Catamount Energy Partners

## Proposal Report



<b>Database:</b>	San Juan Basin	<b>Local Coordinate Reference:</b>	EBC #6
<b>Company:</b>		<b>TVD Reference:</b>	EBC #6
<b>Project:</b>	East Bull Creek Well	<b>MD Reference:</b>	EBC #6
<b>Site:</b>	EBC Pad 4	<b>North reference:</b>	Grid North
<b>Well:</b>	EBC #6	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>			
<b>Proposal:</b>	EBC #6 Lat 1		

### Disclaimer Notice

Catamount Energy Partners makes no warranty of any kind with respect to the subject matter included herein or the completeness or accuracy of this document.

Catamount Energy Partners are not responsible for any actions (or lack thereof) taken as a result of relying on or in any way using information contained in this document and in no event shall be liable for any damages resulting from reliance on or use of this information.