

ConocoPhillips RBU Gold Data

Niobrara North Zone

Schuh

Schuh 3-65 21-20 3CH

Schuh 3-65 21-20 3CH


Plan: Design B

Standard Planning Report

26 April, 2018



Casing Depths			
TVD	MD	Name	Size
2188.00	2188.00	9-5/8" Casing	9-5/8
7880.00	17994.09	5-1/2" Casing	5-1/2



SLB DS 4/26/18

ConocoPhillips

Schuh 3-65 21-20 3CH


Design B

Ground Level: 5594.40
Surface Location Latitude: 39° 46' 20.910 N
Surface Location Longitude: 104° 39' 40.100 W
North Reference: True
25' RKB @ 5619.40ft (25' RKB)

North American Datum 1983
GRS 1980
US State Plane 1983
Colorado Northern Zone

Well Profile Data

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	VSect
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5236.30	0.00	0.00	5236.30	0.00	0.00	0.00	0.00
7232.91	29.95	50.48	7143.22	324.57	393.45	1.50	-370.18
7234.96	29.95	50.48	7144.99	325.22	394.24	0.00	-370.92
8360.47	90.05	270.41	7888.00	604.11	-133.52	10.00	174.78
17994.09	90.05	270.41	7880.00	673.82	-9766.88	0.00	9790.09



Wellbore Targets

Name	TVD	Latitude	Longitude
Schuh 3-65 21-20 3CH BHL	7880.00	39° 46' 27.550 N	104° 41' 45.190 W
Schuh 3-65 21-20 3CH BPI	7888.00	39° 46' 26.880 N	104° 39' 41.810 W

5-1/2" Casing

BHL: 1849' FSL, 325' FWL

Schuh 3-65 21-20 3CH BHL

ConocoPhillips

Planning Report

Database:	EDT 14 Central Planning	Local Co-ordinate Reference:	Well Schuh 3-65 21-20 3CH
Company:	ConocoPhillips RBU Gold Data	TVD Reference:	25' RKB @ 5619.40ft (25' RKB)
Project:	Niobrara North Zone	MD Reference:	25' RKB @ 5619.40ft (25' RKB)
Site:	Schuh	North Reference:	True
Well:	Schuh 3-65 21-20 3CH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Schuh 3-65 21-20 3CH		
Design:	Design B		

Project	Niobrara North Zone, Colorado North Zone, FIPS Zone: 0501		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		Using geodetic scale factor

Site		Schuh			
Site Position: From: Position Uncertainty:		Northing:	1,161,145.634 usft	Latitude:	39° 46' 21.540 N
	Lat/Long	Easting:	3,235,840.633 usft	Longitude:	104° 39' 39.450 W
	0.00 ft	Slot Radius:	13-3/16 "	Grid Convergence:	0.54 °

Well	Schuh 3-65 21-20 3CH					
Well Position	+N-S	-63.77 ft	Northing:	1,161,081.388 usft	Latitude:	39° 46' 20.910 N
	+E-W	-50.75 ft	Easting:	3,235,790.487 usft	Longitude:	104° 39' 40.100 W
Position Uncertainty		0.00 ft	Wellhead Elevation:	5,594.40 ft	Ground Level:	5,594.40 ft

Wellbore	Schuh 3-65 21-20 3CH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2017	12/1/2018	8.16	66.35	51,885.74349955

Design	Design B				
Audit Notes:					
Version:	0	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.00	0.00	0.00	273.95	

Plan Survey Tool Program	Date	4/26/2018			
Depth From (ft)	Depth To (ft)	Survey (Wellbore)	Tool Name	Remarks	
1	0.00	2,188.00	Design B (Schuh 3-65 21-20 3CH)	Gyro-BM-MS	
				Gyro - bat/mem drop m/s	
2	2,188.00	5,236.30	Design B (Schuh 3-65 21-20 3CH)	MWD+IFR_No SAG	
				MWD + IFR (No SAG) corre	
3	5,236.30	7,232.91	Design B (Schuh 3-65 21-20 3CH)	MWD+IFR_No SAG	
				MWD + IFR (No SAG) corre	
4	7,232.91	8,360.47	Design B (Schuh 3-65 21-20 3CH)	MWD+IFR_No SAG	
				MWD + IFR (No SAG) corre	
5	8,360.47	17,994.09	Design B (Schuh 3-65 21-20 3CH)	MWD+IFR_No SAG	
				MWD + IFR (No SAG) corre	

ConocoPhillips

Planning Report

Database:	EDT 14 Central Planning	Local Co-ordinate Reference:	Well Schuh 3-65 21-20 3CH
Company:	ConocoPhillips RBU Gold Data	TVD Reference:	25' RKB @ 5619.40ft (25' RKB)
Project:	Niobrara North Zone	MD Reference:	25' RKB @ 5619.40ft (25' RKB)
Site:	Schuh	North Reference:	True
Well:	Schuh 3-65 21-20 3CH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Schuh 3-65 21-20 3CH		
Design:	Design B		

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,236.30	0.00	0.00	5,236.30	0.00	0.00	0.00	0.00	0.00	0.00	
7,232.91	29.95	50.48	7,143.22	324.57	393.45	1.50	1.50	0.00	50.48	
7,234.96	29.95	50.48	7,144.99	325.22	394.24	0.00	0.00	0.00	0.00	
8,360.47	90.05	270.41	7,888.00	604.11	-133.52	10.00	5.34	-12.44	-135.97	Schuh 3-65 21-20 3
17,994.09	90.05	270.41	7,880.00	673.82	-9,766.88	0.00	0.00	0.00	0.00	Schuh 3-65 21-20 3

ConocoPhillips

Planning Report

Database:	EDT 14 Central Planning	Local Co-ordinate Reference:	Well Schuh 3-65 21-20 3CH
Company:	ConocoPhillips RBU Gold Data	TVD Reference:	25' RKB @ 5619.40ft (25' RKB)
Project:	Niobrara North Zone	MD Reference:	25' RKB @ 5619.40ft (25' RKB)
Site:	Schuh	North Reference:	True
Well:	Schuh 3-65 21-20 3CH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Schuh 3-65 21-20 3CH		
Design:	Design B		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL: 1248' FSL, 475' FEL									
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00
800.00	0.00	0.00	800.00	0.00	0.00	0.00	0.00	0.00	0.00
900.00	0.00	0.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.00
1,100.00	0.00	0.00	1,100.00	0.00	0.00	0.00	0.00	0.00	0.00
1,200.00	0.00	0.00	1,200.00	0.00	0.00	0.00	0.00	0.00	0.00
1,300.00	0.00	0.00	1,300.00	0.00	0.00	0.00	0.00	0.00	0.00
1,400.00	0.00	0.00	1,400.00	0.00	0.00	0.00	0.00	0.00	0.00
1,500.00	0.00	0.00	1,500.00	0.00	0.00	0.00	0.00	0.00	0.00
1,600.00	0.00	0.00	1,600.00	0.00	0.00	0.00	0.00	0.00	0.00
1,700.00	0.00	0.00	1,700.00	0.00	0.00	0.00	0.00	0.00	0.00
1,722.00	0.00	0.00	1,722.00	0.00	0.00	0.00	0.00	0.00	0.00
Fox Hills Top									
1,800.00	0.00	0.00	1,800.00	0.00	0.00	0.00	0.00	0.00	0.00
1,900.00	0.00	0.00	1,900.00	0.00	0.00	0.00	0.00	0.00	0.00
1,988.00	0.00	0.00	1,988.00	0.00	0.00	0.00	0.00	0.00	0.00
Fox Hills Base									
2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.00
2,100.00	0.00	0.00	2,100.00	0.00	0.00	0.00	0.00	0.00	0.00
2,188.00	0.00	0.00	2,188.00	0.00	0.00	0.00	0.00	0.00	0.00
Surface Casing - 9-5/8" Casing									
2,200.00	0.00	0.00	2,200.00	0.00	0.00	0.00	0.00	0.00	0.00
2,300.00	0.00	0.00	2,300.00	0.00	0.00	0.00	0.00	0.00	0.00
2,400.00	0.00	0.00	2,400.00	0.00	0.00	0.00	0.00	0.00	0.00
2,500.00	0.00	0.00	2,500.00	0.00	0.00	0.00	0.00	0.00	0.00
2,600.00	0.00	0.00	2,600.00	0.00	0.00	0.00	0.00	0.00	0.00
2,700.00	0.00	0.00	2,700.00	0.00	0.00	0.00	0.00	0.00	0.00
2,800.00	0.00	0.00	2,800.00	0.00	0.00	0.00	0.00	0.00	0.00
2,900.00	0.00	0.00	2,900.00	0.00	0.00	0.00	0.00	0.00	0.00
3,000.00	0.00	0.00	3,000.00	0.00	0.00	0.00	0.00	0.00	0.00
3,100.00	0.00	0.00	3,100.00	0.00	0.00	0.00	0.00	0.00	0.00
3,200.00	0.00	0.00	3,200.00	0.00	0.00	0.00	0.00	0.00	0.00
3,300.00	0.00	0.00	3,300.00	0.00	0.00	0.00	0.00	0.00	0.00
3,400.00	0.00	0.00	3,400.00	0.00	0.00	0.00	0.00	0.00	0.00
3,500.00	0.00	0.00	3,500.00	0.00	0.00	0.00	0.00	0.00	0.00
3,600.00	0.00	0.00	3,600.00	0.00	0.00	0.00	0.00	0.00	0.00
3,700.00	0.00	0.00	3,700.00	0.00	0.00	0.00	0.00	0.00	0.00
3,800.00	0.00	0.00	3,800.00	0.00	0.00	0.00	0.00	0.00	0.00
3,900.00	0.00	0.00	3,900.00	0.00	0.00	0.00	0.00	0.00	0.00
4,000.00	0.00	0.00	4,000.00	0.00	0.00	0.00	0.00	0.00	0.00
4,100.00	0.00	0.00	4,100.00	0.00	0.00	0.00	0.00	0.00	0.00
4,200.00	0.00	0.00	4,200.00	0.00	0.00	0.00	0.00	0.00	0.00
4,300.00	0.00	0.00	4,300.00	0.00	0.00	0.00	0.00	0.00	0.00
4,400.00	0.00	0.00	4,400.00	0.00	0.00	0.00	0.00	0.00	0.00
4,500.00	0.00	0.00	4,500.00	0.00	0.00	0.00	0.00	0.00	0.00
4,600.00	0.00	0.00	4,600.00	0.00	0.00	0.00	0.00	0.00	0.00

ConocoPhillips

Planning Report

Database:	EDT 14 Central Planning	Local Co-ordinate Reference:	Well Schuh 3-65 21-20 3CH
Company:	ConocoPhillips RBU Gold Data	TVD Reference:	25' RKB @ 5619.40ft (25' RKB)
Project:	Niobrara North Zone	MD Reference:	25' RKB @ 5619.40ft (25' RKB)
Site:	Schuh	North Reference:	True
Well:	Schuh 3-65 21-20 3CH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Schuh 3-65 21-20 3CH		
Design:	Design B		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,700.00	0.00	0.00	4,700.00	0.00	0.00	0.00	0.00	0.00	0.00
4,800.00	0.00	0.00	4,800.00	0.00	0.00	0.00	0.00	0.00	0.00
4,900.00	0.00	0.00	4,900.00	0.00	0.00	0.00	0.00	0.00	0.00
5,000.00	0.00	0.00	5,000.00	0.00	0.00	0.00	0.00	0.00	0.00
5,100.00	0.00	0.00	5,100.00	0.00	0.00	0.00	0.00	0.00	0.00
5,200.00	0.00	0.00	5,200.00	0.00	0.00	0.00	0.00	0.00	0.00
5,236.30	0.00	0.00	5,236.30	0.00	0.00	0.00	0.00	0.00	0.00
5,300.00	0.96	50.48	5,300.00	0.34	0.41	-0.39	1.50	1.50	0.00
5,400.00	2.46	50.48	5,399.95	2.23	2.71	-2.55	1.50	1.50	0.00
5,500.00	3.96	50.48	5,499.79	5.79	7.02	-6.60	1.50	1.50	0.00
5,600.00	5.46	50.48	5,599.45	11.01	13.35	-12.56	1.50	1.50	0.00
5,700.00	6.96	50.48	5,698.86	17.89	21.69	-20.40	1.50	1.50	0.00
5,800.00	8.46	50.48	5,797.96	26.42	32.03	-30.13	1.50	1.50	0.00
5,900.00	9.96	50.48	5,896.67	36.60	44.37	-41.74	1.50	1.50	0.00
6,000.00	11.46	50.48	5,994.92	48.42	58.70	-55.23	1.50	1.50	0.00
6,100.00	12.96	50.48	6,092.66	61.87	75.01	-70.57	1.50	1.50	0.00
6,200.00	14.46	50.48	6,189.81	76.95	93.28	-87.76	1.50	1.50	0.00
6,300.00	15.96	50.48	6,286.31	93.64	113.51	-106.80	1.50	1.50	0.00
6,400.00	17.46	50.48	6,382.08	111.93	135.69	-127.66	1.50	1.50	0.00
6,500.00	18.96	50.48	6,477.07	131.81	159.79	-150.34	1.50	1.50	0.00
6,600.00	20.46	50.48	6,571.21	153.27	185.80	-174.81	1.50	1.50	0.00
6,700.00	21.96	50.48	6,664.44	176.28	213.70	-201.06	1.50	1.50	0.00
6,800.00	23.46	50.48	6,756.69	200.85	243.47	-229.07	1.50	1.50	0.00
6,900.00	24.96	50.48	6,847.89	226.94	275.10	-258.83	1.50	1.50	0.00
7,000.00	26.46	50.48	6,937.99	254.54	308.56	-290.31	1.50	1.50	0.00
7,100.00	27.96	50.48	7,026.93	283.63	343.83	-323.49	1.50	1.50	0.00
7,200.00	29.46	50.48	7,114.64	314.19	380.88	-358.35	1.50	1.50	0.00
7,232.91	29.95	50.48	7,143.22	324.57	393.46	-370.18	1.50	1.50	0.00
EOB: 1573' FSL, 82' FEL									
7,234.96	29.95	50.48	7,145.00	325.22	394.25	-370.93	0.00	0.00	0.00
KOP: 1573' FSL, 81' FEL									
7,250.00	28.88	48.32	7,158.10	330.03	399.85	-376.19	10.00	-7.08	-14.40
7,300.00	25.64	40.00	7,202.56	346.35	415.84	-391.01	10.00	-6.49	-16.64
7,350.00	22.98	29.68	7,248.14	363.13	427.63	-401.62	10.00	-5.32	-20.63
7,400.00	21.13	17.27	7,294.50	380.23	435.14	-407.94	10.00	-3.69	-24.81
7,450.00	20.33	3.30	7,341.30	397.52	438.32	-409.92	10.00	-1.62	-27.94
7,500.00	20.68	349.03	7,388.16	414.86	437.14	-407.55	10.00	0.70	-28.55
7,550.00	22.13	335.89	7,434.74	432.14	431.61	-400.84	10.00	2.91	-26.28
7,600.00	24.50	324.73	7,480.67	449.21	421.77	-389.85	10.00	4.72	-22.33
7,650.00	27.53	315.65	7,525.62	465.95	407.70	-374.66	10.00	6.07	-18.16
7,700.00	31.05	308.36	7,569.23	482.22	389.50	-355.38	10.00	7.03	-14.58
7,750.00	34.89	302.47	7,611.19	497.91	367.31	-332.17	10.00	7.69	-11.77
7,800.00	38.97	297.65	7,651.16	512.89	341.30	-305.19	10.00	8.16	-9.65
7,850.00	43.21	293.62	7,688.84	527.06	311.67	-274.66	10.00	8.49	-8.05
7,900.00	47.58	290.19	7,723.95	540.30	278.65	-240.80	10.00	8.73	-6.86
7,927.41	50.01	288.51	7,742.00	547.13	259.20	-220.93	10.00	8.87	-6.13
Niobrara Top									
7,950.00	52.03	287.22	7,756.21	552.51	242.48	-203.88	10.00	8.95	-5.74
8,000.00	56.55	284.58	7,785.39	563.60	203.44	-164.17	10.00	9.04	-5.27
8,050.00	61.12	282.21	7,811.26	573.49	161.84	-121.98	10.00	9.14	-4.74
8,100.00	65.73	280.04	7,833.63	582.09	117.97	-77.63	10.00	9.22	-4.34
8,150.00	70.36	278.02	7,852.32	589.35	72.18	-31.45	10.00	9.27	-4.04
8,200.00	75.02	276.11	7,867.19	595.21	24.83	16.20	10.00	9.32	-3.81

ConocoPhillips

Planning Report

Database:	EDT 14 Central Planning	Local Co-ordinate Reference:	Well Schuh 3-65 21-20 3CH
Company:	ConocoPhillips RBU Gold Data	TVD Reference:	25' RKB @ 5619.40ft (25' RKB)
Project:	Niobrara North Zone	MD Reference:	25' RKB @ 5619.40ft (25' RKB)
Site:	Schuh	North Reference:	True
Well:	Schuh 3-65 21-20 3CH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Schuh 3-65 21-20 3CH		
Design:	Design B		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
8,249.26	79.62	274.32	7,878.00	599.57	-23.02	64.23	10.00	9.35	-3.65	
C Chalk Top										
8,250.00	79.69	274.29	7,878.13	599.63	-23.75	64.96	10.00	9.36	-3.59	
8,300.00	84.38	272.52	7,885.06	602.56	-73.16	114.46	10.00	9.37	-3.54	
8,350.00	89.07	270.78	7,887.92	604.00	-123.04	164.32	10.00	9.38	-3.48	
8,360.47	90.05	270.41	7,888.00	604.11	-133.51	174.77	10.00	9.38	-3.47	
BPI/LP: 1849' FSL, 613' FEL										
8,400.00	90.05	270.41	7,887.97	604.39	-173.04	214.23	0.00	0.00	0.00	
8,500.00	90.05	270.41	7,887.88	605.12	-273.04	314.04	0.00	0.00	0.00	
8,600.00	90.05	270.41	7,887.80	605.84	-373.04	413.85	0.00	0.00	0.00	
8,700.00	90.05	270.41	7,887.72	606.56	-473.03	513.66	0.00	0.00	0.00	
8,800.00	90.05	270.41	7,887.64	607.29	-573.03	613.47	0.00	0.00	0.00	
8,900.00	90.05	270.41	7,887.55	608.01	-673.03	713.28	0.00	0.00	0.00	
9,000.00	90.05	270.41	7,887.47	608.73	-773.03	813.09	0.00	0.00	0.00	
9,100.00	90.05	270.41	7,887.39	609.46	-873.02	912.90	0.00	0.00	0.00	
9,200.00	90.05	270.41	7,887.30	610.18	-973.02	1,012.71	0.00	0.00	0.00	
9,300.00	90.05	270.41	7,887.22	610.91	-1,073.02	1,112.52	0.00	0.00	0.00	
9,400.00	90.05	270.41	7,887.14	611.63	-1,173.01	1,212.33	0.00	0.00	0.00	
9,500.00	90.05	270.41	7,887.05	612.35	-1,273.01	1,312.14	0.00	0.00	0.00	
9,600.00	90.05	270.41	7,886.97	613.08	-1,373.01	1,411.95	0.00	0.00	0.00	
9,700.00	90.05	270.41	7,886.89	613.80	-1,473.01	1,511.76	0.00	0.00	0.00	
9,800.00	90.05	270.41	7,886.80	614.52	-1,573.00	1,611.57	0.00	0.00	0.00	
9,900.00	90.05	270.41	7,886.72	615.25	-1,673.00	1,711.38	0.00	0.00	0.00	
10,000.00	90.05	270.41	7,886.64	615.97	-1,773.00	1,811.19	0.00	0.00	0.00	
10,100.00	90.05	270.41	7,886.56	616.69	-1,873.00	1,911.00	0.00	0.00	0.00	
10,200.00	90.05	270.41	7,886.47	617.42	-1,972.99	2,010.81	0.00	0.00	0.00	
10,300.00	90.05	270.41	7,886.39	618.14	-2,072.99	2,110.62	0.00	0.00	0.00	
10,400.00	90.05	270.41	7,886.31	618.87	-2,172.99	2,210.43	0.00	0.00	0.00	
10,500.00	90.05	270.41	7,886.22	619.59	-2,272.99	2,310.24	0.00	0.00	0.00	
10,600.00	90.05	270.41	7,886.14	620.31	-2,372.98	2,410.05	0.00	0.00	0.00	
10,700.00	90.05	270.41	7,886.06	621.04	-2,472.98	2,509.86	0.00	0.00	0.00	
10,800.00	90.05	270.41	7,885.97	621.76	-2,572.98	2,609.67	0.00	0.00	0.00	
10,900.00	90.05	270.41	7,885.89	622.48	-2,672.97	2,709.48	0.00	0.00	0.00	
11,000.00	90.05	270.41	7,885.81	623.21	-2,772.97	2,809.29	0.00	0.00	0.00	
11,100.00	90.05	270.41	7,885.73	623.93	-2,872.97	2,909.10	0.00	0.00	0.00	
11,200.00	90.05	270.41	7,885.64	624.65	-2,972.97	3,008.91	0.00	0.00	0.00	
11,300.00	90.05	270.41	7,885.56	625.38	-3,072.96	3,108.72	0.00	0.00	0.00	
11,400.00	90.05	270.41	7,885.48	626.10	-3,172.96	3,208.53	0.00	0.00	0.00	
11,500.00	90.05	270.41	7,885.39	626.82	-3,272.96	3,308.34	0.00	0.00	0.00	
11,600.00	90.05	270.41	7,885.31	627.55	-3,372.96	3,408.15	0.00	0.00	0.00	
11,700.00	90.05	270.41	7,885.23	628.27	-3,472.95	3,507.96	0.00	0.00	0.00	
11,800.00	90.05	270.41	7,885.14	629.00	-3,572.95	3,607.77	0.00	0.00	0.00	
11,900.00	90.05	270.41	7,885.06	629.72	-3,672.95	3,707.58	0.00	0.00	0.00	
12,000.00	90.05	270.41	7,884.98	630.44	-3,772.95	3,807.39	0.00	0.00	0.00	
12,100.00	90.05	270.41	7,884.89	631.17	-3,872.94	3,907.20	0.00	0.00	0.00	
12,200.00	90.05	270.41	7,884.81	631.89	-3,972.94	4,007.01	0.00	0.00	0.00	
12,300.00	90.05	270.41	7,884.73	632.61	-4,072.94	4,106.82	0.00	0.00	0.00	
12,400.00	90.05	270.41	7,884.65	633.34	-4,172.93	4,206.63	0.00	0.00	0.00	
12,500.00	90.05	270.41	7,884.56	634.06	-4,272.93	4,306.44	0.00	0.00	0.00	
12,600.00	90.05	270.41	7,884.48	634.78	-4,372.93	4,406.25	0.00	0.00	0.00	
12,700.00	90.05	270.41	7,884.40	635.51	-4,472.93	4,506.06	0.00	0.00	0.00	
12,800.00	90.05	270.41	7,884.31	636.23	-4,572.92	4,605.87	0.00	0.00	0.00	
12,900.00	90.05	270.41	7,884.23	636.95	-4,672.92	4,705.68	0.00	0.00	0.00	
13,000.00	90.05	270.41	7,884.15	637.68	-4,772.92	4,805.49	0.00	0.00	0.00	

ConocoPhillips

Planning Report

Database:	EDT 14 Central Planning	Local Co-ordinate Reference:	Well Schuh 3-65 21-20 3CH
Company:	ConocoPhillips RBU Gold Data	TVD Reference:	25' RKB @ 5619.40ft (25' RKB)
Project:	Niobrara North Zone	MD Reference:	25' RKB @ 5619.40ft (25' RKB)
Site:	Schuh	North Reference:	True
Well:	Schuh 3-65 21-20 3CH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Schuh 3-65 21-20 3CH		
Design:	Design B		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
13,100.00	90.05	270.41	7,884.06	638.40	-4,872.92	4,905.30	0.00	0.00	0.00
13,200.00	90.05	270.41	7,883.98	639.13	-4,972.91	5,005.11	0.00	0.00	0.00
13,300.00	90.05	270.41	7,883.90	639.85	-5,072.91	5,104.92	0.00	0.00	0.00
13,400.00	90.05	270.41	7,883.82	640.57	-5,172.91	5,204.73	0.00	0.00	0.00
13,500.00	90.05	270.41	7,883.73	641.30	-5,272.91	5,304.54	0.00	0.00	0.00
13,600.00	90.05	270.41	7,883.65	642.02	-5,372.90	5,404.35	0.00	0.00	0.00
13,700.00	90.05	270.41	7,883.57	642.74	-5,472.90	5,504.16	0.00	0.00	0.00
13,800.00	90.05	270.41	7,883.48	643.47	-5,572.90	5,603.97	0.00	0.00	0.00
13,900.00	90.05	270.41	7,883.40	644.19	-5,672.90	5,703.78	0.00	0.00	0.00
14,000.00	90.05	270.41	7,883.32	644.91	-5,772.89	5,803.59	0.00	0.00	0.00
14,100.00	90.05	270.41	7,883.23	645.64	-5,872.89	5,903.40	0.00	0.00	0.00
14,200.00	90.05	270.41	7,883.15	646.36	-5,972.89	6,003.21	0.00	0.00	0.00
14,300.00	90.05	270.41	7,883.07	647.09	-6,072.88	6,103.02	0.00	0.00	0.00
14,400.00	90.05	270.41	7,882.98	647.81	-6,172.88	6,202.83	0.00	0.00	0.00
14,500.00	90.05	270.41	7,882.90	648.53	-6,272.88	6,302.64	0.00	0.00	0.00
14,600.00	90.05	270.41	7,882.82	649.26	-6,372.88	6,402.45	0.00	0.00	0.00
14,700.00	90.05	270.41	7,882.74	649.98	-6,472.87	6,502.26	0.00	0.00	0.00
14,800.00	90.05	270.41	7,882.65	650.70	-6,572.87	6,602.07	0.00	0.00	0.00
14,900.00	90.05	270.41	7,882.57	651.43	-6,672.87	6,701.88	0.00	0.00	0.00
15,000.00	90.05	270.41	7,882.49	652.15	-6,772.87	6,801.69	0.00	0.00	0.00
15,100.00	90.05	270.41	7,882.40	652.87	-6,872.86	6,901.50	0.00	0.00	0.00
15,200.00	90.05	270.41	7,882.32	653.60	-6,972.86	7,001.31	0.00	0.00	0.00
15,300.00	90.05	270.41	7,882.24	654.32	-7,072.86	7,101.12	0.00	0.00	0.00
15,400.00	90.05	270.41	7,882.15	655.04	-7,172.86	7,200.93	0.00	0.00	0.00
15,500.00	90.05	270.41	7,882.07	655.77	-7,272.85	7,300.74	0.00	0.00	0.00
15,600.00	90.05	270.41	7,881.99	656.49	-7,372.85	7,400.55	0.00	0.00	0.00
15,700.00	90.05	270.41	7,881.91	657.22	-7,472.85	7,500.36	0.00	0.00	0.00
15,800.00	90.05	270.41	7,881.82	657.94	-7,572.84	7,600.17	0.00	0.00	0.00
15,900.00	90.05	270.41	7,881.74	658.66	-7,672.84	7,699.98	0.00	0.00	0.00
16,000.00	90.05	270.41	7,881.66	659.39	-7,772.84	7,799.79	0.00	0.00	0.00
16,100.00	90.05	270.41	7,881.57	660.11	-7,872.84	7,899.60	0.00	0.00	0.00
16,200.00	90.05	270.41	7,881.49	660.83	-7,972.83	7,999.41	0.00	0.00	0.00
16,300.00	90.05	270.41	7,881.41	661.56	-8,072.83	8,099.22	0.00	0.00	0.00
16,400.00	90.05	270.41	7,881.32	662.28	-8,172.83	8,199.03	0.00	0.00	0.00
16,500.00	90.05	270.41	7,881.24	663.00	-8,272.83	8,298.84	0.00	0.00	0.00
16,600.00	90.05	270.41	7,881.16	663.73	-8,372.82	8,398.65	0.00	0.00	0.00
16,700.00	90.05	270.41	7,881.07	664.45	-8,472.82	8,498.46	0.00	0.00	0.00
16,800.00	90.05	270.41	7,880.99	665.18	-8,572.82	8,598.27	0.00	0.00	0.00
16,900.00	90.05	270.41	7,880.91	665.90	-8,672.82	8,698.08	0.00	0.00	0.00
17,000.00	90.05	270.41	7,880.83	666.62	-8,772.81	8,797.89	0.00	0.00	0.00
17,100.00	90.05	270.41	7,880.74	667.35	-8,872.81	8,897.70	0.00	0.00	0.00
17,200.00	90.05	270.41	7,880.66	668.07	-8,972.81	8,997.51	0.00	0.00	0.00
17,300.00	90.05	270.41	7,880.58	668.79	-9,072.81	9,097.32	0.00	0.00	0.00
17,400.00	90.05	270.41	7,880.49	669.52	-9,172.80	9,197.13	0.00	0.00	0.00
17,500.00	90.05	270.41	7,880.41	670.24	-9,272.80	9,296.94	0.00	0.00	0.00
17,600.00	90.05	270.41	7,880.33	670.96	-9,372.80	9,396.75	0.00	0.00	0.00
17,700.00	90.05	270.41	7,880.24	671.69	-9,472.79	9,496.56	0.00	0.00	0.00
17,800.00	90.05	270.41	7,880.16	672.41	-9,572.79	9,596.37	0.00	0.00	0.00
17,900.00	90.05	270.41	7,880.08	673.13	-9,672.79	9,696.18	0.00	0.00	0.00
17,994.09	90.05	270.41	7,880.00	673.82	-9,766.88	9,790.09	0.00	0.00	0.00
BHL: 1849' FSL, 325' FWL									

ConocoPhillips

Planning Report

Database:	EDT 14 Central Planning	Local Co-ordinate Reference:	Well Schuh 3-65 21-20 3CH
Company:	ConocoPhillips RBU Gold Data	TVD Reference:	25' RKB @ 5619.40ft (25' RKB)
Project:	Niobrara North Zone	MD Reference:	25' RKB @ 5619.40ft (25' RKB)
Site:	Schuh	North Reference:	True
Well:	Schuh 3-65 21-20 3CH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Schuh 3-65 21-20 3CH		
Design:	Design B		

Design Targets

Target Name

- hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
Schuh 3-65 21-20 3CI - plan hits target center - Point	0.00	0.00	7,880.00	673.82	-9,766.88	1,161,662.775	3,226,017.777	39° 46' 27.550 N	104° 41' 45.190 W
Schuh 3-65 21-20 3CI - plan hits target center - Point	0.00	0.00	7,888.00	604.11	-133.52	1,161,684.199	3,235,651.265	39° 46' 26.880 N	104° 39' 41.810 W

Casing Points

Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (")	Hole Diameter (")
2,188.00	2,188.00	9-5/8" Casing	9-5/8	12-1/4
17,994.09	7,880.00	5-1/2" Casing	5-1/2	8-1/2

Formations

Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
1,722.00	1,722.00	Fox Hills Top		0.00	
1,988.00	1,988.00	Fox Hills Base		0.00	
2,188.00	2,188.00	Surface Casing		0.00	
7,927.41	7,742.00	Niobrara Top		0.00	
8,249.26	7,878.00	C Chalk Top		0.00	

Plan Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
100.00	100.00	0.00	0.00	SHL: 1248' FSL, 475' FEL
7,232.91	7,143.22	324.57	393.46	EOB: 1573' FSL, 82' FEL
7,234.96	7,145.00	325.22	394.25	KOP: 1573' FSL, 81' FEL
8,360.47	7,888.00	604.11	-133.51	BPI/LP: 1849' FSL, 613' FEL
17,994.09	7,880.00	673.82	-9,766.88	BHL: 1849' FSL, 325' FWL