

**FORM
INSP**Rev
X/15**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

07/11/2018

Submitted Date:

07/13/2018

Document Number:

682503580**FIELD INSPECTION FORM**Loc ID 455471 Inspector Name: Trujillo, Aaron On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**OGCC Operator Number: 10112Name of Operator: FOUNDATION ENERGY MANAGEMENT LLCAddress: 5057 KELLER SPRINGS RD STE 650City: ADDISON State: TX Zip: 75001**Status Summary:**

- ☒
- THIS IS A FOLLOW UP INSPECTION
-
- ☒
- FOLLOW UP INSPECTION REQUIRED
-
- ☐
- NO FOLLOW UP INSPECTION REQUIRED

Findings:3 Number of Comments1 Number of Corrective Actions

- ☒
- Corrective Action Response Requested

Contact Information:

Contact Name	Phone	Email	Comment
,		regulatory@foundationenergy.com	All Inspections

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
455472	TANK BATTERY	AC	06/18/2018		-	Sooner North Tank Battery	RI

General Comment:

This is a follow-up good housekeeping inspection. Any corrective action(s) from previous inspections that have not been addressed are still applicable.

LocationOverall Good: ☐

Emergency Contact Number:

Comment: Corrective Action: Date: **Good Housekeeping:**

Type	WEEDS		
Comment:	<p>Inspection #682503505 documented noxious weeds (Diffuse Knapweed, Centaurea diffusa) along access roads and the location and required operator to manage and remove.</p> <p>Operator submitted resolution stating location was sprayed. Evidence of herbicide evident, however spraying does not appear to have been sufficient as many plants appear to be viable and have continued to mature/flower. Additionally, corrective action required removal of the noxious weeds; Diffuse knapweed remains on location. Original corrective action and date remains applicable.</p>		
Corrective Action:	Properly remove and control noxious weeds. Ongoing weed management and monitoring is required, and needs to occur in accordance to COGCC rules and regulations. Due to the sensitive timeframe required to manage noxious weeds prior to seedhead maturation, and due to complaints and compliance concerns on adjacent locations, a shortened corrective action date of 6/22/2018 is being provided.	Date:	06/22/2018

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment: ☐ Multiple Spills and Releases?**Venting:**

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Inspected FacilitiesFacility ID: 455472 Type: TANK API Number: - Status: AC Insp. Status: RI**Attached Documents**You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
682503581	Inspection Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4523166