

WI-105 DOUGLAS TSD COMPILATION


Interpretation Report
Interpretation Report
Interpretation Report

	Counts/Sec.	Gain	Offset	Jig	Units
Background	0.0				cps
Calibrator	1.0				cps
		0.6500			GAPI/cps

PRIMARY VERIFICATION

Background	0.0				cps
Calibrator	0.0				cps
Difference				0.0	GAPI

BEFORE SURVEY VERIFICATION

Background	0.0				cps
Calibrator	0.0				cps
Difference				0.0	GAPI

AFTER SURVEY VERIFICATION

Background	0.0				cps
Calibrator	0.0				cps
Difference				0.0	GAPI

Segmented Cement Bond Log Calibration Report

Serial Number:	101020	
Tool Model:	Probe	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	410.217	ft

Master Calibration, performed Fri Jun 15 07:35:24 2018:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	1.250	0.900	71.921	56.808	0.900
CAL	0.000	1.556				
5'	0.000	1.027	0.900	71.921	69.163	0.900
SUM						
S1	0.000	1.197	0.000	71.921	60.091	0.000
S2	0.000	1.301	0.000	71.921	55.296	0.000
S3	0.000	1.354	0.000	71.921	53.105	0.000
S4	0.000	1.328	0.000	71.921	54.141	0.000
S5	0.000	1.277	0.000	71.921	56.313	0.000
S6	0.000	1.234	0.000	71.921	58.269	0.000
S7	0.000	1.181	0.000	71.921	60.880	0.000
S8	0.000	1.154	0.000	71.921	62.343	0.000

Internal Reference Calibration, performed Tue Feb 12 12:45:01 2013:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.000	1.556	1.000	0.000

Air Zero Calibration, performed Wed Jun 13 14:05:09 2018:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000