



Bison Oil Well Cementing Single Cement Surface Pipe

Date: 3/13/2018

Invoice # 666293

API# 05-123-46259

Foreman: Nick Vigil

Customer: Anadarko Petroleum Corporation

Well Name: Quarter Circle 24-11HZ

County: Weld

State: Colorado

Sec: 24

Twp: 1N

Range: 67W

Consultant: Bryan

Rig Name & Number: Cartel 88

Distance To Location: 33 Miles

Units On Location: 4023/4032/4040

Time Requested: 23:00

Time Arrived On Location: 22:15

Time Left Location:

WELL DATA

Casing Size OD (in) : 9.625
Casing Weight (lb) : 36.00
Casing Depth (ft.) : 1,868
Total Depth (ft) : 1878
Open Hole Diameter (in.) : 13.50
Conductor Length (ft) : 80
Conductor ID : 15.25
Shoe Joint Length (ft) : 42
Landing Joint (ft) : 10

Max Rate: 8
Max Pressure: 2000

Cement Data

Cement Name: BFN III
Cement Density (lb/gal) : 14.2
Cement Yield (cuft) : 1.49
Gallons Per Sack: 7.48
% Excess: 10%
Displacement Fluid lb/gal: 8.3
BBL to Pit:
Fluid Ahead (bbls): 30.0
H2O Wash Up (bbls): 20.0

Spacer Ahead Makeup
Dye in second 10 bbl

Casing ID

8.921

Casing Grade

J-55 only used

Calculated Results

cuft of Shoe 18.23 cuft
(Casing ID Squared) X (.005454) X (Shoe Joint ft)
cuft of Conductor 61.05 cuft
(Conductor Width Squared) - (Casing Size OD Squared) X (.005454) X (Conductor Length ft)
cuft of Casing 961.23 cuft
(Open Hole Squared) - (Casing Size Squared) X (.005454) X (Casing Depth - Conductor Length)
Total Slurry Volume 1040.51 cuft
(cuft of Shoe) + (cuft of Conductor) + (cuft of Casing)
bbls of Slurry 185.32 bbls
(Total Slurry Volume) X (.1781)
Sacks Needed 698 sk
(Total Slurry Volume) ÷ (Cement Yield) X (% Excess Cement)
Mix Water 124.37 bbls
(Sacks Needed) X (Gallons Per Sack) ÷ 42

Displacement: 141.94 bbls

(Casing ID Squared) X (.0009714) X (Casing Depth + Landing Joint - Shoe Joint)

Pressure of cement in annulus

Hydrostatic Pressure: 1378.02 PSI

Pressure of the fluids inside casing

Displacement: 787.34 psi

Shoe Joint: 30.98 psi

Total 818.32 psi

Differential Pressure: 559.70 psi

Collapse PSI: 2020.00 psi

Burst PSI: 3520.00 psi

Total Water Needed: 316.31 bbls

X

Authorization To Proceed

Customers hereby acknowledges and specifically agrees to the terms and condition on this work order, including, without limitation, the provisions on this work order.

Date _____

Quarter Circle 24-11HZ

