RELIANCE
OILFIELD SERVICES

Radial Cement Bond Gamma Ray Casing Collar Log

Company	TEP Rocky Mountain LLC
Well	Federal PA 531-26
Field	Parachute
County	Garfield
State	Colorado

Company TEP Rocky Mountain LLC
Well Federal PA 531-26
Field Parachute
County Garfield State Colorado
Location: API # : 05-045-23726
SEC 26 TWP 6S RGE 95W
Other Services
--

Permanent Datum	Ground Level	Elevation 5636.9'	Elevation
Log Measured From	Kelly Bushing	24 FT	K.B. 5660.9' D.F. 5659.9' G.L. 5636.9'
Drilling Measured From	Kelly Bushing		

Date	16-JUL-2018
Run Number	One
Depth Driller	8908 FT
Depth Logger	8845 FT
Bottom Logged Interval	8831 FT
Top Log Interval	Surface
Open Hole Size	8.750"
Type Fluid	Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	235°F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	16:40
Equipment Number	HD-0359
Location	Grand Junction, CO
Recorded By	Z. Fisher
Witnessed By	Dustin Welsh

Borehole Record			Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	32.3	H-40	Surface	1103 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	8865 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint Logged from 4503 FT to 4524 FT
Log ran from 8831 FT to Surface
Recorded with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!

RELIANCE
OILFIELD SERVICES

Main Pass

Recorded with 0 PSI Surface Induced Pressure

Database File	tep_federal pa 531-26_rbl_07-16-18\tep_federal pa 531-26_rbl_07-16-18.db
Dataset Pathname	main
Presentation Format	ros_rbt004_tep
Dataset Creation	Mon Jul 16 17:38:06 2018
Charted by	Depth in Feet scaled 1:240

Gamma Ray 0 (GAPI) 200
Line Speed -150 (ft/min) 150
Line Tension 0 (lb) 2000
Differential Temperature -2 (degF) 2
Temperature 0 (degF) 20
10 CCL 0

3' Amplitude 0 (mV) 100
3' Amplitude x 5 0 (mV) 20
3' Travel Time 300 (usec) 200

5' Variable Density Log 200 1200

Sector Map 10 110

Average Amplitude 0 150
MimimumAmplitude 0 150
MaximumAmplitude 0 150


129.9
3800
131.5
3900


133.4
4000
135.3
4100


137.1
4200
138.8
4300


140.7
4400
142.5
4500
Marker Joint


144.2
4600
145.9
4700


147.8
4800
149.9
4900


152.0
5000
154.1
5100


156.1
5200
158.0
5300


159.6
5400
161.1
5500


162.7
5600
164.5
5700


166.5
5800
168.4
5900


170.6
6000
172.5
6100


174.2
6200
175.9
6300
177.7
6400


179.5
6500
181.1
6600


183.1
6700
185.1
6800


186.9
6900
188.5
7000


190.4
7100
192.4
7200


194.4
7300
196.2
7400


198.1
7500
200.0
7600
201.8
7700

Repeat Pass

Recorded with 0 PSI Surface Induced Pressure

Database File	tep_federal pa 531-26_rbl_07-16-18\tep_federal pa 531-26_rbl_07-16-18.db
Dataset Pathname	repeat
Presentation Format	ros_rbt004_tep
Dataset Creation	Mon Jul 16 17:35:01 2018
Charted by	Depth in Feet scaled 1:240



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Titan CHD-14375 GO Titan 1-7/16" Assembled Electric Cable Head w/ 1" Fishing Neck	1.03	1.44	3.60
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
TEMP	16.33					
			Probe Radii-2750 RBT (FW1302-001) Probe 2-3/4" Radial Cement Bond Tool with Integral Temperature Sub	9.39	2.75	105.00
WVFS8	14.10					
WVFS7	14.10					
WVFS6	14.10					
WVFS5	14.10					
WVFS4	14.10					
WVFS3	14.10					
WVFS2	14.10					
WVFS1	14.10					
WVFCAL	14.10					
WVF3FT	14.10					
WVF5FT	13.10					
HEADVOLT	9.85					
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
CCL$2	6.42					
CCL$1	6.42					
GR	5.18					
			Probe GR-CCL-2750 GOB (FW1307-038) Probe 2-3/4" rev.2 Digital Scintillation Gamma Ray/CCL Combined	4.51	2.75	55.00
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
			GO BN-14375 GO 1-7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset:	TEP_Federal PA 531-26_RBL_07-16-18.db: field/well/run1/main
Total length:	22.82 ft
Total weight:	260.60 lb
O.D.:	2.75 in

Calibration Report

Database File	C:\ProgramData\Warrior\Data\TEP_Federal PA 531-26_RBL_07-16-18\TEP_Federal PA 531-26_RBL_07-16
Dataset Pathname	main
Dataset Creation	Mon Jul 16 17:38:06 2018

Gamma Ray Calibration Report

Serial Number:	FW1307-038	
Tool Model:	2750 GOB	
Performed:	Sun Nov 12 11:44:12 2017	
Calibrator Value:	637.0	GAPI
Background Reading:	113.2	cps
Calibrator Reading:	1022.4	cps
Sensitivity:	0.7007	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1302-001	
Tool Model:	2750 RBT	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	214.336	ft

Master Calibration, performed Mon Jul 16 14:29:25 2018:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.001	0.774	0.800	81.196	103.771	0.886
CAL	-0.006	0.784				
5'	0.009	0.711	0.800	81.196	114.472	-0.241
SUM						
S1	0.000	0.858	0.000	100.000	116.506	-0.020
S2	0.000	0.775	0.000	100.000	129.152	-0.030
S3	-0.001	0.705	0.000	100.000	141.764	0.071
S4	-0.001	0.699	0.000	100.000	142.812	0.117
S5	-0.001	0.727	0.000	100.000	137.302	0.139
S6	-0.001	0.767	0.000	100.000	130.193	0.122
S7	-0.000	0.816	0.000	100.000	122.556	0.028
S8	-0.001	0.872	0.000	100.000	114.573	0.064

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.006	0.784	1.000	0.000

Air Zero Calibration, performed Mon Jul 16 09:14:33 2018:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number:	FW1302-001	
Tool Model:	2750 RBT	
Performed:	Sun Nov 12 12:24:58 2017	
	Reference	Reading
Low Reference:	100.00 degF	107.47 degF
High Reference:	350.00 degF	404.08 degF
Gain:	0.84	
Offset:	9.42	
Delta Spacing	1	

Company	TEP Rocky Mountain LLC
Well	Federal PA 531-26
Field	Parachute
County	Garfield
State	Colorado