

GEOLOGICAL DATA AND DRILLING AND COMPLETION



FORMATION OR DATE	TOP-DEPTH INTERVAL	REMARKS OR DESCRIPTION AND RESULTS OF WORK						
		<p style="text-align: center;"><u>ELECTRIC LOG FORMATION TOPS</u></p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>"D" Sand</td> <td style="text-align: right;">3168'</td> </tr> <tr> <td>"J" Sand</td> <td style="text-align: right;">3291'</td> </tr> <tr> <td>Kiowa Shale</td> <td style="text-align: right;">3368'</td> </tr> </table> <p style="text-align: center;"><u>PLUG AND ABANDON</u></p> <p>Plugged and abandoned well as follows:</p> <ol style="list-style-type: none"> 1) Plug No. 1 - 3350-3040' - 85 sx 50-50 Pozmix 2) Plug No. 2 - 450-360' - 25 sx 50-50 Pozmix <p>A plate was welded on top of surface pipe per agreement with landowner and Oil and Gas Conservation Commission of the State of Colorado.</p> <p>Verbal approval for the above procedure was received from Mr. Bill Smith of the Colorado Oil and Gas Conservation Commission on January 31, 1965.</p> <p>417' of 8-5/8" OD 24# J-55 casing was left in the hole. Hole was filled with 9.5# mud.</p> <div style="text-align: right; margin-top: 20px;"> </div>	"D" Sand	3168'	"J" Sand	3291'	Kiowa Shale	3368'
"D" Sand	3168'							
"J" Sand	3291'							
Kiowa Shale	3368'							

