

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DREAM WEAVER South 3K-21H-N268 - SI
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4924.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4924.00usft
Site:	S21-T2N-R68W	North Reference:	True
Well:	DREAM WEAVER South 3K-21H-N268	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #3		

Project	DJ BASIN		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		

Site		S21-T2N-R68W			
Site Position:		Northing:	1,286,960.17 usft	Latitude:	40.120065
From:	Lat/Long	Easting:	3,136,653.11 usft	Longitude:	-105.011358
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.32 °

Well	DREAM WEAVER South 3K-21H-N268 - Slot DREAM WEAVER South 3K-21H-N268 SHL					
Well Position	+N/-S	0.00 usft	Northing:	1,286,745.39 usft	Latitude:	40.119473
	+E/-W	0.00 usft	Easting:	3,136,790.33 usft	Longitude:	-105.010872
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	4,901.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination	Dip Angle	Field Strength
			(°)	(°)	(nT)
	HDGM_FILE	2/13/2018	8.53	66.52	52,121.40000000

Design	PLAN #3			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction
	(usft)	(usft)	(usft)	(°)
	0.00	0.00	0.00	176.53

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00	
702.08	10.04	40.34	699.52	33.45	28.41	2.00	2.00	0.00	40.34	
6,592.47	10.04	40.34	6,499.67	816.30	693.26	0.00	0.00	0.00	0.00	
7,818.40	90.00	184.00	7,312.00	102.98	728.83	8.00	6.52	11.72	143.24	DREAM WEAVER So
7,918.40	90.00	186.00	7,312.00	3.37	720.11	2.00	0.00	2.00	90.00	
9,118.40	90.00	186.00	7,312.00	-1,190.06	594.68	0.00	0.00	0.00	0.00	
9,421.90	90.00	179.93	7,312.00	-1,493.01	578.99	2.00	0.00	-2.00	-90.00	
18,357.59	90.00	179.93	7,312.00	-10,428.69	589.92	0.00	0.00	0.00	0.00	
19,054.08	90.00	166.00	7,312.00	-11,118.24	675.01	2.00	0.00	-2.00	-90.00	DREAM WEAVER So

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DREAM WEAVER South 3K-21H-N268 - SI
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4924.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4924.00usft
Site:	S21-T2N-R68W	North Reference:	True
Well:	DREAM WEAVER South 3K-21H-N268	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #3		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	
300.00	2.00	40.34	299.98	1.33	1.13	-1.26	2.00	2.00	
400.00	4.00	40.34	399.84	5.32	4.52	-5.04	2.00	2.00	
500.00	6.00	40.34	499.45	11.96	10.16	-11.32	2.00	2.00	
600.00	8.00	40.34	598.70	21.25	18.05	-20.12	2.00	2.00	
700.00	10.00	40.34	697.46	33.17	28.17	-31.40	2.00	2.00	
702.08	10.04	40.34	699.52	33.45	28.41	-31.67	2.00	2.00	
800.00	10.04	40.34	795.93	46.46	39.46	-43.99	0.00	0.00	
900.00	10.04	40.34	894.40	59.75	50.75	-56.57	0.00	0.00	
1,000.00	10.04	40.34	992.87	73.04	62.03	-69.15	0.00	0.00	
1,100.00	10.04	40.34	1,091.34	86.33	73.32	-81.73	0.00	0.00	
1,200.00	10.04	40.34	1,189.80	99.62	84.61	-94.31	0.00	0.00	
1,300.00	10.04	40.34	1,288.27	112.91	95.90	-106.90	0.00	0.00	
1,400.00	10.04	40.34	1,386.74	126.20	107.18	-119.48	0.00	0.00	
1,500.00	10.04	40.34	1,485.21	139.49	118.47	-132.06	0.00	0.00	
1,600.00	10.04	40.34	1,583.68	152.79	129.76	-144.64	0.00	0.00	
1,700.00	10.04	40.34	1,682.14	166.08	141.04	-157.22	0.00	0.00	
1,800.00	10.04	40.34	1,780.61	179.37	152.33	-169.80	0.00	0.00	
1,900.00	10.04	40.34	1,879.08	192.66	163.62	-182.39	0.00	0.00	
2,000.00	10.04	40.34	1,977.55	205.95	174.90	-194.97	0.00	0.00	
2,100.00	10.04	40.34	2,076.01	219.24	186.19	-207.55	0.00	0.00	
2,200.00	10.04	40.34	2,174.48	232.53	197.48	-220.13	0.00	0.00	
2,300.00	10.04	40.34	2,272.95	245.82	208.77	-232.71	0.00	0.00	
2,400.00	10.04	40.34	2,371.42	259.11	220.05	-245.30	0.00	0.00	
2,500.00	10.04	40.34	2,469.89	272.40	231.34	-257.88	0.00	0.00	
2,599.99	10.04	40.34	2,568.35	285.69	242.63	-270.46	0.00	0.00	
2,699.99	10.04	40.34	2,666.82	298.98	253.91	-283.04	0.00	0.00	
2,799.99	10.04	40.34	2,765.29	312.27	265.20	-295.62	0.00	0.00	
2,899.99	10.04	40.34	2,863.76	325.56	276.49	-308.20	0.00	0.00	
2,999.99	10.04	40.34	2,962.23	338.85	287.78	-320.79	0.00	0.00	
3,099.99	10.04	40.34	3,060.69	352.14	299.06	-333.37	0.00	0.00	
3,199.99	10.04	40.34	3,159.16	365.43	310.35	-345.95	0.00	0.00	
3,299.99	10.04	40.34	3,257.63	378.72	321.64	-358.53	0.00	0.00	
3,399.99	10.04	40.34	3,356.10	392.01	332.92	-371.11	0.00	0.00	
3,499.99	10.04	40.34	3,454.57	405.30	344.21	-383.70	0.00	0.00	
3,599.99	10.04	40.34	3,553.03	418.59	355.50	-396.28	0.00	0.00	
3,699.99	10.04	40.34	3,651.50	431.88	366.79	-408.86	0.00	0.00	
3,799.99	10.04	40.34	3,749.97	445.17	378.07	-421.44	0.00	0.00	
3,899.99	10.04	40.34	3,848.44	458.46	389.36	-434.02	0.00	0.00	
3,999.99	10.04	40.34	3,946.91	471.75	400.65	-446.60	0.00	0.00	
4,099.99	10.04	40.34	4,045.37	485.04	411.93	-459.19	0.00	0.00	
4,199.99	10.04	40.34	4,143.84	498.33	423.22	-471.77	0.00	0.00	
4,299.99	10.04	40.34	4,242.31	511.62	434.51	-484.35	0.00	0.00	
4,399.99	10.04	40.34	4,340.78	524.91	445.79	-496.93	0.00	0.00	
4,499.99	10.04	40.34	4,439.25	538.20	457.08	-509.51	0.00	0.00	
4,599.99	10.04	40.34	4,537.71	551.49	468.37	-522.10	0.00	0.00	
4,699.99	10.04	40.34	4,636.18	564.78	479.66	-534.68	0.00	0.00	
4,799.99	10.04	40.34	4,734.65	578.07	490.94	-547.26	0.00	0.00	
4,899.99	10.04	40.34	4,833.12	591.36	502.23	-559.84	0.00	0.00	
4,999.99	10.04	40.34	4,931.58	604.65	513.52	-572.42	0.00	0.00	

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DREAM WEAVER South 3K-21H-N268 - SI
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4924.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4924.00usft
Site:	S21-T2N-R68W	North Reference:	True
Well:	DREAM WEAVER South 3K-21H-N268	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #3		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
5,099.99	10.04	40.34	5,030.05	617.94	524.80	-585.00	0.00	0.00	
5,199.99	10.04	40.34	5,128.52	631.23	536.09	-597.59	0.00	0.00	
5,299.99	10.04	40.34	5,226.99	644.52	547.38	-610.17	0.00	0.00	
5,399.99	10.04	40.34	5,325.46	657.81	558.67	-622.75	0.00	0.00	
5,499.99	10.04	40.34	5,423.92	671.11	569.95	-635.33	0.00	0.00	
5,599.99	10.04	40.34	5,522.39	684.40	581.24	-647.91	0.00	0.00	
5,699.99	10.04	40.34	5,620.86	697.69	592.53	-660.50	0.00	0.00	
5,799.99	10.04	40.34	5,719.33	710.98	603.81	-673.08	0.00	0.00	
5,899.99	10.04	40.34	5,817.80	724.27	615.10	-685.66	0.00	0.00	
5,999.99	10.04	40.34	5,916.26	737.56	626.39	-698.24	0.00	0.00	
6,099.99	10.04	40.34	6,014.73	750.85	637.67	-710.82	0.00	0.00	
6,199.99	10.04	40.34	6,113.20	764.14	648.96	-723.40	0.00	0.00	
6,299.99	10.04	40.34	6,211.67	777.43	660.25	-735.99	0.00	0.00	
6,399.99	10.04	40.34	6,310.14	790.72	671.54	-748.57	0.00	0.00	
6,499.99	10.04	40.34	6,408.60	804.01	682.82	-761.15	0.00	0.00	
6,592.47	10.04	40.34	6,499.67	816.30	693.26	-772.79	0.00	0.00	
6,599.99	9.57	42.51	6,507.08	817.26	694.11	-773.69	8.00	-6.32	
6,699.99	6.01	99.04	6,606.27	822.57	704.91	-778.34	8.00	-3.55	
6,799.99	10.41	149.16	6,705.33	813.98	714.73	-769.17	8.00	4.39	
6,899.99	17.55	164.62	6,802.34	791.65	723.38	-746.36	8.00	7.14	
6,999.99	25.20	171.12	6,895.40	756.02	730.67	-710.35	8.00	7.65	
7,099.99	33.01	174.71	6,982.71	707.77	736.48	-661.84	8.00	7.81	
7,199.99	40.89	177.04	7,062.56	647.86	740.69	-601.79	8.00	7.88	
7,299.99	48.80	178.73	7,133.41	577.45	743.22	-531.35	8.00	7.91	
7,399.99	56.73	180.05	7,193.86	497.90	744.02	-451.90	8.00	7.93	
7,499.99	64.68	181.15	7,242.76	410.76	743.07	-364.98	8.00	7.94	
7,599.98	72.63	182.12	7,279.13	317.74	740.39	-272.29	8.00	7.95	
7,699.98	80.58	183.00	7,302.29	220.64	736.04	-175.63	8.00	7.95	
7,799.98	88.54	183.85	7,311.76	121.35	730.09	-76.88	8.00	7.96	
7,818.40	90.00	184.00	7,312.00	102.98	728.83	-58.63	8.00	7.96	DREAM WEAVER South 3K-21H-N268 TPZ
7,899.98	90.00	185.63	7,312.00	21.69	721.98	22.11	2.00	0.00	
7,918.40	90.00	186.00	7,312.00	3.37	720.11	40.28	2.00	0.00	
7,999.98	90.00	186.00	7,312.00	-77.77	711.59	120.75	0.00	0.00	
8,099.98	90.00	186.00	7,312.00	-177.22	701.13	219.39	0.00	0.00	
8,199.98	90.00	186.00	7,312.00	-276.68	690.68	318.02	0.00	0.00	
8,299.98	90.00	186.00	7,312.00	-376.13	680.23	416.66	0.00	0.00	
8,399.98	90.00	186.00	7,312.00	-475.58	669.78	515.29	0.00	0.00	
8,499.98	90.00	186.00	7,312.00	-575.03	659.32	613.93	0.00	0.00	
8,599.98	90.00	186.00	7,312.00	-674.48	648.87	712.57	0.00	0.00	
8,699.98	90.00	186.00	7,312.00	-773.94	638.42	811.20	0.00	0.00	
8,799.98	90.00	186.00	7,312.00	-873.39	627.96	909.84	0.00	0.00	
8,899.98	90.00	186.00	7,312.00	-972.84	617.51	1,008.47	0.00	0.00	
8,999.98	90.00	186.00	7,312.00	-1,072.29	607.06	1,107.11	0.00	0.00	
9,099.98	90.00	186.00	7,312.00	-1,171.74	596.61	1,205.75	0.00	0.00	
9,118.40	90.00	186.00	7,312.00	-1,190.06	594.68	1,223.91	0.00	0.00	
9,199.98	90.00	184.37	7,312.00	-1,271.31	587.31	1,304.56	2.00	0.00	
9,299.98	90.00	182.37	7,312.00	-1,371.13	581.43	1,403.84	2.00	0.00	
9,399.98	90.00	180.37	7,312.00	-1,471.09	579.05	1,503.48	2.00	0.00	
9,421.90	90.00	179.93	7,312.00	-1,493.01	578.99	1,525.36	2.00	0.00	
9,499.98	90.00	179.93	7,312.00	-1,571.09	579.08	1,603.30	0.00	0.00	
9,599.98	90.00	179.93	7,312.00	-1,671.09	579.21	1,703.12	0.00	0.00	
9,699.98	90.00	179.93	7,312.00	-1,771.09	579.33	1,802.95	0.00	0.00	

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DREAM WEAVER South 3K-21H-N268 - SI
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4924.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4924.00usft
Site:	S21-T2N-R68W	North Reference:	True
Well:	DREAM WEAVER South 3K-21H-N268	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #3		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
9,799.98	90.00	179.93	7,312.00	-1,871.09	579.45	1,902.77	0.00	0.00	
9,899.98	90.00	179.93	7,312.00	-1,971.09	579.57	2,002.59	0.00	0.00	
9,999.98	90.00	179.93	7,312.00	-2,071.09	579.70	2,102.42	0.00	0.00	
10,099.98	90.00	179.93	7,312.00	-2,171.09	579.82	2,202.24	0.00	0.00	
10,199.98	90.00	179.93	7,312.00	-2,271.09	579.94	2,302.06	0.00	0.00	
10,299.98	90.00	179.93	7,312.00	-2,371.09	580.06	2,401.89	0.00	0.00	
10,399.98	90.00	179.93	7,312.00	-2,471.09	580.19	2,501.71	0.00	0.00	
10,499.98	90.00	179.93	7,312.00	-2,571.09	580.31	2,601.53	0.00	0.00	
10,599.98	90.00	179.93	7,312.00	-2,671.09	580.43	2,701.36	0.00	0.00	
10,699.98	90.00	179.93	7,312.00	-2,771.09	580.55	2,801.18	0.00	0.00	
10,799.98	90.00	179.93	7,312.00	-2,871.09	580.67	2,901.00	0.00	0.00	
10,899.98	90.00	179.93	7,312.00	-2,971.09	580.80	3,000.83	0.00	0.00	
10,999.98	90.00	179.93	7,312.00	-3,071.09	580.92	3,100.65	0.00	0.00	
11,099.98	90.00	179.93	7,312.00	-3,171.09	581.04	3,200.47	0.00	0.00	
11,199.98	90.00	179.93	7,312.00	-3,271.09	581.16	3,300.30	0.00	0.00	
11,299.98	90.00	179.93	7,312.00	-3,371.09	581.29	3,400.12	0.00	0.00	
11,399.98	90.00	179.93	7,312.00	-3,471.09	581.41	3,499.94	0.00	0.00	
11,499.98	90.00	179.93	7,312.00	-3,571.09	581.53	3,599.77	0.00	0.00	
11,599.98	90.00	179.93	7,312.00	-3,671.09	581.65	3,699.59	0.00	0.00	
11,699.98	90.00	179.93	7,312.00	-3,771.09	581.78	3,799.41	0.00	0.00	
11,799.98	90.00	179.93	7,312.00	-3,871.09	581.90	3,899.24	0.00	0.00	
11,899.98	90.00	179.93	7,312.00	-3,971.09	582.02	3,999.06	0.00	0.00	
11,999.98	90.00	179.93	7,312.00	-4,071.09	582.14	4,098.88	0.00	0.00	
12,099.98	90.00	179.93	7,312.00	-4,171.09	582.26	4,198.71	0.00	0.00	
12,199.98	90.00	179.93	7,312.00	-4,271.09	582.39	4,298.53	0.00	0.00	
12,299.98	90.00	179.93	7,312.00	-4,371.09	582.51	4,398.35	0.00	0.00	
12,399.98	90.00	179.93	7,312.00	-4,471.09	582.63	4,498.18	0.00	0.00	
12,499.98	90.00	179.93	7,312.00	-4,571.09	582.75	4,598.00	0.00	0.00	
12,599.97	90.00	179.93	7,312.00	-4,671.09	582.88	4,697.82	0.00	0.00	
12,699.97	90.00	179.93	7,312.00	-4,771.09	583.00	4,797.65	0.00	0.00	
12,799.97	90.00	179.93	7,312.00	-4,871.09	583.12	4,897.47	0.00	0.00	
12,899.97	90.00	179.93	7,312.00	-4,971.08	583.24	4,997.29	0.00	0.00	
12,999.97	90.00	179.93	7,312.00	-5,071.08	583.37	5,097.12	0.00	0.00	
13,099.97	90.00	179.93	7,312.00	-5,171.08	583.49	5,196.94	0.00	0.00	
13,199.97	90.00	179.93	7,312.00	-5,271.08	583.61	5,296.76	0.00	0.00	
13,299.97	90.00	179.93	7,312.00	-5,371.08	583.73	5,396.59	0.00	0.00	
13,399.97	90.00	179.93	7,312.00	-5,471.08	583.85	5,496.41	0.00	0.00	
13,499.97	90.00	179.93	7,312.00	-5,571.08	583.98	5,596.23	0.00	0.00	
13,599.97	90.00	179.93	7,312.00	-5,671.08	584.10	5,696.06	0.00	0.00	
13,699.97	90.00	179.93	7,312.00	-5,771.08	584.22	5,795.88	0.00	0.00	
13,799.97	90.00	179.93	7,312.00	-5,871.08	584.34	5,895.70	0.00	0.00	
13,899.97	90.00	179.93	7,312.00	-5,971.08	584.47	5,995.53	0.00	0.00	
13,999.97	90.00	179.93	7,312.00	-6,071.08	584.59	6,095.35	0.00	0.00	
14,099.97	90.00	179.93	7,312.00	-6,171.08	584.71	6,195.17	0.00	0.00	
14,199.97	90.00	179.93	7,312.00	-6,271.08	584.83	6,295.00	0.00	0.00	
14,299.97	90.00	179.93	7,312.00	-6,371.08	584.96	6,394.82	0.00	0.00	
14,399.97	90.00	179.93	7,312.00	-6,471.08	585.08	6,494.64	0.00	0.00	
14,499.97	90.00	179.93	7,312.00	-6,571.08	585.20	6,594.47	0.00	0.00	
14,599.97	90.00	179.93	7,312.00	-6,671.08	585.32	6,694.29	0.00	0.00	
14,699.97	90.00	179.93	7,312.00	-6,771.08	585.44	6,794.11	0.00	0.00	
14,799.97	90.00	179.93	7,312.00	-6,871.08	585.57	6,893.94	0.00	0.00	
14,899.97	90.00	179.93	7,312.00	-6,971.08	585.69	6,993.76	0.00	0.00	

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DREAM WEAVER South 3K-21H-N268 - SI
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4924.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4924.00usft
Site:	S21-T2N-R68W	North Reference:	True
Well:	DREAM WEAVER South 3K-21H-N268	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #3		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
14,999.97	90.00	179.93	7,312.00	-7,071.08	585.81	7,093.58	0.00	0.00	
15,099.97	90.00	179.93	7,312.00	-7,171.08	585.93	7,193.41	0.00	0.00	
15,199.97	90.00	179.93	7,312.00	-7,271.08	586.06	7,293.23	0.00	0.00	
15,299.97	90.00	179.93	7,312.00	-7,371.08	586.18	7,393.05	0.00	0.00	
15,399.97	90.00	179.93	7,312.00	-7,471.08	586.30	7,492.88	0.00	0.00	
15,499.97	90.00	179.93	7,312.00	-7,571.08	586.42	7,592.70	0.00	0.00	
15,599.97	90.00	179.93	7,312.00	-7,671.08	586.55	7,692.52	0.00	0.00	
15,699.97	90.00	179.93	7,312.00	-7,771.08	586.67	7,792.35	0.00	0.00	
15,799.97	90.00	179.93	7,312.00	-7,871.08	586.79	7,892.17	0.00	0.00	
15,899.97	90.00	179.93	7,312.00	-7,971.08	586.91	7,991.99	0.00	0.00	
15,999.97	90.00	179.93	7,312.00	-8,071.08	587.03	8,091.82	0.00	0.00	
16,099.97	90.00	179.93	7,312.00	-8,171.08	587.16	8,191.64	0.00	0.00	
16,199.97	90.00	179.93	7,312.00	-8,271.08	587.28	8,291.46	0.00	0.00	
16,299.97	90.00	179.93	7,312.00	-8,371.08	587.40	8,391.29	0.00	0.00	
16,399.97	90.00	179.93	7,312.00	-8,471.08	587.52	8,491.11	0.00	0.00	
16,499.97	90.00	179.93	7,312.00	-8,571.08	587.65	8,590.93	0.00	0.00	
16,599.97	90.00	179.93	7,312.00	-8,671.07	587.77	8,690.76	0.00	0.00	
16,699.97	90.00	179.93	7,312.00	-8,771.07	587.89	8,790.58	0.00	0.00	
16,799.97	90.00	179.93	7,312.00	-8,871.07	588.01	8,890.40	0.00	0.00	
16,899.97	90.00	179.93	7,312.00	-8,971.07	588.14	8,990.23	0.00	0.00	
16,999.97	90.00	179.93	7,312.00	-9,071.07	588.26	9,090.05	0.00	0.00	
17,099.97	90.00	179.93	7,312.00	-9,171.07	588.38	9,189.87	0.00	0.00	
17,199.97	90.00	179.93	7,312.00	-9,271.07	588.50	9,289.70	0.00	0.00	
17,299.97	90.00	179.93	7,312.00	-9,371.07	588.63	9,389.52	0.00	0.00	
17,399.97	90.00	179.93	7,312.00	-9,471.07	588.75	9,489.34	0.00	0.00	
17,499.97	90.00	179.93	7,312.00	-9,571.07	588.87	9,589.17	0.00	0.00	
17,599.96	90.00	179.93	7,312.00	-9,671.07	588.99	9,688.99	0.00	0.00	
17,699.96	90.00	179.93	7,312.00	-9,771.07	589.11	9,788.81	0.00	0.00	
17,799.96	90.00	179.93	7,312.00	-9,871.07	589.24	9,888.64	0.00	0.00	
17,899.96	90.00	179.93	7,312.00	-9,971.07	589.36	9,988.46	0.00	0.00	
17,999.96	90.00	179.93	7,312.00	-10,071.07	589.48	10,088.28	0.00	0.00	
18,099.96	90.00	179.93	7,312.00	-10,171.07	589.60	10,188.11	0.00	0.00	
18,199.96	90.00	179.93	7,312.00	-10,271.07	589.73	10,287.93	0.00	0.00	
18,299.96	90.00	179.93	7,312.00	-10,371.07	589.85	10,387.75	0.00	0.00	
18,357.59	90.00	179.93	7,312.00	-10,428.69	589.92	10,445.27	0.00	0.00	
18,399.96	90.00	179.08	7,312.00	-10,471.07	590.28	10,487.59	2.00	0.00	
18,499.96	90.00	177.08	7,312.00	-10,571.01	593.63	10,587.55	2.00	0.00	
18,599.96	90.00	175.08	7,312.00	-10,670.77	600.46	10,687.54	2.00	0.00	
18,699.96	90.00	173.08	7,312.00	-10,770.23	610.77	10,787.45	2.00	0.00	
18,799.96	90.00	171.08	7,312.00	-10,869.27	624.55	10,887.14	2.00	0.00	
18,899.96	90.00	169.08	7,312.00	-10,967.77	641.77	10,986.51	2.00	0.00	
18,999.96	90.00	167.08	7,312.00	-11,065.61	662.42	11,085.42	2.00	0.00	
19,054.08	90.00	166.00	7,312.00	-11,118.24	675.01	11,138.72	2.00	0.00	DREAM WEAVER South 3K-21H-N268 BHL

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DREAM WEAVER South 3K-21H-N268 - SI
Company:	Crestone Peak Resources	TVD Reference:	23' KB @ 4924.00usft
Project:	DJ BASIN	MD Reference:	23' KB @ 4924.00usft
Site:	S21-T2N-R68W	North Reference:	True
Well:	DREAM WEAVER South 3K-21H-N268	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #3		

Targets									
Target Name									
- hit/miss target	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- Shape	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
DREAM WEAVER South	0.00	0.00	7,312.00	-11,118.24	675.01	1,275,631.04	3,137,526.66	40.088952	-105.008459
- plan hits target center									
- Point									
DREAM WEAVER South	0.00	0.00	7,312.00	102.98	728.83	1,286,852.39	3,137,518.58	40.119756	-105.008265
- plan hits target center									
- Point									