



Bison Oil Well Cementing Tail & Lead

Customer: Noble Energy Inc.
Well Name: EMMY H25-711

Date: 9/10/2018
Invoice #: 300184
API#: 05-123-46968
Foreman: JASON KELEHER

County: Weld
State: Colorado
Sec: 25
Twp: 3N
Range: 65W
Consultant: TOMMY
Rig Name & Number: H&P 517
Distance To Location: 23
Units On Location: 4044-3103,4032-3203
Time Requested: 1730
Time Arrived On Location: 1630
Time Left Location: 2200

WELL DATA

Casing Size (in) : 9 625
Casing Weight (lb) : 36
Casing Depth (ft) : 1,935
Total Depth (ft) : 1946
Open Hole Diameter (in) : 13.50
Conductor Length (ft) : 80
Conductor ID : 15 25
Shoe Joint Length (ft) : 48
Landing Joint (ft) : 5

Sacks of Tail Requested : 100
HOC Tail (ft) : 0

One or the other, cannot have quantity in both

Max Rate: 8
Max Pressure: 1500

Cement Data

Lead

Cement Name:
Cement Density (lb/gal) : 13.5
Cement Yield (cuft) : 1.7
Gallons Per Sack : 9.00
% Excess : 15%

Tail

Cement Name:
Cement Density (lb/gal) : 15.2
Cement Yield (cuft) : 1.27
Gallons Per Sack : 5.89
% Excess : 0%

Fluid Ahead (bbls) : 30.0
H2O Wash Up (bbls) : 20.0

Spacer Ahead Makeup

30 BBL WATER DYE IN 2ND 10

Casing ID

8.921

Casing Grade

J-55 only used

Lead Calculated Results

HOC of Lead : 1717.76 ft
Casing Depth - HOC Tail
Volume of Lead Cement : 920.43 cuft
HOC of Lead X Open Hole Ann
Volume of Conductor : 60.64 cuft
(Conductor ID Squared) - (Casing Size OD Squared) X (.005454) X
(Conductor Length ft)
Total Volume of Lead Cement : 981.31 cuft
(cuft of Lead Cement) + (Cuft of Conductor)
bbls of Lead Cement : 175.00 bbls
(Total cuft of Lead Cement) X (.1781) X (1+%Lead Excess)
Sacks of Lead Cement : 578.00 sk
(Total Slurry Volume) + (Cement Yield) X (% Excess Cement)
bbls of Lead Mix Water : 123.80 bbls
(Sacks Needed) X (Gallons Per Sack) ÷ 42
Displacement : 146.20 bbls
(Casing ID Squared) X (.0009714) X (Casing Depth) + (Landing Joint) - (Shoe Length)
Total Water Needed: 189.00 bbls

Tail Calculated Results

Tail Cement Volume in Ann : 106.12 cuft
(HOC Tail) X (OH Ann)
Total Volume of Tail Cement : 127.00 Cuft
(HOC Tail X OH Ann) - (Shoe Length X Shoe Joint Ann)
bbls of Tail Cement : 22.62 bbls
(HOC of Tail) X (OH Ann) + (Cement Yield) X (Shoe Joint Ann) X (.1781) X (% Excess)
HOC Tail : 217.24 ft
(Tail Cement Volume) ÷ (OH Ann)
Sacks of Tail Cement : 100.00 sk
(Total Volume of Tail Cement) ÷ (Cement Yield)
bbls of Tail Mix Water : 14.02 bbls
(Sacks of Tail Cement X Gallons Per Sack) ÷ 42
Pressure of cement in annulus
Hydrostatic Pressure : 460.00 PSI
Collapse PSI: 2020.00 psi
Burst PSI: 3520.00 psi

X

Authorization To Proceed

Date _____

EMMY H25-711 SURFACE

