



SRC ENERGY

P&A Wellbore Diagram

Operator: SRC Energy

Operator #: 10311

Well Name: Bunn I 35-14

Location: Weld, CO

API: 05-123-23285

Legal: SESW 35-6N-66W

Current

Proposed

Deepest Water Well (1 mile): 200'

Well History

Spud Date: 10/16/2005

Perfs: Codell: 7132' - 7150'

Bradenhead History

Date of last test: N/A

Bradenhead pressure: N/A

Plugging Procedure

TIH and set CIBP @ 7057'

Set 32 sx on top (420' plug)

TIH and set CIBP @ 4290'

Set 2 sx on top

Perforate @ 2500'

Set CICR @ 2400'

Pump 70 sx through CICR (300' annulus plug)

Set 8 sx on top of CICR (100' plug)

Cut casing @ 860'

Pump 262 sx @ 910' to surface

Formations

Fox Hills (Btm)	760'
Sussex (Top)	4365'
Shannon (Top)	4790'
Niobrara (Top)	6850'
Codell (Top)	7130'

Legend

Existing Cement

Cement Pumped

CIBP

CICR

Surface Hole: 12.25"

Surface Casing:

8.625" 24# @ 445'

390 sacks of cement

TOC: 2732'

Production Hole: 7.875"

Production Casing:

4.5" 11.6# @ 7293'

640 sacks of cement

TD: 7300'

860' - Casing Cut

910' - Stub Plug

2400' - CICR

2500' - Perfs

2 sx on top

4290' - CIBP

32 sx on top

7057' - CIBP

7132' - 7150'