

**FORM  
INSP**Rev  
X/15**State of Colorado  
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

01/18/2019

Submitted Date:

01/18/2019

Document Number:

688401103**FIELD INSPECTION FORM**Loc ID 308409 Inspector Name: Silver, Randy On-Site Inspection ☐ 2A Doc Num: \_\_\_\_\_**Operator Information:**OGCC Operator Number: 10672Name of Operator: TIMBER CREEK OPERATING LLCAddress: 1001 17TH STREET #1000City: DENVER State: CO Zip: 80202**Status Summary:**☐ THIS IS A FOLLOW UP INSPECTION☒ FOLLOW UP INSPECTION REQUIRED☐ NO FOLLOW UP INSPECTION REQUIRED**Findings:**12 Number of Comments3 Number of Corrective Actions☒ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM  
PREVIOUS INSPECTIONS THAT HAVE NOT  
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Pesicka, Conor		conor.pesicka@state.co.us	
Amato, Joseph	719-845-2110/719-859-2263	josephamato@tcenergy.us	All Inspections
Santistevan, Vince	719-845-2102/719-680-9705	vincesantistevan@tcenergy.us	All Inspections
Beardslee, Tom		tom.beardslee@state.co.us	

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
271279	WELL	PR	04/01/2018	GW	071-07989	GOLDEN EAGLE 28-16	PR

**General Comment:**

**Location**Overall Good: ☒

<b>Signs/Marker:</b>			
Type	OTHER		
Comment:	Location sign		
Corrective Action:		Date:	

Emergency Contact Number:			
Comment:			
Corrective Action:			Date: _____

<b>Good Housekeeping:</b>			
Type	OTHER		
Comment:	Stained soil around HYD motor skid		
Corrective Action:	Non E&P Waste not properly stored, handled, transported, treated, or disposed per Rule 907A	Date:	02/18/2019
Type	OTHER		
Comment:	Packing on WH leaking at time of inspection		
Corrective Action:	Securely fasten all valves, pipes, and fittings to ensure good mechanical condition, inspect at regular intervals and maintain in good mechanical condition per Rule 605.d.	Date:	01/19/2019
Type	OTHER		
Comment:	Stained soil in back of sep house under 1" drain line to sep		
Corrective Action:	Properly treat or dispose of oily waste in accordance with 907.e	Date:	02/18/2019

Overall Good: ☐

<b>Spills:</b>			
Type	Area	Volume	
In Containment: No _____			
Comment:			
<input type="checkbox"/> Multiple Spills and Releases?			

<b>Fencing/:</b>			
Type			
Comment:			
Corrective Action:			Date:

<b>Equipment:</b>			corrective date
Type: Gas Meter Run	# 1		
Comment:			
Corrective Action:			Date:
Type: Vertical Separator	# 1		
Comment:			
Corrective Action:			Date:
Type: Deadman # & Marked	# 3		
Comment:			

Corrective Action:		Date:	
Type: Prime Mover	# 1		
Comment:	HYD motor		
Corrective Action:		Date:	
Type: Progressive Cavity	# 1		
Comment:			
Corrective Action:		Date:	
Type: Compressor	# 1		
Comment:	Liquid ring		
Corrective Action:		Date:	

**Tanks and Berms:**

Contents	#	Capacity	Type	Tank ID	SE GPS
PRODUCED WATER	1	OTHER	STEEL AST		,
Comment:					
Corrective Action:					Date:

**Paint**

Condition	Adequate	
Other (Content)		
Other (Capacity)	30BBL	
Other (Type)		

**Berms**

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Other				
Comment:	NONE			
Corrective Action:				Date:

**Venting:**

Yes/No	NO	
Comment:		
Corrective Action:		Date:

**Flaring:**

Type	
Comment:	
Corrective Action:	Date:

**Inspected Facilities**Facility ID: 271279 Type: WELL API Number: 071-07989 Status: PR Insp. Status: PR**Producing Well**Comment: PR

Corrective Action:

Date:

**BradenHead**Comment: Appears to be plumbed to surface.

Corrective Action:

Date:

**COGCC Comments**

Comment	User	Date
<u>At time of inspection packing leaking on WH contacted Timber Creek at 10:02 am.</u>	silverr	01/18/2019

**Attached Documents**You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
688401104	loc pic	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4707968">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4707968</a>