


Your Drill Stem Test Report



POST OFFICE BOX 98
HOUSTON, TEXAS

Air Chamber:	Length	Ft.	I.D.
	Cushion Type	Amount	Pressure

← TIME



TIME DATA

Initial Shut-in	-	Hrs.	-	Mins.
Flow Period	1	Hrs.	-	Mins.
Final Shut-in	-	Hrs.	30	Mins.

PRESSURE READING (P.S.I.G.)

Recorder No.	E-B 227
Capacity (P.S.I.G.)	3000
Location	5272'
A Initial Hyd. Mud.	2776
B Initial Shut-in	
C Initial Flow	
D Final Flow	
E Final Shut-in	
F Final Hyd. Mud	2683
REMARKS	A-1 1936 Below straddle.

Recorder No.	
Capacity (P.S.I.G.)	
Location	
A Initial Hyd. Mud	
B Initial Shut-in	
C Initial Flow	
D Final Flow	
E Final Shut-in	
F Final Hyd. Mud	
REMARKS	

Well Temperature	170	° F.
------------------	-----	------

JOHNSTON TESTERS, INC.

Pressure Data

Date 4-28-59
Recorder No. T-314
Clock No. 1586 Clock Tr

Capacity 5000#

Test Ticket No.	70166 L
Location	5270'
n. Well Temperature	152 °F

Point

Pressure

Time Given

Time Computed

A	Initial Hydrostatic Mud	2731
B	Initial Shut-in	-
C	Initial Flow	88
D	Final Flow	229
E	Final Shut-in	874
F	Final Hydrostatic Mud	2711

	Time Given	Time Computed
Opened Tool	1:44 A. M.	
Initial Shut-in	60 Mins.	60 Mins.
Flow	30 Mins.	30 Mins.
Final Shut-in		

Remarks:

PRESSURE BREAKDOWN

FLOW PERIOD

Breakdown: 12 increments
of 5 mins. and a final
increment of - mins.

FINAL SHUT-IN

Breakdown: 10 increments
of 3 mins. and a final
increment of — mins.

Breakdown: _____ increments
of _____ mins. and a final
increment of _____ mins.

[illegible]

Mud Weight 10.1 Mud Viscosity 80