Schlumberger

Schlumberger, Platform Express

Well Name: Kuparuk 1C-01

Field: Kuparuk

Company: ARCO ALASKA, INC.

Date: 12-Jan-1991

Time: 15:00:00

Depth Reference: KB

Elevation: 0.00 ft

Log Interval: 7000.00 ft - 6000.00 ft

Log Speed: 30.00 ft/min

Tool Type: PLATFORM EXPRESS

Tool Serial Number: 2916XA

Tool Length: 50.00 ft

Tool Weight: 1500.00 lb

Mud Type: LIGNOSULFONATE

Mud Density: 9.80 lb/gal

Mud Viscosity: 40.00 s

Mud Resistivity: 1.00 ohm-m

Mud Resistivity Temp: 70.00 F

Mud Resistivity Meas. Temp: 70.00 F

Mud Resistivity Filtrate: 0.80 ohm-m

Mud Resistivity Filtrate Temp: 70.00 F

Mud Resistivity Mud Cake: 1.00 ohm-m

Mud Resistivity Mud Cake Temp: 70.00 F

Max Temp: 150 F

Max Deviation: 42.00 deg

Max Deviation Depth: 6500.00 ft

Max Tension: 1500.00 lb

Min Tension: 1000.00 lb

Max Speed: 30.00 ft/min

Min Speed: 30.00 ft/min

Max Speed Depth: 6000.00 ft

Min Speed Depth: 6000.00 ft

Max Speed Time: 00:00:00

Min Speed Time: 00:00:00

Max Speed Tension: 1500.00 lb

Min Speed Tension: 1000.00 lb

Max Speed Mud Density: 9.80 lb/gal

Min Speed Mud Density: 9.80 lb/gal

Max Speed Mud Viscosity: 40.00 s

Min Speed Mud Viscosity: 40.00 s

Max Speed Mud Resistivity: 1.00 ohm-m

Min Speed Mud Resistivity: 1.00 ohm-m

Max Speed Mud Resistivity Temp: 70.00 F

Min Speed Mud Resistivity Temp: 70.00 F

Max Speed Mud Resistivity Filtrate: 0.80 ohm-m

Min Speed Mud Resistivity Filtrate: 0.80 ohm-m

Max Speed Mud Resistivity Filtrate Temp: 70.00 F

Min Speed Mud Resistivity Filtrate Temp: 70.00 F

Max Speed Mud Resistivity Mud Cake: 1.00 ohm-m

Min Speed Mud Resistivity Mud Cake: 1.00 ohm-m

Max Speed Mud Resistivity Mud Cake Temp: 70.00 F

**Min Speed Mud Resistivity Mud Cake Temp: 70.00 F








Original
Raw
Filtered
MGF
Raw
Filtered
Action Log Tests
Raw
Filtered