Schlumberger
Platform Express
Three Detector Lithology Density
Compensated Neutron
Array Induction Imager Tool
Gamma Ray
Caliper
Bit Size
Density Correction
Photoelectric Factor
Neutron Porosity
Bulk Density
Delta Rho
Deep Resistivity
Medium Resistivity
Shallow Resistivity
Spherically Focused Resistivity
Rt
Rxo
Rm
Rmf
Rmc
Mud Type
Mud Density
Mud Resistivity
Mud Filtrate Resistivity
Mud Cake Resistivity
Source of Rmf and Rmc
Rm @ Measured Temperature
Rmf @ Measured Temperature
Rmc @ Measured Temperature
Max Recorded Temperature
Logging Unit Number
Logging Engineer
Witness
Run Number
Date
Depth Driller
Depth Logger
Bottom Logged Interval
Top Logged Interval
Casing Driller
Casing Logger
Bit Size
Type Fluid in Hole
Density
Viscosity
pH
Fluid Loss
Source of Sample
Rm @ Measured Temperature
Rmf @ Measured Temperature
Rmc @ Measured Temperature
Max Recorded Temperature
Equipment Number
Location
Recorded By
Witnessed By







#127 MD(12301.00) Inc(91.0) Azm(91.9) TVD(6948.23)

#128 MD(12396.00) Inc(91.1) Azm(92.0) TVD(6946.54)

#129 MD(12492.00) Inc(90.8) Azm(91.4) TVD(6945.01)

#130 MD(12588.00) Inc(91.8) Azm(90.0) TVD(6942.85)

#131 MD(12683.00) Inc(92.1) Azm(89.6) TVD(6939.64)

#132 MD(12779.00) Inc(91.9) Azm(89.7) TVD(6936.30)

#133 MD(12836.00) Inc(91.7) Azm(89.6) TVD(6934.50)

12300
12310
12320
12330
12340
12350
12360
12370
12380
12390
12400
12410
12420
12430
12440
12450
12460
12470
12480
12490
12500
12510
12520
12530
12540
12550
12560
12570
12580
12590
12600
12610
12620
12630
12640
12650
12660
12670
12680
12690
12700
12710
12720
12730
12740
12750
12760
12770
12780
12790
12800
12810
12820
12830
12840
12850
12860
12870
12880
12890

Gamma
API
0.0 300.0
300.0 600.0

TVD
ft
0.0 12550.0
12550.0 25100.0

ROP
0
0.0 800.0
800.0 1600.0